

**PRODUCT DATA** 



Date: 08 April 2013

# Information Sheet No.: TDS00142

# **EVO-STIK FLASHBAND ORIGINAL** SELF ADHESIVE FLASHING TAPE

Evo-Stik Flashband Original is a self adhesive sealing bitumen strip which bonds instantly to provide a permanent watertight seal in all climates. Evo-Stik Flashband Original is easily applied using hand pressure and a seam roller, with no requirement for special equipment for cutting, forming or fixing. Before using this product refer to the relevant Health & Safety Data Sheet.

Features					194755 194809	225mm x 4 rolls 300mm x 2 rolls	
<ul> <li>Superior high temperature performance characteristics</li> <li>Quick and easy application</li> <li>Bonds to a wide range of building materials</li> <li>Cost effective method of flashing, sealing and repair</li> <li>Provides lasting protection in all climates</li> <li>Safe in application, storage and transport</li> <li>Lasts up to 15 years</li> </ul>				Grey Finish – 10 196506 200005 205000 210004 215009 220003 225008 228504	metre rolls 50mm x 6 rolls 75mm x 4 rolls 100mm x 3 rolls 150mm x 2 rolls 225mm x 2 rolls 300mm x 1 roll 450mm x 1 roll		
Uses				Shelf life/storage	One year from date of manufacture when stored in		
•	<ul> <li>Bonds to most building materials including brick, masonry, slates, concrete roof tiles, wood, metal, concrete, terracotta tiles, glass, roofing felt, rigid plastics etc</li> </ul>				original unopened packaging in a cool, dry place within the temperature range +5°C to +25°C		
<ul> <li>Applications include a large variety of original construction and maintenance situations including</li> </ul>				Typical Performance Data (approx.)			
	repairing lead flashing, sealing valley gutters, mending leaks in drain pipes and guttering, greenhouse repairs, protecting glazing bars,			Temperature Resistance	-10⁰C to +100⁰C		
	protecting insulation for pipes and tanks, repairing roofing felt joints on flat roofs		anks, repairing	Application Temperature	+5°C to +30°C. NB in cold weather, (below +15°C)		
Product Characteristics				<b>-</b>	application may be made easier by warming the surfaces and storing Flashband in a warm place prior to use.		
Co	lour	Grey finish					
Form		Resin modified bituminous mastic in roll form. Adhesive surface is protected by a removable release backing		Life Expectancy	Special grey lace least 15 years	quer finish, at	
				Directions for use			
Composition		Resin modified bituminous mass		IMPORTANT			
Weight		1.6kg per square metre		Before using Evo-Stik Flashband Original refer to the relevant Health & Safety Data Sheet, available at			
Pro	oduct Codes	Grey Finish – 3.7 194601 194656 194717	75 metre rolls 75mm x 8 rolls 100mm x 6 rolls 150mm x 4 rolls	www.bostik.co.uk.			

Bostik Limited, Common Road, Stafford, England., ST16 3EH. Tel: +44 (0)1785 272625 Fax: +44 (0)1785 272867

BOSTIK, EVO-STIK, CEMENTONE, SEALOCRETE, VALLANCE, LAYBOND, BISCEM & IDENDEN ARE REGISTERED TRADEMARKS OF BOSTIK LIMITED.

## Preparation

- 1. Surfaces must be clean, dry and free from dust, grease, loose materials.
- 2. Gaps, deep hollows and depressions greater than 3mm should be filled with an appropriate filler.
- 3. For improved adhesion on porous or uneven surfaces, apply Evo-Stik Flashband Primer or Evo-Stik Flashband Primer SV.
- 4. Using a dampened brush, apply Evo-Stik Flashband Primer (or SV), according to the relevant data sheets.
- 5. Do not leave the Evo-Stik Flashband Primer for more than 24 hours and therefore only coat an area sufficient for covering within the working day.
- 6. Surfaces such as mineralised felt or textured brick may require two coats; apply the second coat when the first coat has dried.

### Application

- 1. Cut Evo-Stik Flashband Original to required length.
- 2. Remove approximately 50mm of release backing paper and carefully position the sealing strip.
- 3. To avoid creasing when applying Evo-Stik Flashband Original, hold the release backing paper firmly and remove it steadily from the sealing strip as the product is applied.
- 4. Smooth gently into position using hand pressure, only.
- 5. Using a seam roller or a piece of rounded wood smooth the tape to ensure good overall contact and expel any air, especially on overlaps and at edges.
- 6. When laying adjacent rolls, Evo-Stik Flashband Original should be overlapped by a minimum of 25mm for a watertight seal.
- 7. Evo-Stik Flashband Original can be over-painted with conventional decorative paints, though a little

Information Sheet No.: TDS00142

staining of the latter may occur at the edges of the strip.

- 8. Fully bonded Evo-Stik Flashband Original will not accommodate appreciable joint movement.
- 9. For small movements apply a strip of release backing, 50mm narrower than the Evo-Stik Flashband Original, along the joint prior to the application of the Evo-Stik Flashband Original.
- 10. For larger movement, polyethylene foam can be laid proud of the joint, so enabling the web of supported Evo-Stik Flashband Original to accept the movement.
- 11. Whilst Evo-Stik Flashband Original will not damage plastic sheets it is important to bear in mind the high thermal movement of these materials.
- 12. If long lengths of plastic are to be sealed use, 500mm lengths overlapped by 25mm to reduce the effect of the movement.

### **Precautions in Use**

Do not apply if the surface temperature is below +5°C. Fully bonded Evo-Stik Flashband Original will not accommodate appreciable joint movement. As with most covering materials supplied in roll form, some batch-to-batch variation in colour of the Evo-Stik Flashband Original finish can occur. If aesthetic appearance is important, users are advised to check that all rolls are of the same colour or batch number. Always gently warm surfaces so that they are not too hot to touch. Do not warm the foil side of Evo-Stik Flashband Original. Do not overheat or melt the bitumen. Evo-Stik Flashband Original is not intended to withstand vehicular traffic. It should not be used in areas where it may be walked upon. Evo-Stik Flashband Original may become brittle if enclosed in a cementitious mix. Evo-Stik Flashband Original does not resist attack by acidic and alkaline liquids and therefore contact should be avoided. Avoid using Evo-Stik Flashband Original where it will come into regular contact with solvents and oils. Do not use Evo-Stik Flashband Original in conjunction with silicone sealants, flexible PVC or vinyl.

For health and safety instruction, first aid measures and spillage and disposal instructions, see separate Health and Safety Data sheet for Evo-Stik Flashband Original.

Bostik Limited, Common Road, Stafford, England., ST16 3EH. Tel: +44 (0)1785 272625 Fax: +44 (0)1785 272867

www.Bostik.co.uk

Sales & Technical contacts at Bostik	Telephone	Facsimile	Email addresses
Sales	0844 371 1192	01785 241818	customer.service@bostik.com
Technical advice	0844 371 1197	01785 272867	technical.service@bostik.com
Technical Data & COSHH (MSDS) sheets	01785 272625	01785 212962	stafford.gatehouse@bostik.com

This disclaimer is issued by Bostik Limited ("the Company") and applies to the use of any products supplied by the Company ("the Products") displayed on this Technical Data Sheet ("TDS"). Please read this disclaimer carefully before using any of the Products. Using this TDS and/or the Product constitutes your acceptance of this disclaimer. Its contents shall prevail over any directions of use and any disclaimer and/or exclusion or limitation of liability of the Company which may appear on the packaging of the Products.

This disclaimer sets out the entire financial liability of the Company (including any liability for the acts or omissions of its employees, agents and sub-contractors) to any user of the Products ("Product User") in respect of any use made or resale by the Product User, of any of the Products in this TDS.

This disclaimer does not affect the Company's liability for death or personal injury arising from the Company's negligence in respect of the Products, nor its liability for fraud, or fraudulent misrepresentation, nor any other liability which cannot be excluded or limited under applicable law.

The Company's total liability however arising and whether caused by tort (including negligence and breach of statutory duty), breach of contract or otherwise, arising in connection with the use made or resale by the Product User of any of the Products in this TDS shall be limited to the price paid for the Product by the Product User.

The Company shall not be liable to the Product User for any pure economic loss, loss of profit, loss of business, depletion of goodwill or otherwise, in each case whether direct, indirect or consequential, or any claims (including in respect of personal injury insofar as not caused by the Company's negligence) for consequential compensation whatsoever (howsoever caused) which arise out of or in connection with the use made or resale by the Product User of any of the Products in this TDS.

The Company shall not be liable to the Product User in relation to any loss for any use which is inappropriate or use which is otherwise than in accordance with the relevant instructions for use of the Products in this TDS or on the Product. Product Users are advised to confirm the suitability of the Products by their own tests.

This TDS covers just one of a large range of products supplied by the Company.

Full information on these products and advice on application is freely available from our fully trained staff throughout the country. In addition, specialist technical advice is available from our Technical Services Department. This TDS supersedes all previous TDSs relating to the Products, and users of it must ensure that it is the current issue. Destroy all previous TDS, and if in any doubt, contact the Company, quoting the code number in the top right hand corner on the front of this document.