


## Desoldering Braid Solder Remover



### DESCRIPTION

A specially treated braided wick coated with rosin flux which draws up molten solder leaving joints clean for removal of components.

### DISTINCTIVE FEATURES

- Supplied in a handy plastic dispenser
- Ideal for all general-purpose electronics assembly and re-work applications
- Alternative to solder suckers or solder pumps
- Gentle desoldering which reduces the risk of damage to fragile components
- No corrosive residues
- Fast acting capillary action
- Rosin flux

### APPLICATIONS

Can be used in applications where unwanted/excess solder residue needs to be cleaned up or old solder removed for repair work. For example when removing solder from circuit boards, terminals & components, or when replacing a component.

1.5  
metres

Rosin

Copper





## GENERAL SPECIFICATION

Type	Braided Wick
Flux Type	Rosin (10%)
Spool length	1.5 metres
RoHS Compliant	Yes



## MATERIALS

Braid material	Pure Copper
Spool material	EVA



## CERTIFICATION AND STANDARDS

CAS Registry number (Copper)	7440-50-8
CAS Registry number (Rosin)	8050-09-7




## ENVIRONMENTAL/OPERATING SPECIFICATION

Operation to remove solder	Place the wick over the solder requiring removal and place the soldering iron tip on top of the copper braid. The braid and solder beneath will gradually heat until the solder melts and is absorbed into the braid by capillary action. Remove the braid, cut off the solder-filled length and dispose of the contaminated copper.
----------------------------	--



## DIMENSIONS/DRAWINGS

Units	mm - unless stated otherwise
Braid width	See table below
Weight	See table below
Spool Dimensions	51mmØ x 11.5mm



## PART NUMBER TABLE

Part Number	Braid Width (mm)	Weight (grams)	UNSPSC	EAN	Country of Origin
<b>52-4564</b>	1.5	7	23271803	5053556005734	China
<b>52-4565</b>	2.5	11	23271803	5053556005741	China

For further information on pricing, delivery, and long-term stock agreements please contact your local business development person, telephone our main office on **01206 838000** or email **Sales@Rapidonline.com**.



**Important Notice:** This data sheet and its contents (the "Information") belong to Rapid Electronics Limited or are licensed to it. No licence is granted for the use of it other than for information purposes in connection with the products to which it relates. No licence of any intellectual property rights is granted. The Information is subject to change without notice and replaces all data sheets previously supplied. The Information supplied is believed to be accurate but Rapid Electronics Limited assumes no responsibility for its accuracy or completeness, any error in or omission from it or for any use made of it. Users of this data sheet should check for themselves the Information and the suitability of the products for their purpose and not make any assumptions based on information included or omitted. Liability for loss or damage resulting from any reliance on the Information or use of it (including liability resulting from negligence or where Rapid Electronics Limited were aware of the possibility of such loss or damage arising) is excluded. This will not operate to limit or restrict Rapid Electronics Limited's liability for death or personal injury resulting from its negligence.