

Last revised date: 15.09.2022 Supersedes Date: 01.03.2022

TSE392-C

SAFETY DATA SHEET

Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II, as amended by Regulation(EU) No. 2020/878

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name: TSE392-C

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses: Professional Consumer **Uses advised against:** Not known.

1.3 Details of the supplier of the safety data sheet

Manufacturer/Importer/Distr :

ibutor Information

Momentive Performance Materials GmbH Chempark Leverkusen Gebaeude V7

DE - 51368 Leverkusen

Germany

Contact person : commercial.services@momentive.com

Telephone : General information

+390510924300 (Customer Service Centre)

Europe, Israel & All other: +44 (0) 1235239670; Middle East:+44

1.4

Emergency telephone

number

(0) 1235239671

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

The product has been classified according to the legislation in force.

Classification according to Regulation (EC) No 1272/2008 as amended.

Health Hazards

Serious eye irritation Category 2 H319: Causes serious eye irritation.

The product is not classified for chronic aquatic toxicity, for further details see section 16

2.2 Label Elements



Signal Words: Warning

Hazard Statement(s): H319: Causes serious eye irritation.

SDS_GB 1/21



Last revised date: 15.09.2022 Supersedes Date: 01.03.2022

TSE392-C

Precautionary Statements

Prevention: P264: Wash face, hands and any exposed skin thoroughly after

handling.

P280: Wear protective gloves/protective clothing/eye protection/face

protection.

Response: P305+P351+P338: IF IN EYES: Rinse cautiously with water for several

minutes. Remove contact lenses, if present and easy to do. Continue

insing.

P337+P313: If eye irritation persists: Get medical advice/attention.

Supplemental label information

EUH208: Contains (gamma-Aminopropyltriethoxysilane, Dibutyltin

Dilaurate). May produce an allergic reaction.

Unknown toxicity - Health

Acute toxicity, oral 0 %
Acute toxicity, dermal 0 %
Acute toxicity, inhalation, vapor 0 %
Acute toxicity, inhalation, dust 0 %
or mist

Or IIIISt

Additional Information: No data available.

2.3 Other hazards

PBT/vPvB data

Persistent, Bioaccumulative and Toxic (PBT), very Persistent and very Bioaccumulative (vPvB)

Endocrine disrupting properties-Toxicity

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Endocrine disrupting properties-Ecotoxicity

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

Chemical nature: Silicone sealant

3.2 Mixtures

General information: No data available.

Chemical name	Concentration	CAS-No.	EC No.	REACH Registration No.	M-Factor:	Notes
CYCLOPENT YLSILAZANE- AMINOSILOX ANE COPOLYMER	1 - <3%	134759-20-9	638-885-6	Polymer	Not applicable	

SDS_GB 2/21



Last revised date: 15.09.2022 Supersedes Date: 01.03.2022

TSE392-C

, METHOXY TERMINATED						
gamma- Aminopropyltri ethoxysilane	0,1 - <1%	919-30-2	213-048-4	01- 2119480479- 24-XXXX	Not applicable	
DibutyItin Dilaurate	0,1 - <0,3%	77-58-7	201-039-8	01- 2119496068- 27-XXXX	Aquatic Toxicity (Acute): 1	#
Dodecamethyl cyclohexasilox ane	0,1 - <1%	540-97-6	208-762-8	01- 2119517435- 42-XXXX	Not applicable	√P√B
Decamethylcy clopentasiloxa ne	0,1 - <1%	541-02-6	208-764-9	01- 2119511367- 43-XXXX	Not applicable	√P√B
Octamethylcyc lotetrasiloxane	0,01 - <0,1%	556-67-2	209-136-7	01- 2119529238- 36-XXXX	Aquatic Toxicity (Chronic): 10	PBT, vPvB

^{*} All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

Classification

Chemical name	Classification	Notes
CYCLOPENTYLSILAZAN	Eye Dam.: 1: H318; Skin Corr.: 2: H315;	
E-AMINOSILOXANE		
COPOLYMER, METHOXY		
TERMINATED		
gamma-	Acute Tox.: 4: H302; Skin Corr.: 1B: H314; Eye Dam.: 1:	No data
Aminopropyltriethoxysilane	H318; Skin Sens.: 1: H317;	available.
Dibutyltin Dilaurate	Eye Dam.: 1: H318; Skin Sens.: 1: H317; Muta.: 2: H341;	No data
	Repr.: 1B: H360FD; STOT SE: 1: H370; Skin Corr.: 1C: H314;	available.
	Aquatic Chronic: 1: H410; Aquatic Acute: 1: H400; No data	
	available.	
Dodecamethylcyclohexasil	No data available.	
oxane		
Decamethylcyclopentasilo	No data available.	
xane		
Octamethylcyclotetrasiloxa	Flam. Liq.: 3: H226; Repr.: 2: H361f; Aquatic Chronic: 1:	
ne	H410;	

CLP: Regulation No. 1272/2008.

SECTION 4: First aid measures

4.1 Description of first aid measures

SDS_GB 3/21

[#] This substance has workplace exposure limit(s).

PBT: persistent, bioaccumulative and toxic substance.

vPvB: very persistent and very bioaccumulative substance.



Last revised date: 15.09.2022 Supersedes Date: 01.03.2022

TSE392-C

Inhalation: Move into fresh air and keep at rest. Get medical attention if symptoms

occur.

Eye contact: Rinse the eye with water immediately. If eye irritation persists: Get medical

advice/attention.

Skin Contact: After contact with skin, remove product mechanically. Wash area with soap

and water.

Ingestion: If swallowed, do NOT induce vomiting. Give a glass of water. Rinse mouth.

Consult a physician for specific advice.

4.2 Most important symptoms and effects, both acute and

delayed:

Product may hydrolyse upon contact with body fluids in the gastrointestinal

tract to produce additional methanol; therefore, consider the

signs/symptoms of methanol poisoning and also observe the known latency

period of several days!

4.3 Indication of any immediate medical attention and special treatment needed

Hazards: No data available.

Treatment: If swallowed, do NOT induce vomiting. Give a glass of water. If swallowed,

rinse mouth with water (only if the person is conscious). Product may hydrolyze upon contact with body fluids in the gastrointestinal tract to produce additional methanol. The potential for toxic effects due to methanol formation (eye damage and blindness, metabolic acidosis,

dizziness and drowsiness, fetal toxicity, and liver, kidney, and heart muscle

damage) should be recognized.

SECTION 5: Firefighting measures

General Fire Hazards: Prevent runoff from fire control or dilution from entering streams, sewers, or

drinking water supply.

5.1 Extinguishing media Suitable extinguishing

media:

All standard extinguishing agents are suitable.

Unsuitable extinguishing

media:

Do not use water jet as an extinguisher, as this will spread the fire.

5.2 Special hazards arising from the substance or

mixture:

Reacts with water liberating small amounts of methanol. In case of fire, carbon monoxide and carbon dioxide may be formed. Measurements at temperatures above 150°C in presence of air (oxygen) have shown that small amounts of formaldehyde are formed due to oxidative degradation.

5.3 Advice for firefighters

Special fire-fighting

procedures:

Product may charge electrostatically during pouring or filling. Take

precautionary measures against static discharges. Keep away from sources

of ignition - No smoking.

Special protective

equipment for fire-fighters:

Use standard firefighting procedures and consider the hazards of other involved materials. Self-contained breathing apparatus.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures:

Provide adequate ventilation. Use personal protective equipment. Keep container tightly closed and in a well-ventilated place. Caution: Contaminated surfaces may be slippery.

6.2 Environmental Precautions:

Prevent runoff from entering drains, sewers, or streams.

SDS_GB 4/21



Last revised date: 15.09.2022 Supersedes Date: 01.03.2022

TSE392-C

6.3 Methods and material for containment and cleaning

up:

Use mechanical handling equipment. Shovel up and place in a container for

salvage or disposal.

6.4 Reference to other

sections:

Remove sources of ignition.

SECTION 7: Handling and storage:

7.1 Precautions for safe

handling:

Methanol is formed during processing. Wear appropriate personal

protective equipment.

Storage conditions: Keep away from sources of ignition - No smoking. Store in original

container.

7.2 Conditions for safe storage,

including any incompatibilities:

Store in original tightly closed container. Keep in a cool, ventilated location

far from heat source and flame Keep away from food, drink and animal

feeding stuffs.

Storage Stability: Material is stable under normal conditions.

7.3 Specific end use(s): No data available.

SECTION 8: Exposure controls/personal protection

8.1 Control Parameters

Occupational Exposure Limits

Chemical name	Туре	Exposure Limit Values	Source
Dibutyltin Dilaurate - as Sn	TWA	0,1 mg/m3	UK. EH40 Workplace Exposure Limits (WELs), as amended (12 2011)
	STEL	0,2 mg/m3	UK. EH40 Workplace Exposure Limits (WELs), as amended (01 2020)

Biological Limit Values

None.

DNEL-Values

Critical component	Туре	Route of Exposure		Remarks
Dibutyltin Dilaurate	Workers	Dermal	1 mg/kg bw/day	
•		Inhalation	0,07 mg/m3	
		Dermal	0,2 mg/kg bw/day	
		Inhalation	0,01 mg/m3	
	Consumers	Dermal	0,5 mg/kg bw/day	
		Inhalation	0,02 mg/m3	
		Ingestion	0,01 mg/kg bw/day	
		Dermal	0,08 mg/kg bw/day	
		Inhalation	0,003 mg/m3	
		Ingestion	0,002 mg/kg bw/day	

PNEC-Values

Critical component	Environmental compartment		Remarks
DibutyItin Dilaurate	Water	0,463 µg/l	

SDS_GB 5/21



Last revised date: 15.09.2022 Supersedes Date: 01.03.2022

•	TSE392-C	
Seawater	0,0463 µg/l	
Intermittent release	4,63 µg/l	
freshwatersediment	0,05 mg/kg	Derived from PNEC(freshwater) using the equilibrium partitioning method.
Saltwater Sediment Sediment	0,005 mg/kg	Derived from PNEC (freshwater) using the equilibrium partitioning method.
soil	0,0407 mg/kg	
Sewage treatment plant	100 mg/l	
Oral	0,2 mg/kg	

8.2 Exposure controls

Appropriate Engineering

Controls:

Eye wash facilities and emergency shower must be available when handling this product. Observe good industrial hygiene practices.

Individual protection measures, such as personal protective equipment

General information: Use only in well-ventilated areas. Wear suitable gloves and eye/face

protection.

Eye/face protection: Safety glasses with side-shields conforming to EN166

Skin protection

Hand Protection: Advice: There is no risk to health due to contact with the chemical. Use

hand protection to prevent mechanically injuries.

Other: Wear suitable protective clothing and eye/face protection. Wear suitable

protective clothing.

Respiratory Protection: In case of insufficient ventilation, wear suitable respiratory equipment.

Respiratory protection mask with Filtertype ABEK

Hygiene measures: Avoid contact with eyes, skin, and clothing. Wash hands after handling.

When using do not eat or drink.

Environmental exposure

controls:

No data available.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance

Physical state: solid
Form: Paste
Color: Colorless
Odor: Faint

Odor Threshold:

pH:

No data available.

Not applicable

No data available.

No data available.

No data available.

Not applicable

Flash Point: 144 °C

Evaporation Rate:

Flammability (solid, gas):

Flammability Limit - Upper (%):

Flammability Limit - Lower (%):

Vapor pressure:

No data available.

No data available.

No data available.

SDS_GB 6/21



Last revised date: 15.09.2022 Supersedes Date: 01.03.2022

TSE392-C

Relative vapor density:

Density:

No data available.

No data available.

Relative density:

No data available.

Solubility(ies)

Solubility in Water: Insoluble

Solubility (other):

Partition coefficient (n-octanol/water) Log

No data available.

No data available.

Pow:

Autoignition Temperature: No data available.

Decomposition Temperature: No decomposition if stored and applied as directed.

SADT:

Viscosity, dynamic:

Viscosity, kinematic:

Viscosity, kinematic:

No data available.

> 20,5 mm2/s (40 °C)

Explosive properties:

No data available.

Oxidizing properties:

No data available.

9.2 Other informationNo data available.

SECTION 10: Stability and reactivity

10.1 Reactivity: Material is stable under normal conditions.

10.2 Chemical Stability: Material is stable under normal conditions.

10.3 Possibility of hazardous

reactions:

Hazardous polymerization does not occur. Avoid contact with: Moisture.

10.4 Conditions to avoid: Keep away from heat, sparks and open flame.

10.5 Incompatible Materials: Moisture. Strong Acids, Strong Bases

10.6 Hazardous Decomposition

Products:

Carbon oxides Oxides of silicon. Generates methanol during cure.

Measurements at temperatures above 150°C in presence of air (oxygen) have shown that small amounts of formaldehyde are formed due to

oxidative degradation.

SECTION 11: Toxicological information

General information: In serious cases absorption of methanol in the body may lead to damage to

the eyesight.

Information on likely routes of exposure

Inhalation: No data available.

Ingestion: No data available.

Skin Contact: No data available.

Eye contact: No data available.

11.1 Information on toxicological effects

Acute toxicity

Oral

SDS_GB 7/21



Last revised date: 15.09.2022 Supersedes Date: 01.03.2022

TSE392-C

Product: Not classified for acute toxicity based on available data.

LD 50 (Rat): 4.666 mg/kg

Not classified for acute toxicity based on available data.

Specified substance(s)

CYCLOPENTYLSILAZA

NE-AMINOSILOXANE COPOLYMER,

METHOXY TERMINATED

gamma-Aminopropyltriethoxysilan

LD 50 (Rat): 2.071 mg/kg Dibutyltin Dilaurate

Dodecamethylcyclohexas

iloxane

Decamethylcyclopentasil

oxane

Octamethylcyclotetrasilox

ane

No data available.

LD 50 (Rat): 2.000 mg/kg

No data available.

LD 50 (Rat): > 4.800 mg/kg

Dermal

Product: Not classified for acute toxicity based on available data.

Not classified for acute toxicity based on available data.

Specified substance(s)

CYCLOPENTYLSILAZ No data available.

ANE-

AMINOSILOXANE COPOLYMER, **METHOXY TERMINATED**

gamma-Aminopropyltriethoxysil

Dibutyltin Dilaurate LD 50 (Rat): > 2.000 mg/kg

Dodecamethylcyclohex

asiloxane

LD 50 (Rat): 2.000 mg/kg

No data available.

Decamethylcyclopenta

siloxane

LD 50 (Rabbit): > 2.000 mg/kg

Octamethylcyclotetrasil

oxane

LD 50 (Rat): > 2.375 mg/kg

Inhalation

Product: Not classified for acute toxicity based on available data.

No data available.

No data available.

Not classified for acute toxicity based on available data.

Specified substance(s)

CYCLOPENTYLSILAZA

NE-AMINOSILOXANE COPOLYMER,

METHOXY TERMINATED

gamma-Aminopropyltriethoxysilan

Dibutyltin Dilaurate No data available. Dodecamethylcyclohexas No data available.

iloxane

Decamethylcyclopentasil LC50 (Rat, 4 h): 8,67 mg/l

oxane

Octamethylcyclotetrasilox LC50 (Rat, 4 h): 36 mg/l

SDS_GB 8/21



Last revised date: 15.09.2022 Supersedes Date: 01.03.2022

TSE392-C

ane

Repeated dose toxicity

Product: No data available.

Specified substance(s)

CYCLOPENTYLSILAZA

NE-AMINOSILOXANE

COPOLYMER, **METHOXY TERMINATED**

NOAEL (Rat): 200 mg/kg/d gamma-(Rat(males)): 147 mg/m³ Aminopropyltriethoxysilan

Dibutyltin Dilaurate NOAEL (Rat(male and female), Oral, 28 d): 0,3 - 0,4 mg/l

> NOAEL (Rat(males), Oral, 28 d): 1,9 - 2,3 mg/l NOAEL (Rat(female), Oral, 28 d): 1,7 - 2,3 mg/l NOAEL (Rat(male and female), Oral): 1.000 mg/kg

Dodecamethylcyclohexas

iloxane

Decamethylcyclopentasil

oxane

NOAEL (Rat(male and female), Oral, 90 d): 1.000 mg/kg NOAEL (Rat(male and female), Dermal, 28 d): 1.600 mg/kg NOAEC (Rat(male and female), Inhalation - vapor, 2 y): 160 ppm

No data available.

No data available.

Octamethylcyclotetrasilox ane

Skin Corrosion/Irritation:

Product: No data available.

Specified substance(s)

CYCLOPENTYLSILAZ

Draize (Rabbit, 4 h): Slightly irritating.

ANE-

AMINOSILOXANE COPOLYMER, **METHOXY TERMINATED**

gamma-Aminopropyltriethoxysil

Dibutyltin Dilaurate (Rabbit): Severe skin irritation.

Dodecamethylcyclohex OECD-Guideline 404 (Acute Dermal Irritation/Corrosion) (Rabbit, 72 h):

No data available.

asiloxane No skin irritation

Decamethylcyclopentas

iloxane

Octamethylcyclotetrasil

oxane

OECD Test Guideline 404 (Rabbit, 72 h): Non irritating

OECD Test Guideline 404 (Rabbit): Non irritating

Serious Eye Damage/Eye

Irritation: **Product:**

No data available.

Specified substance(s)

CYCLOPENTYLSILAZ

ANE-

AMINOSILOXANE COPOLYMER, METHOXY TERMINATED

gamma-No data available.

Aminopropyltriethoxysil

Dibutyltin Dilaurate OECD Test Guideline 405 (Rabbit, 21 d): Strongly irritating. Irritating to

Dodecamethylcyclohex

asiloxane

OECD-Guideline 405 (Acute Eye Irritation/Corrosion) (Rabbit, 72 h): No

Draize (Rabbit, 24 h): Corrosive Risk of serious damage to eyes.

eye irritation Not irritating

SDS_GB 9/21



Last revised date: 15.09.2022 Supersedes Date: 01.03.2022

TSE392-C

Decamethylcyclopentas

iloxane

OECD Test Guideline 405 (Rabbit, 72 h): Non irritating

Octamethylcyclotetrasil

oxane

OECD-Guideline 405 (Acute Eye Irritation/Corrosion) (Rabbit): Non

irritating

Respiratory or Skin

Sensitization:

Product: No data available.

Specified substance(s)

CYCLOPENTYLSILAZ

No data available.

ANE-

AMINOSILOXANE COPOLYMER, **METHOXY TERMINATED**

gamma-

Bühler-Patch-Test skin sensitisation on guinea pigs, OECD-Guideline Aminopropyltriethoxysil 406 (Skin Sensitisation) (Guinea Pig): Sensitizing

Dibutyltin Dilaurate Dodecamethylcyclohex

asiloxane

Maximisation Test, OECD Test Guideline 406 (Guinea Pig): Sensitizer Maximisation Test, OECD-Guideline 406 (Skin Sensitisation) (Guinea

Maximisation Test, OECD-Guideline 406 (Skin Sensitisation) (Guinea

Pig): negative

Decamethylcyclopentas

iloxane

LLNA (Local Lymph Node Assay), OECD Guideline 429 (LLNA)

(Mouse): Non sensitizing.

Octamethylcyclotetrasil

Pig): Not sensitizing oxane

Germ Cell Mutagenicity

In vitro

No data available. **Product:**

Specified substance(s)

CYCLOPENTYLSILAZAN E-AMINOSILOXANE COPOLYMER, **METHOXY TERMINATED**

No data available.

No data available.

gamma-

Aminopropyltriethoxysilan

Dibutyltin Dilaurate

Ames-Test (OECD-Guideline 471 (Genetic Toxicology: Salmonella typhimurium, Reverse Mutation Assay)): negative (not mutagenic)

Dodecamethylcyclohexas

iloxane

Mammalian cytogenicity test (OECD 476): negative

No data available.

Decamethylcyclopentasil

oxane

Ames-Test (OECD-Guideline 471 (Genetic Toxicology: Salmonella typhimurium, Reverse Mutation Assay)): negative (not mutagenic) Mammalian cytogenicity test (Mouse Lymphoma Assay (OECD Guidline

476)): negative (not mutagenic)

Octamethylcyclotetrasilox

ane

Chromosomal aberration (OECD 473): negative (not mutagenic) Ames-Test (OECD-Guideline 471 (Genetic Toxicology: Salmonella typhimurium, Reverse Mutation Assay)): negative (not mutagenic)

Mouse Lymphoma Assay (OECD Guidline 476): negative (not mutagenic)

In vivo

Product: No data available.

Specified substance(s)

SDS_GB 10/21



Last revised date: 15.09.2022 Supersedes Date: 01.03.2022

TSE392-C

CYCLOPENTYLSILAZAN E-AMINOSILOXANE COPOLYMER, METHOXY TERMINATED No data available.

gamma-Aminopropyltriethoxysilan

е

No data available.

Dibutyltin Dilaurate (OECD-Guideline 474 (Genetic Toxicology: Micronucleus Test)) Oral

(Mouse)positive The health hazard evaluation is based on the toxicological

properties of a similar material.

Dodecamethylcyclohexas

iloxane

OECD-Guideline 474 (Genetic Toxicology: Micronucleus Test) (OECD-Guideline 474 (Genetic Toxicology: Micronucleus Test)) Intraperitoneal

(Mouse, male and female): negative

Decamethylcyclopentasil

Octamethylcyclotetrasilox

oxane

(OECD-Guideline 474 (Genetic Toxicology: Micronucleus Test)) Inhalation

(Rat, male and female)negative (not mutagenic) Vapor.

Chromosomal aberration (OECD 475) Inhalation (Rat, male and female):

negative

Dominant lethal assay (OECD 478) Oral (Rat, male and female): negative

Carcinogenicity

Product: No data available.

Specified substance(s)

CYCLOPENTYLSILAZAN E-AMINOSILOXANE COPOLYMER, METHOXY TERMINATED

No data available.

gamma-

Aminopropyltriethoxysilan

е

Dibutyltin Dilaurate Dodecamethylcyclohexas

iloxane

Decamethylcyclopentasil

oxane

Octamethylcyclotetrasilox

OCI

No data available. No data available.

No data available.

No data available.

No data available.

ane

Reproductive toxicity

Product: No data available.

Specified substance(s)

CYCLOPENTYLSILAZAN E-AMINOSILOXANE COPOLYMER, METHOXY No data available.

TERMINATED

gamma- No data available.

A min opropyl triethoxy silan

е

Dibutyltin Dilaurate Dodecamethylcyclohexas

iloxane

No data available. No data available.

Decamethylcyclopentasil

No data available.

oxane

Octamethylcyclotetrasilox No data available.

ane

Specific Target Organ Toxicity - Single Exposure Product: No data available.

SDS_GB 11/21



Last revised date: 15.09.2022 Supersedes Date: 01.03.2022

TSE392-C

Specified substance(s)

CYCLOPENTYLSILAZAN E-AMINOSILOXANE No data available.

COPOLYMER, METHOXY TERMINATED

gamma- No data available.

Aminopropyltriethoxysilan

е

Dibutyltin Dilaurate No data available. Dodecamethylcyclohexas No data available.

iloxane

Decamethylcyclopentasil No data available.

oxane

Octamethylcyclotetrasilox No data available.

ane

Specific Target Organ Toxicity - Repeated Exposure Product: No data available.

Specified substance(s)

CYCLOPENTYLSILAZAN No data available.

E-AMINOSILOXANE COPOLYMER, METHOXY TERMINATED

gamma- No data available.

Aminopropyltriethoxysilan

e

Dibutyltin Dilaurate No data available. Dodecamethylcyclohexas No data available.

iloxane

Decamethylcyclopentasil No data available.

oxane

Octamethylcyclotetrasilox No data available.

ane

Aspiration Hazard

TERMINATED

Product: No data available.

Specified substance(s)

CYCLOPENTYLSILAZAN No data available. E-AMINOSILOXANE COPOLYMER, METHOXY

gamma- No data available.

Aminopropyltriethoxysilan

е

Dibutyltin Dilaurate No data available. Dodecamethylcyclohexas No data available.

iloxane

Decamethylcyclopentasil No data available.

oxane

Octamethylcyclotetrasilox No data available.

ane

11.2 Information on other hazards

Endocrine disrupting properties

SDS_GB 12/21



Last revised date: 15.09.2022 Supersedes Date: 01.03.2022

TSE392-C

Product: The substance/mixture does not contain components considered to have

> endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission

Regulation (EU) 2018/605 at levels of 0.1% or higher.;

Components:

CYCLOPENTYLSILAZA

NE-AMINOSILOXANE

COPOLYMER, **METHOXY TERMINATED**

No data available. gamma-

Aminopropyltriethoxysila

Dibutyltin Dilaurate No data available. Dodecamethylcyclohexa No data available.

siloxane

Decamethylcyclopentasil

oxane

Octamethylcyclotetrasilo

xane

No data available.

No data available.

No data available.

No data available.

Other effects: No data available.

SECTION 12: Ecological information

12.1 Toxicity

Acute toxicity

Fish

Product: No data available.

Specified substance(s)

CYCLOPENTYLSILAZA NE-AMINOSILOXANE

COPOLYMER, **METHOXY TERMINATED**

LC 50 (96 h): > 110 mg/l (OECD-Guideline 203 (Fish, Acute Toxicity Test)) gamma-

Aminopropyltriethoxysilan

Dibutyltin Dilaurate No data available. Dodecamethylcyclohexas No data available.

iloxane

Decamethylcyclopentasil

oxane

Octamethylcyclotetrasilox

LC50 (Oncorhynchus mykiss, 96 h): > 0,0016 mg/l (OECD-Guideline 204)

No toxicity at the limit of solubility; LC50 (Oncorhynchus mykiss, 96 h): >

Aquatic Invertebrates

Product: No data available.

Specified substance(s)

CYCLOPENTYLSILAZA NE-AMINOSILOXANE

COPOLYMER. **METHOXY TERMINATED**

gamma-Aminopropyltriethoxysilan EC50 (Daphnia, 48 h): > 100 mg/l (OECD Test Guideline 202)

SDS_GB 13/21

No data available.

0,022 mg/l



Last revised date: 15.09.2022 Supersedes Date: 01.03.2022

TSE392-C

Dibutyltin Dilaurate Fresh water; EC50 (Daphnia magna, 48 h): < 0,463 mg/l (OECD Test

Guideline 202)

Dodecamethylcyclohexas

iloxane

No data available.

No data available.

Decamethylcyclopentasil

oxane

EC50 (Daphnia magna, 48 h): > 0,0029 mg/l (OECD Test Guideline 202)

Octamethylcyclotetrasilox

No toxicity at the limit of solubility; EC50 (Daphnia magna, 48 h): > 0,015

mg/l

Chronic Toxicity

Fish

Product: No data available.

Specified substance(s)

CYCLOPENTYLSILAZA **NE-AMINOSILOXANE** COPOLYMER,

METHOXY TERMINATED

No data available. gamma-

Aminopropyltriethoxysilan

Dibutyltin Dilaurate

Dodecamethylcyclohexas

iloxane

No data available.

No toxicity at the limit of solubility; NOEC (Oncorhynchus mykiss, 91 d):

0,014 mg/l

Decamethylcyclopentasil

oxane

NOEC (Oncorhynchus mykiss, 90 d): >= 0,0014 mg/l (OECD-Guideline

LOEC (Oncorhynchus mykiss, 90 d): > 0,0014 mg/l (OECD-Guideline 210) No toxicity at the limit of solubility; NOEC (Oncorhynchus mykiss, 93 d): >=

Octamethylcyclotetrasilox

ane

0,0044 mg/l

No data available.

No data available.

Aquatic Invertebrates Product:

Specified substance(s) CYCLOPENTYLSILAZA

NE-AMINOSILOXANE COPOLYMER, **METHOXY TERMINATED**

gamma-

Aminopropyltriethoxysilan

Dibutyltin Dilaurate

Dodecamethylcyclohexas

iloxane

No data available.

No data available.

No toxicity at the limit of solubility; NOEC (Daphnia magna, 21 d): 0,0046

EC50 (Sediment Invertebrate, 28 d): > 420 mg/l LOEC (Sediment Invertebrate, 28 d): >= 420 mg/l

Decamethylcyclopentasil

oxane

NOEC (Daphnia magna, 21 d): >= 0,0015 mg/l (OECD-Guideline 211)

LOEC (Daphnia magna, 21 d): > 0,0015 mg/l

Octamethylcyclotetrasilox

ane

No toxicity at the limit of solubility; NOEC (Daphnia magna, 21 d): > 0,015 mg/l

Toxicity to Aquatic Plants

Product:

No data available.

Specified substance(s)

CYCLOPENTYLSILAZA **NE-AMINOSILOXANE** COPOLYMER,

No data available.

14/21 SDS_GB



Last revised date: 15.09.2022 Supersedes Date: 01.03.2022

TSE392-C

METHOXY TERMINATED

gamma-EC50 (72 h): > 3,6 mg/l (OECD Test Guideline 201)

Aminopropyltriethoxysilan

Fresh water; EC50 (Desmodesmus subspicatus (green algae), 72 h): > 1 Dibutyltin Dilaurate

mg/I (OECD Test Guideline 201)

Dodecamethylcyclohexas

iloxane

No effects at the limit of solubility.; EC50 (Algae (Pseudokirchneriella

subcapitata), 72 h): > 0,002 mg/l (OECD Test Guideline 201)

No effects at the limit of solubility.; NOEC (Algae (Pseudokirchneriella

subcapitata), 72 h): >= 0,002 mg/l (OECD Test Guideline 201)

Decamethylcyclopentasil

oxane

EC50 (Algae (Pseudokirchneriella subcapitata), 96 h): > 0,0012 mg/l

(OECD Test Guideline 201)

NOEC : >= 0,0012 mg/lEC10 :> 0,0012 mg/l

Octamethylcyclotetrasilox

No toxicity at the limit of solubility; ErC50 (Selenastrum capricornutum, 96

ane h): > 0.022 mg/l

12.2 Persistence and Degradability

Biodegradation

Product: No data available.

Specified substance(s)

CYCLOPENTYLSILAZAN E-AMINOSILOXANE COPOLYMER, **METHOXY TERMINATED**

No data available.

gamma-

Aminopropyltriethoxysilan

No data available.

Dibutyltin Dilaurate Biological degradability (39 d): 23 % The product is not readily

biodegradable.

Dodecamethylcyclohexas

iloxane

No data available.

Decamethylcyclopentasil

oxane

activated sludge (adaptation not specified) (28 d, OECD Test Guideline 310):

0,14 % The product is not readily biodegradable.

Octamethylcyclotetrasilox ane

(29 d, 310 Ready Biodegradability - CO₂ in Sealed Vessels (Headspace

Test)): 3,7 % Persistent Not readily biodegradable.

BOD/COD Ratio

Product No data available.

Specified substance(s)

CYCLOPENTYLSILAZAN E-AMINOSILOXANE COPOLYMER, **METHOXY TERMINATED**

No data available.

gamma-

No data available.

Aminopropyltriethoxysilan

Dibutyltin Dilaurate No data available. Dodecamethylcyclohexas No data available.

iloxane

Decamethylcyclopentasil No data available.

oxane

Octamethylcyclotetrasilox No data available.

ane

12.3 Bioaccumulative potential

SDS_GB 15/21



Last revised date: 15.09.2022 Supersedes Date: 01.03.2022

TSE392-C

Product: No data available.

Specified substance(s)

CYCLOPENTYLSILAZAN No data available.

E-AMINOSILOXANE COPOLYMER, **METHOXY TERMINATED**

gamma-No data available.

Aminopropyltriethoxysilan

Dibutyltin Dilaurate The product is not bioaccumulating. No data available.

Dodecamethylcyclohexas

iloxane Decamethylcyclopentasil

Fathead Minnow, Bioconcentration Factor (BCF): 7.060 (OECD Test

oxane

Octamethylcyclotetrasilox

Guideline 305)

Persistent, Bioaccumulative and Toxic (PBT), very Persistent and very

Bioconcentration Factor (BCF): 12.400

12.4 Mobility in soil: No data available.

Known or predicted distribution to environmental compartments

CYCLOPENTYLSILAZANE No data available.

-AMINOSILOXANE

COPOLYMER, METHOXY

TERMINATED

No data available. gamma-

Aminopropyltriethoxysilane

Dibutyltin Dilaurate No data available.

Dodecamethylcyclohexasilo

xane

No data available. Decamethylcyclopentasilox

Octamethylcyclotetrasiloxa No data available.

12.5 Results of PBT and vPvB assessment:

CYCLOPENTYLSILAZANE -

AMINOSILOXANE

COPOLYMER, METHOXY

TERMINATED

gamma-

Aminopropyltriethoxysilane

Dibutyltin Dilaurate

Dodecamethylcyclohexasiloxane

No data available.

No data available.

Bioaccumulative (vPvB)

No data available.

No data available.

vPvB: very persistent and

very

bioaccumulative substance.

Dodecamethylcyclohexasiloxane (D6) meets the current EU REACH Annex XIII criteria for vPvB and has been added to the candidate list for Substances of very high concern (SVHC)., However our understanding of the available science is that D6 does not behave similarly to known PBT/vPvB substances. The silicones industries interpretation of the available data is that the weight of scientific evidence from field studies shows that D6 is not biomagnifying in aquatic and terrestrial food webs. D6 in air will degrade by naturally occurring reactions in the atmosphere. Any D6 in air that does not degrade by these reactions is not expected to deposit from the air to water, to land, or to living organisms

SDS_GB 16/21



Last revised date: 15.09.2022 Supersedes Date: 01.03.2022

TSE392-C

Decamethylcyclopentasiloxane

vPvB: very persistent and verv

bioaccumulative substance.

Decamethylcyclopentasiloxane (D5) meets the current EU REACH Annex XIII criteria for vPvB and has been added to the candidate list for Substances of very high concern (SVHC)., However our understanding of the available science is that D5 does not behave similarly to known PBT/vPvB substances. The silicones industries interpretation of the available data is that the weight of scientific evidence from field studies shows that D5 is not biomagnifying in aguatic and terrestrial food webs. D5 in air will degrade by naturally occurring reactions in the atmosphere. Any D5 in air that does not degrade by these reactions is not expected to deposit from the air to water, to land, or to living organisms.

Octamethylcyclotetrasiloxane

Persistent, Bioaccumulative and Toxic (PBT), very Persistent and very Bioaccumulative (vPvB)

Octamethylcyclotetrasiloxane (D4) meets the current EU REACh Annex XIII criteria for PBT and vPvB and has been added to the candidate list for Substances of very high concern (SVHC)., However our understanding of the available science is that D4 does not behave similarly to known PBT/vPvB substances. The silicones industries interpretation of the available data is that the weight of scientific evidence from field studies shows that D4 is not biomagnifying in aquatic and terrestrial food webs. D4 in air will degrade by naturally occurring reactions in the atmosphere. Any D4 in air that does not degrade by these reactions is not expected to deposit from the air to water, to land, or to living organisms.

12.6 Endocrine disrupting properties:

Product: The substance/mixture does not contain components considered to have

endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission

Regulation (EU) 2018/605 at levels of 0.1% or higher.

Components:

CYCLOPENTYLSILAZA NE-AMINOSILOXANE

COPOLYMER, **METHOXY TERMINATED**

gamma-

Aminopropyltriethoxysila

Dibutyltin Dilaurate Dodecamethylcyclohexa

siloxane

Decamethylcyclopentasil

Octamethylcyclotetrasilo

xane

No data available.

No data available.

No data available. No data available.

No data available.

No data available.

Other hazards

12.7 Other adverse effects:

SDS GB 17/21



Last revised date: 15.09.2022 Supersedes Date: 01.03.2022

TSE392-C

Product: No data available.

Additional Information: Ecotoxicological data for this product is not available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

General information: See Section 8 for information on appropriate personal protective

equipment. Do not discharge into drains, water courses or onto the ground.

Disposal methods: Dispose of waste at an appropriate treatment and disposal facility in

accordance with applicable laws and regulations, and product

characteristics at time of disposal.

The hazard and precautionary statements displayed on the label also apply to any residues left in the container. The generation of waste should be

avoided or minimized wherever possible.

SECTION 14: Transport information

ADR

Not regulated.

ADN

Not regulated.

RID

Not regulated.

IMDG

Not regulated.

IATA

Not regulated.

14.6 Special precautions for user: This product is not regarded as dangerous goods according to the

national and international regulations on the transport of

dangerous goods. Protect from moisture. Keep away from food, foodstuff, acids and bases. keep away from odour sensitive

materials

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code:

Not applicable

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

EU Regulations

Regulation 1005/2009/EC on substances that deplete the ozone layer, Annex I, Controlled

SDS_GB 18/21



Last revised date: 15.09.2022 Supersedes Date: 01.03.2022

TSE392-C

Substances: none

Regulation 1005/2009/EC on substances that deplete the ozone layer, Annex II, New Substances: none

EU. Regulation 2019/1021/EU on persistent organic pollutants (POPs) (recast), as amended: none

Regulation (EC) No. 649/2012 Import and export of dangerous chemicals:

Chemical name	CAS-No.	Concentration
Dibutyltin Dilaurate	77-58-7	0,1 - 1,0%

Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorisation, as amended: none

EU. REACH Candidate List of Substances of Very High Concern for Authorization (SVHC):

Chemical name	CAS-No.	Concentration
Dodecamethylcyclohexasiloxane	540-97-6	0 - <=0,2%
Decamethylcyclopentasiloxane	541-02-6	0 - <=0,2%

Regulation (EC) No. 1907/2006 Annex XVII Substances subject to restriction on marketing and use:

The packaging shall be visibly, legibly and indelibly marked as follows: Restricted to professional users.

Chemical name	CAS-No.	Concentration
gamma-Aminopropyltriethoxysilane	919-30-2	0,1 - 1,0%
Dibutyltin Dilaurate	77-58-7	0,1 - 1,0%
Decamethylcyclopentasiloxane	541-02-6	0,1 - 1,0%

Directive 2004/37/EC on the protection of workers from the risks related to exposure to carcinogens and mutagens at work.:

Chemical name	CAS-No.	Concentration
Dibutyltin Dilaurate	77-58-7	0,1 - 1,0%

Directive 92/85/EEC: on the safety and health of pregnant workers and workers who have recently given birth or are breast feeding.:

Chemical name	CAS-No.	Concentration
Dibutyltin Dilaurate	77-58-7	0,1 - 1,0%

EU. Directive 2012/18/EU (SEVESO III) on major accident hazards involving dangerous substances, Annex I: None present or none present in regulated quantities. None present or none present in regulated quantities.

EU. Regulation No. 166/2006 PRTR (Pollutant Release and Transfer Registry), Annex II: Pollutants:

Chemical name	CAS-No.	Concentration
Dibutyltin Dilaurate	77-58-7	0,1 - 1,0%

Directive 98/24/EC on the protection of workers from the risks related to chemical agents at work:

Chemical name	CAS-No.	Concentration
gamma-Aminopropyltriethoxysilane	919-30-2	0,1 - 1,0%
Dibutyltin Dilaurate	77-58-7	0,1 - 1,0%



Last revised date: 15.09.2022 Supersedes Date: 01.03.2022

TSE392-C

assessment:

Inventory Status

Canada DSL Inventory List: Q (quantity restricted) Remarks: Please contact your

> supplier for further information on the inventory status of this

material.

Japan (ENCS) List: On or in compliance with the

inventory

Not in compliance with the Canada NDSL Inventory:

inventory.

New Zealand Inventory of

Chemicals:

Not in compliance with the

inventory.

REACH: If purchased from Momentive

Performance Materials GmbH in Leverkusen, Germany, all substances in this product have been registered by Momentive Performance Materials GmbH or upstream in our supply chain or are exempt from registration under Regulation (EC) No 1907/2006 (REACH). For polymers, this

includes the constituent monomers and other

reactants.

Australia Industrial Chem. Act

(AIIC):

China Inv. Existing Chemical

Substances:

Korea Existing Chemicals Inv.

(KECI):

Philippines PICCS:

Taiwan Chemical Substance

Inventory:

US TSCA Inventory:

Not in compliance with the

inventory.

On or in compliance with the

inventory On or in compliance with the

inventory

On or in compliance with the inventory

On or in compliance with the

inventory

On or in compliance with the

inventory

Remarks: None.

SECTION 16: Other information

Revision Information: Not relevant.

Key literature references and sources for data:

The partition coefficient of D4 between PDMS and water has been determined as log KPDMS-water =7.09. It follows that PDMS containing up to

3%w/w D4 will generate a thermodynamic limit concentration of 2.4 µg D4/L in the water phase. The critical 21d-NOEC for daphnia of 7.9 μg D4/L will not be reached. The product is therefore not classified for chronic aquatic toxicity

Wording of the H-statements in section 2 and 3

H226	Flammable liquid and vapor.
H302	Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

Causes serious eye damage. H318 Causes serious eye irritation. H319

Suspected of causing genetic defects. H341

SDS_GB 20/21



Last revised date: 15.09.2022 Supersedes Date: 01.03.2022

TSE392-C

H360FD May damage fertility. May damage the unborn child.

H361f Suspected of damaging fertility. H370 Causes damage to organs. H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

Training information: No data available.

Issue Date: 15.09.2022 Disclaimer:

Notice to reader

Unless otherwise specified in section 1.2, Momentive Products are intended for industrial application only.

They are not intended for specific medical applications, neither for long-lasting (> 30 days) implantation into the human body, injected or directly ingested, nor for the manufacture of multiple usable contraceptives.

Further Information

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warrantyor quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

® and TM indicate trademarks owned by or licensed to Momentive.

SDS_GB 21/21