

Œ

Page 1 of 8

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revised on / Version: 19.01.2011 / 0002 Replaces revision of / Version: 29.06.2009 / 0001

Valid from: 19.01.2011 PDF print date: 19.02.2011

Unsichtbarer Handschuh 650 mL Art.: 3334

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Unsichtbarer Handschuh 650 mL

Art.: 3334

1.2 Relevant identified uses of the substance or mixture:

Cosmetic preparation

Sector of use [SU]:

SU 3 - Industrial uses: Uses of substances as such or in preparations at industrial sites

SU21 - Consumer uses: Private households (=general public = consumers)

SU22 - Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

Chemical product category [PC]:

PC39 - Cosmetics, personal care products

Process category [PROC]:

PROC 1 - Use in closed process, no likelihood of exposure.

PROC 2 - Use in closed, continuous process with occasional controlled exposure

PROC 8a - Transfer of substance or preparation (charging/discharging) from/to vessels/large containers at non-dedicated facilities

PROC 8b - Transfer of substance or preparation (charging/discharging) from/to vessels/large containers at dedicated facilities

PROC 9 - Transfer of substance or preparation into small containers (dedicated filling line, including weighing)

PROC19 - Hand-mixing with intimate contact and only PPE available

Environmental Release Category [ERC]:

ERC 4 - Industrial use of processing aids in processes and products, not becoming part of articles

ERC 7 - Industrial use of substances in closed systems

ERC 8a - Wide dispersive indoor use of processing aids in open systems

ERC 8d - Wide dispersive outdoor use of processing aids in open systems

Article Categories [AC]:

AC99 - Not required.

Uses advised against:

No information available at present.

1.3 Details of the supplier of the safety data sheet

LIQUI MOLY GmbH, Jerg-Wieland-Straße 4, D-89081 Ulm-Lehr Telephone (+49) 0731-1420-0, Fax (+49) 0731-1420-88

 $\hbox{E-mail address of the competent person: info@chemical-check.de, $k.$schnurbusch@chemical-check.de}$

1.4 Emergency telephone

Advisory office in case of poisoning:

Tel.

Telephone number of the company in case of emergencies:

Tel.: (+49) 0731-1420-0

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

2.1.1 Classification according to Regulation (EC) 1272/2008 (CLP)

Not determined

2.1.2 Classification according to Directives 67/548/EEC and 1999/45/EC (including amendments).

Cosmetics regulations are to be applied.



Page 2 of 8

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revised on / Version: 19.01.2011 / 0002 Replaces revision of / Version: 29.06.2009 / 0001

Valid from: 19.01.2011 PDF print date: 19.02.2011

Unsichtbarer Handschuh 650 mL Art.: 3334

2.2 Label elements

2.2.1 Labeling according to Regulation (EC) 1272/2008 (CLP)

Not determined

2.2.2 Labeling according to Directives 67/548/EEC and 1999/45/EC (including amendments).

Cosmetics regulations are to be applied.

Symbols: Not applicable Indications of danger:

R-phrases:

S-phrases:

Additions: n.a.

2.3 Other hazards

The mixture contains no vPvB substance (vPvB = very persistent, very bioaccumulative). The mixture contains no PBT substance (PBT = persistent, bioaccumulative, toxic).

SECTION 3: Composition/information on ingredients

3.1 Substance

n.a. 3.2 Mixture

Registration number (ECHA)	-
Index	-
EINECS, ELINCS	-
CAS	-
content %	
Symbol	-
R-phrases	-
Classification categories / Indications of danger	
Hazard class/Hazard category	Hazard statement

SECTION 4: First aid measures

4.1 Description of first aid measures

Inhalation

Typically no exposure pathway.

Supply person with fresh air and consult doctor according to symptoms.

Skin contact

Normally not irritating to skin.

Eye contact

Wash thoroughly for several minutes using copious water. Seek medical help if necessary.

Ingestion

Give copious water to drink - consult doctor immediately.

4.2 Most important symptoms and effects, both acute and delayed

Where relevant delayed occuring symptomes and effects will be found in section 11. or at the exposure routes under section 4.1.

4.3 Indication of any immediate medical attention and special treatment needed

SECTION 5: Firefighting measures



Œ

Page 3 of 8

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revised on / Version: 19.01.2011 / 0002 Replaces revision of / Version: 29.06.2009 / 0001

Valid from: 19.01.2011 PDF print date: 19.02.2011

Unsichtbarer Handschuh 650 mL Art.: 3334

5.1 Extinguishing media Suitable extinguishing media

Adapt to the nature and extent of fire.

Unsuitable extinguishing media

n.c.

5.2 Special hazards arising from the substance or mixture

In case of fire the following can develop:

Oxides of carbon

5.3 Advice for firefighters

No special measures required.

According to size of fire

Protective respirator with independent air supply.

Dispose of contaminated extinction water according to official regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Avoid contact with eyes.

6.2 Environmental precautions

If leakage occurs, dam up.

Prevent surface and ground-water infiltration, as well as ground penetration.

6.3 Methods and material for containment and cleaning up

Soak up with absorbent material (e.g. universal binding agent, sand, diatomaceous earth, sawdust) and dispose of according to Section 13.

6.4 Reference to other sections

For personal protective equipment see Section 8 and for disposal instructions see Section 13.

SECTION 7: Handling and storage

In addition to information given in this section, relevant information can also be found in section 8 and 6.1.

7.1 Precautions for safe handling

Observe directions on label and instructions for use.

General hygiene measures for the handling of chemicals are applicable.

Wash hands before breaks and at end of work.

Keep away from food, drink and animal feedingstuffs.

Remove contaminated clothing and protective equipment before entering areas in which food is consumed.

7.2 Conditions for safe storage, including any incompatibilities

Not to be stored in gangways or stair wells.

Store product closed and only in original packing.

7.3 Specific end use(s)

No information available at present.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Chemical Name	Glycerine			Content %:
WEL-TWA: 10 mg/m3 (mist)		WEL-STEL:		
BMGV:			Other information:	

WEL-TWA = Workplace Exposure Limit - Long-term exposure limit (8-hour TWA (= time weighted average) reference period) EH40. AGW = "Arbeitsplatzgrenzwert" (workplace limit value, Germany). | WEL-STEL = Workplace Exposure Limit - Short-terme exposure limit (15-minute reference period). | BMGV = Biological monitoring guidance value EH40. BGW = "Biologischer Grenzwert" (biological limit value, Germany) | Other information: Sen = Capable of causing occupational asthma. Sk = Can be absorbed through skin. Carc = Capable of causing cancer and/or heritable genetic damage.

^{** =} The exposure limit for this substance is repealed through the TRGS 900 (Germany) of January 2006 with the goal of revision.



Page 4 of 8

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revised on / Version: 19.01.2011 / 0002 Replaces revision of / Version: 29.06.2009 / 0001

Valid from: 19.01.2011 PDF print date: 19.02.2011

Unsichtbarer Handschuh 650 mL Art.: 3334

8.2 Exposure controls

8.2.1 Appropriate engineering controls

Ensure good ventilation. This can be achieved by local suction or general air extraction.

If this is insufficient to maintain the concentration under the WEL or AGW values, suitable breathing protection should be worn.

Applies only if maximum permissible exposure values are listed here.

8.2.2 Individual protection measures, such as personal protective equipment

General hygiene measures for the handling of chemicals are applicable.

Wash hands before breaks and at end of work.

Keep away from food, drink and animal feedingstuffs.

Remove contaminated clothing and protective equipment before entering areas in which food is consumed.

Eye/face protection:

During transfer operations:

Tight fitting protective goggles with side protection (EN 166).

Skin protection - Hand protection: n.d.a.

Protective working garments (e.g. safety shoes EN ISO 20345, long-Skin protection - Other:

sleeved protective working garments)

Respiratory protection: Normally not necessary.

Thermal hazards:

If applicable, these are included in the individual protective measures (eye/face protection, skin protection, respiratory protection).

Additional information on hand protection - No tests have been performed.

In the case of mixtures, the selection has been made according to the knowledge available and the information about the contents.

Selection of materials derived from glove manufacturer's indications.

Final selection of glove material must be made taking the breakthrough times, permeation rates and degradation into account. Selection of a suitable glove depends not only on the material but also on other quality characteristics and varies from manufacturer to

manufacturer

In the case of mixtures, the resistance of glove materials cannot be predicted and must therefore be tested before use.

The exact breakthrough time of the glove material can be requested from the protective glove manufacturer and must be observed.

8.2.3 Environmental exposure controls

No information available at present.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state:

Colour: According to specification

Odour: Characteristic Odour threshold: Not determined pH-value: Not determined Melting point/freezing point: Not determined

100 °C Initial boiling point and boiling range: Flash point: 160 °C Evaporation rate: Not determined

Flammability (solid, gas): Not determined Lower explosive limit: 0,9 Vol-% Upper explosive limit: Not determined Vapour pressure: 23 hPa (20°C) Vapour density (air = 1): Not determined Density: Not determined Bulk density: Not determined Solubility(ies): Not determined Water solubility: Not miscible Partition coefficient (n-octanol/water): Not determined

Nο

Auto-ignition temperature:



Page 5 of 8

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revised on / Version: 19.01.2011 / 0002

Replaces revision of / Version: 29.06.2009 / 0001

Valid from: 19.01.2011 PDF print date: 19.02.2011

Unsichtbarer Handschuh 650 mL Art.: 3334

Decomposition temperature:

Viscosity:

Not determined

Not determined

Explosive properties: Product is not explosive.

Oxidising properties: Not determined

9.2 Other information

Miscibility:

Fat solubility / solvent:

Conductivity:

Not determined

Not determined

Not determined

Not determined

Surface tension:

Not determined

Not determined

Not determined

SECTION 10: Stability and reactivity

10.1 Reactivity

See also Subsection 10.4 to 10.6. The product has not been tested.

10.2 Chemical stability

See also Subsection 10.4 to 10.6. Stable with proper storage and handling.

10.3 Possibility of hazardous reactions

See also Subsection 10.4 to 10.6.

10.4 Conditions to avoid

See also section 7.

10.5 Incompatible materials

No dangerous reactions are known.

10.6 Hazardous decomposition products

See also Subsection 10.4 to 10.6.

None known

SECTION 11: Toxicological information

No classification according to calculation procedure.

According to current knowledge that mixture does not endanger man under normal conditions of application.

Unsichtbarer Handschuh 650 mL

Official de Handschaff 030 file									
Art.: 3334									
Toxicity/effect	Endpoin t	Value	Unit	Organism	Test method	Notes			
Acute toxicity, by oral route:						n.d.a.			
Acute toxicity, by dermal route:						n.d.a.			
Acute toxicity, by inhalation:						n.d.a.			
Skin corrosion/irritation:						n.d.a.			
Serious eye damage/irritation:						n.d.a.			
Respiratory or skin						n.d.a.			
sensitisation:									
Germ cell mutagenicity:						n.d.a.			
Carcinogenicity:						n.d.a.			
Reproductive toxicity:						n.d.a.			
Specific target organ toxicity - single exposure (STOT-SE):						n.d.a.			
Specific target organ toxicity - repeated exposure (STOT-RE):						n.d.a.			
Aspiration hazard:						n.d.a.			
Respiratory tract irritation:						n.d.a.			
Repeated dose toxicity:						n.d.a.			
Symptoms:						n.d.a.			

Glycerine						
Toxicity/effect	Endpoin	Value	Unit	Organism	Test method	Notes
	t					
	•		•	•		•



Page 6 of 8

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revised on / Version: 19.01.2011 / 0002

Replaces revision of / Version: 29.06.2009 / 0001

Valid from: 19.01.2011 PDF print date: 19.02.2011

Unsichtbarer Handschuh 650 mL Art.: 3334

Acute toxicity, by oral route:	LD50	>12600	mg/kg	Rat		
Acute toxicity, by dermal route:	LD50	>18700	mg/kg	Rabbit		
Acute toxicity, by inhalation:						n.d.a.
Skin corrosion/irritation:					OECD 404 (Acute Dermal Irritation/Corrosion)	Not irritant
Serious eye damage/irritation:					OECD 405 (Acute Eye Irritation/Corrosion)	Not irritant
Respiratory or skin sensitisation:						Not sensitizising
Germ cell mutagenicity:					OECD 471 (Bacterial Reverse Mutation Test)	Negative
Carcinogenicity:						n.d.a.
Reproductive toxicity:						n.d.a.
Specific target organ toxicity - single exposure (STOT-SE):						n.d.a.
Specific target organ toxicity - repeated exposure (STOT-RE):						n.d.a.
Aspiration hazard:						n.d.a.
Respiratory tract irritation:						n.d.a.
Repeated dose toxicity:						n.d.a.
Symptoms:						abdominal pain, dizziness, diarrhoea, vomiting, headaches, mucous membrane irritation

SECTION 12: Ecological information

Unsichtbarer Handschuh 650 mL										
Art.: 3334										
Toxicity/effect	Endpoint	Time	Value	Unit	Organism	Test method	Notes			
Toxicity to fish:							n.d.a.			
Toxicity to daphnia:							n.d.a.			
Toxicity to algae:							n.d.a.			
Persistence and							n.d.a.			
degradability:										
Bioaccumulative							n.d.a.			
potential:										
Mobility in soil:							n.d.a.			
Results of PBT and							n.d.a.			
vPvB assessment										
Other adverse effects:							n.d.a.			

Glycerine		T =-	T	T			1
Toxicity/effect	Endpoint	Time	Value	Unit	Organism	Test method	Notes
Toxicity to fish:	LC50	96h	> 5000	mg/l	(Carassius		
-				_	auratus)		
Toxicity to fish:	LC50	96h	>1000	mg/l	(Leuciscus idus)		
•			0				
Toxicity to daphnia:	EC50	24h	>1000	mg/l			
			0	_			
Toxicity to algae:							n.d.a.
Persistence and							n.d.a.
degradability:							
Bioaccumulative	Log Pow		-2,66				
potential:							
Mobility in soil:							n.d.a.
Results of PBT and							n.a.
vPvB assessment							
Other adverse effects:							n.d.a.



Page 7 of 8

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revised on / Version: 19.01.2011 / 0002 Replaces revision of / Version: 29.06.2009 / 0001

Valid from: 19.01.2011 PDF print date: 19.02.2011

Unsichtbarer Handschuh 650 mL Art.: 3334

Other ecotoxicological	BOD5	0,87	g/g		
data:					
Other ecotoxicological	COD	1,16	g/g		
data:					

SECTION 13: Disposal considerations

13.1 Waste treatment methods

For the substance / mixture / residual amounts

EC disposal code no.:

The waste codes are recommendations based on the scheduled use of this product. Owing to the user's specific conditions for use and disposal, other waste codes may be allocated under certain circumstances. (2001/118/EC, 2001/119/EC, 2001/573/EC)

07 06 01 aqueous washing liquids and mother liquors

07 06 99 wastes not otherwise specified

Recommendation:

Pay attention to local and national official regulations

Can be disposed of with household rubbish.

For contaminated packing material

Pay attention to local and national official regulations

SECTION 14: Transport information

General statements

UN number: n.a.

Transport by road/by rail (ADR/RID)

UN proper shipping name: Transport hazard class(es): n.a. Packing group: n.a. Classification code: n.a. LQ (ADR 2011): n.a. LQ (ADR 2009): n.a.

Environmental hazards: Not applicable

Tunnel restriction code:

Transport by sea (IMDG-code)

UN proper shipping name:

Transport hazard class(es): n.a. Packing group: n.a. Marine Pollutant: n.a.

Environmental hazards: Not applicable

Transport by air (IATA)

UN proper shipping name:

Transport hazard class(es): n.a. Packing group:

Environmental hazards: Not applicable

Special precautions for user

Unless specified otherwise, general measures for safe transport must be followed.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Non-dangerous material according to Transport Regulations.

Additional information:

Non-dangerous material according to Transport Regulations.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

For classification and labelling see Section 2.

Observe restrictions: VOC 1999/13/EC 0%



Œ

Page 8 of 8

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revised on / Version: 19.01.2011 / 0002 Replaces revision of / Version: 29.06.2009 / 0001

Valid from: 19.01.2011 PDF print date: 19.02.2011

Unsichtbarer Handschuh 650 mL Art.: 3334

15.2 Chemical safety assessment

No information available at present.

SECTION 16: Other information

These details refer to the product as it is delivered.

Revised sections:

1 - 16

Legend:

n.a. = not applicable / n.v., k.D.v. = n.av. = not available / n.g. = n.c. = not checked

WEL = Workplace Exposure Limit EH40, TWA = Long-term exposure limit (8-hour TWA (= time weighted average) reference period), STEL = Short-terme exposure limit (15-minute reference period) / BMGV = Biological monitoring guidance value EH40

AGW = "Arbeitsplatzgrenzwert" (workplace limit value, Germany) / BGW = "Biologischer Grenzwert" (biological limit value, Germany)

VbF = Regulations for flammable liquids (Austria)

VOC = Volatile organic compounds

AOX = Adsorbable organic halogen compounds

ATE = Acute Toxicity Estimates according to Regulation (EC) 1272/2008 (CLP)

The statements made here should describe the product with regard to the necessary safety precautions - they are not meant to guarantee definite characteristics - but they are based on our present up-to-date knowledge. No responsibility.

These statements were made by:

Chemical Check GmbH, Wöbbeler Straße 2-4, D-32839 Steinheim, Tel.: +49 5233 94 17 0, +49 1805-CHEMICAL / +49 180 52 43 642, Fax: +49 5233 94 17 90, +49 180 50 50 455

© by Chemical Check GmbH Gefahrstoffberatung. The copying or changing of this document is forbidden except with consent of the Chemical Check GmbH Gefahrstoffberatung.