According to Regulation (EC) No. 1907/2006 with its amendment Regulation (EU) 2015/830

Revision Date: 09/01/2023 Revision: 10.0 Previous Issue: 07/06/2021



1	1		D	roo	1110	ł In	lan	tifier
	١. ا	١.	г	IUU	ıuc	ιıc	ıcıı	unei

Product Name Future HF Rework Jelly

1.2. Relevant Identified uses of the substance or mixture and uses advised against

Description A rework soldering flux

1.3. Details of the supplier of the safety data sheet

Company Warton Metals Limited

Address Grove Mill

Commerce Street Haslingden Lancashire BB4 5JT England

Web www.warton-metals.co.uk

Telephone 01706 218888 Fax 01706 221188

Email sales@warton-metals.co.uk Email of competent person sds@warton-metals.co.uk

1.4. Emergency telephone number

Emergency Telephone Number +44(0)1706 218888 (8am-5pm Monday-Friday)

SECTION 2: Hazards Identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Classification- EU Directive Main Hazards	Skin Sens 1	H317	May cause an allergic skin reaction
Iviaiii i iazaius	Eye Irrit. 2	H319	Causes serious eye irritation.
	See Section 11	for more d	etailed information on health effects and symptoms.

2.2. Label Elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

GHS Symbols



Warning

Signal Word Contains colophony (rosin)

H317: May cause an allergic skin reaction **Hazard Statements**

H319: Causes serious eye irritation

P261: Avoid breathing fumes. **Precautionary Statements**

P280: Wear protective gloves

P285: In case of inadequate ventilation wear respiratory protection. P302+P352: IF ON SKIN, Wash with plenty of soap and water.

P304+P341: IF INHALED, If breathing is difficult, remove victim to fresh air and

keep at rest in a position comfortable for breathing.

P305+P351+P338: If in EYES, rinse cautiously with water for several minutes.

Remove contact lenses.

P333+P313: If skin irritation or rash occurs, get medical advice/attention.

Future HF Rework Jelly Page 1 of 6

According to Regulation (EC) No. 1907/2006 with its amendment Regulation (EU) 2015/830

Revision: 10.0





SECTION 3: Composition/Information on ingredients

~ 4						
3.1	Ihie	material	10	detined	20 2	mixture

Revision Date: 09/01/2023

Chemical Name	CAS No	EC No.	REACH Registration Number	Conc.(%w/w)	Classification
Rosin (Colophony)	8050-09-7	232-475-7	01-2119480418-32	<60	H317: Skin Sens 1
Alpha Terpineol	8000-41-7	232-268-1	-	<50	H315: Skin Irrit. 2 H319: Eye Irrit. 2
Adipic Acid	124-04-9	204-673-3	01-2119457561-38	<5	H319: Eye Irrit. 2
Glutaric Acid	110-94-1	203-817-2	01-2120264127-58	<5	H314: Skin Corr. 1A H318: Eye Dam. 1
Polyamide Thickener	Mixture	-	-	<5	-

SECTION	4:	First Aid	Measures
---------	----	-----------	----------

4.1. Description of first aid measures

Inhalation	Inhalation of flux fume (at normal use temperatures) may cause respiratory distress.
	Remove at once to fresh air. Keep warm and at rest. If breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained
	personnel. If not breathing, give artificial respiration. If unconscious place in the
	recovery position and get medical attention immediately.
Eye contact	Rosin based flux fumes may irritate eyes, Flush eyes with plenty of water. Make
	sure contaminated water washes away from the face and clear upper and lower
	eyelids. Continue to rinse for 10 minutes.
Skin contact	Rosin based flux fume may cause a skin rash to develop. If any skin rash develops
	seek medical attention. Wash off with soap and plenty of water.
Ingestion	Rinse the mouth with water. Do not induce vomiting. Never give anything by mouth
	to an unconscious person. If unconscious place in the recovery position. Obtain
	medical attention immediately.

4.2. Most important symptoms and effects, both acute and delayed

Inhalation	Prolonged or repeated exposure may cause an allergic reaction to develop. Prolonged or repeated exposure to the fumes emitted may cause sensitization which could lead to occupational asthma. May cause irritation to respiratory
Eye Contact	system. Irritating and abrasive.
Skin Contact Ingestion	May cause irritation to skin. Will irritate gastric tract.

4.3 Indication of any immediate medical attention and special treatment needed

Seek medical attention if any symptoms persist.

SECTION 5: Firefighting Measures

5.1. Extinguishing Media

Use extinguishing media appropriate to the surrounding fire conditions. Water spray, dry chemical or carbon dioxide. Sand may be used for small fires.

5.2. Special hazards arising from the substance or mixture

Inhalation of the flux fumes will irritate the nose and throat.

5.3. Advice for Fire Fighters

Do not use water jet	Wear full protective of	clothing and	self-contained	breathing
apparatus operating ir	the positive pressure r	node.		

Future HF Rework Jelly Page 2 of 6

According to Regulation (EC) No. 1907/2006 with its amendment Regulation (EU) 2015/830



Revision Date: 09/01/2023 Revision: 10.0 Previous Issue: 07/06/2021

	WARTON PIETALS LIMITED
SECTION 6: Accidental Release	Measures
6.1. Personal precautions, protective	e equipment and emergency procedures
	Use personal protective equipment. Avoid inhalation of any fume from the hot solder. Avoid contact with hot product and wash hands after handling and before eating, drinking or smoking. Ensure adequate ventilation of the working area.
6.2. Environmental precautions	
6.3. Methods and material for conta	Do not allow product to enter drains, soil, waterways and sewers. Prevent further spillage if safe. Ensure solder is collected in suitable containers for disposal accordance with local and national legislation. Refer to section 13 for disposal.
0.5. Methods and material for conta	
	Sweep up and shovel. Keep in suitable closed containers for disposal. Observe personal hygiene methods.
6.4. reference to other sections	
	See section 2,8,13 for further information.
SECTION 7: Handling and Storag	е
7.1. Precautions for safe handling	
	Ensure adequate ventilation of the working area. The fumes produced during soldering should be extracted away from the breathing zone of the operators using properly designed efficient, well-maintained, local exhaust ventilation. See HSG 258 and INDG 249, HSE publications for further information. Put on appropriate protective equipment (latex gloves or similar). Wash hands with soap and warm water after handling soldering products. Workers should wash hands before eating, drinking or smoking. Adopt best manual handling considerations when handling, carrying and dispensing. Persons with a history of skin sensitization problems should not be employed in any process in which this product is used. Keep out of reach of children.
7.2. Precautions for safe storage, in	cluding and incompatabilities
	Keep in a cool, dry, well ventilated area. Store in correctly labelled containers. Keep away from direct sunlight. Keep away from food and drink.
7.3. Specific end use(s)	
	See section 1.2.
SECTION 8: Exposure controls/pe	ersonal protection
8.1. Control parameters	Floorial proteotion
8.1.1. Exposure Limit Values	
Rosin	0.15 mg/ m³ over a 15 minute reference period UK EH40: MEL (Skin sensitizer). 0.05 mg/m³ over an 8 hour reference period
8.2. Exposure Controls	· · · · · · · · · · · · · · · · · · ·
8.2.1 Appropriate engineering controls	To achieve adequate control, as required by the COSHH Regulations, extraction should be used to reduce exposure. Extraction should be properly maintained and in good working order. Please use health and safety guidelines to choose suitable extraction.
8.2.2. Individual protection measures	Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of the work day. Wash contaminated clothing before re-use.
Eye/face protection Skin / Hand protection	Ensure that eye wash stations are close to the work area. Wear protective clothing. Disposable vinyl gloves. Use safety goggles.
Biological Standards Environmental exposure controls	No data available The material possesses minimal risk to the environment.
Environmental exposure contitois	The material possesses minimal list to the environment.

Future HF Rework Jelly Page 3 of 6

According to Regulation (EC) No. 1907/2006 with its amendment Regulation (EU) 2015/830



Revision Date: 09/01/2023 Revision: 10.0 Previous Issue: 07/06/2021

SECTION 9: Information on basic physical and chemical properties

State Jelly pale Colour Sweet pine Odour No data available рН Melting point No data available Freezing point Not available Boiling point Above 300°C Flash point Not available Not available Evaporation rate Flammability limits Not available Vapour flammability Not available Vapour pressure Not available Vapour density Not available Relative density Not available Fat solubility Not available Partition coefficient Not available Autoignition temperature Not available Viscosity Not available Solubility Insoluble in water 9.2. Other Information

Conductivity No data available Surface Tension No data available Gas group No data available

SECTION 10: Stability and Reactivity

10.1. Reactivity

No data available.

10.2. Stability

Stable under normal conditions.

10.3. Possibility of Hazardous Reactions

No data available.

10.4. Conditions to avoid

None.

10.5. Incompatible Materials

No data available.

10.6. Hazardous Decomposition Products

No data available.

SECTION 11: Toxicological Information

11.1. Information on toxicological effects

In In a Late Communication	
Inhalation	Fumes generated during use may cause sensitisation to the respiratory system
	and should be extracted away from the operator.
Ingestion	May be harmful if swallowed.
Skin Contact	Skin contact should be avoided.
Eye contact	No information available.
Target Organs	No information available.
Germ cell mutagenicity	No data available.
Carcinogenicity	No data available.

Future HF Rework Jelly Page 4 of 6

According to Regulation (EC) No. 1907/2006 with its amendment Regulation (EU) 2015/830



Revision Date: 09/01/2023 Revision: 10.0 Previous Issue: 07/06/2021

SECTION 12: Ecological Information	on
12.1. Toxicity	
,	No data available.
12.2. Persistence and degradability	
	No data available.
12.3. Bioaccumulative potential	
	No data available.
12.4. Mobility in soil	
	No data available.
12.5. Results of PBT and vPvB asse	ssment
	No data available.
12.6 Other adverse effects	
	No data available.
SECTION 13: Disposal Considerat	ions
General Information	
	Dispose of in compliance with all local and national regulations. Empty containers may contain product residue. The product container must be disposed of in a safe way.
Disposal methods	
	Contact a licensed waste disposal company. Avoid dispersal of spilt material and runoff in contact with soil, waterways.
Disposal and Packaging	
	Do NOT reuse empty containers. Empty containers can be sent for disposal and recycling.
Further Information	
	For disposal with the EC, the appropriate code according to the European Waste Catalogue (EWC) should be used.

Future HF Rework Jelly Page **5** of **6**

According to Regulation (EC) No. 1907/2006 with its amendment Regulation (EU) 2015/830



Revision Date: 09/01/2023 Revision: 10.0 Previous Issue: 07/06/2021

SECTION 14: Transport Information	
Hazard Pictograms	
	Not hazardous for transport
14.1. UN Number	
	-
14.2. UN Proper Shipping Name	
	-
14.3. Transport Hazard Class	
ADR/RID	-
Subsidiary risk	-
IMDG	-
Subsidiary risk	-
IATA	-
Subsidiary risk	-
14.4. Packing Group	
Packing Group	-
	-
14.5. Environmental Hazards	
Environmental hazard	No
Marine Pollutant	No
ADR/RID	
Hazard ID	-
Tunnel Category	-
IMDG	
Ems Code	-
IATA	
Packing Instruction (Cargo)	-
Maximum quantity	-
Packing Instruction (Passenger)	-
Maximum quantity	-
SECTION 15: Regulatory Informati	on
	al regulations/legislation specific for the substance or mixture
EU Regulation (EC) No. 1907/2006 (REACH)
Restrictions on use	None.
Substances of very high concern	None.
15.2 Chemical Safety Assessment	

No Chemical Safety Assessment has been carried out for this substance/mixture by the supplier.

SECTION 16: Other Informa	ation
Other Information	
	Shelf Life: 3 years minimum (if stored correctly).
Further Information	
	The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information related only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process.

Future HF Rework Jelly Page 6 of 6