

Cleansers and solvents

Order code	Manufacturer code	Description
87-1140	100007515	200ML COLDKLENE DEGREASING AGENT (RE)

Cleansers and solvents	Page 1 of 3
The enclosed information is believed to be correct, Information may change without notice due to product improvement. Users should ensure that the product is suitable for their use. E. & O. E.	Revision A 20/02/2007

Technical Data

COLDKLENE 110 CLEANING AND DEGREASING SOLVENT

COLDKLENE 110 is a powerful degreasing solvent, with excellent penetrating and flushing properties.

APPLICATIONS

Removes grease, oil, wax and carbon from electrical and electronic parts. Ideal for flux removal from PCB's. Rapid evaporation leaves surfaces clean and dry.

N.B Not for use on live electrical equipment. Allow solvent to evaporate completely before operating the equipment.

May affect certain plastics. Always test a small, inconspicuous area before general use.

TECHNICAL DATA

Appearance	:	Clear, colourless liquid
Odour	:	Mild and sweet
SG @ 25°C	:	0.766
Pressure @ 25°C	:	5 – 6 bar
Discharge Rate	:	2.5g/sec
Kb Value	:	75
Initial Boiling Point	:	64°C
Freezing Point	:	Below -50°C
Evaporation Rate	:	6.0 (with respect to Butyl Acetate)
Ave Molecular Weight	:	92
PH	:	Neutral
Flammability	:	Classified as extremely flammable under CHIP Regulations
Flashpoint	:	Not applicable in sealed aerosol
Packaging	:	200ml aerosol

STORAGE

The product may be stored at normal ambient temperatures and has a shelf life of not less than 12 months with correct storage. Aerosols should always be stored below 50°C, away from direct heat and naked flame.

HEALTH AND SAFETY

Health and Safety sheet available separately.

MISREPRESENTATION ACT 1967

TRADE DESCRIPTIONS ACT 1968

The information given in this publication is based on our experience and reports from customers. There are many factors outside our control and knowledge which affect the use and performance of our products and for which reason no warranty is given, express or implied. Users should make their own tests to determine the applicability of such information or the suitability of any products for their own particular purposes. Statements concerning the use of the products described herein are not to be construed as recommending the infringement of any patent and no liability for infringement arising out of any such use is to be assumed.