# **Section 1. Product and Company Identification.**

**1.1 Model Number;** AM30 v3

**1.2 Description;** Bottle Jack 30tonne Manual/Air Hydraulic

Oil.



Sealey Group. Kempson Way, Bury St. Edmunds, Suffolk. IP32 7AR

**1.4 Emergency telephone number;** 44 (0) 1284 757 500 (Office Hours)

Date of source compilation; 11/06/2012

### Section 2. Hazards Identification.

Not relevant to the Model Number identified in 1.1 with Description stated in 1.2.

### Section 3. Substances.

|   |             |                          | Classification               |                                   |
|---|-------------|--------------------------|------------------------------|-----------------------------------|
| 3.1 Chemical Name (substance)   | 3.1 CAS No. | 3.2 Concentration Volume | Hazard Class & Category Code | Hazard<br>Statements <sup>1</sup> |
| Distillates (petroleum), solvent-<br>refined light paraffinic                     | 64741-89-5  | >75 %                    | Carc. 1B                     | H350                              |
| Mineral base oil, refined   | -           | 19.9 – 24.9              | -                            | -                                 |
| Zinc, bis[O,O-bis(2-ethylhexyl) phosphorodithioato-S,S']-, (T-4)                  | 4259-15-8   | 0.19 – 0.99              | -                            | -                                 |
| Benzenamine, N-phenyl-, reaction products with styrene and 2,4,4-trimethylpentene | 68921-45-9  | 0.05 – 0.149             | -                            | -                                 |
| C7-9-alkyl 3-(3,5-di-trans-butyl-<br>4-hydroxyphenyl)propionate                   | 125643-61-0 | 0.05 - 0.149             | Aquatic Chronic 4            | H413                              |

<sup>&</sup>lt;sup>1</sup>For full text of Phrases and Statements, see Section 16.





### Section 4. First Aid Measures.

#### **4.1** Description of first aid measures

#### Inhalation

Remove victim to fresh air and keep at rest in a position comfortable for breathing.

#### **Skin Contact**

Remove and wash contaminated clothing and shoes.

Wash exposed portions of the skin with soap and water.

#### **Eve Contact**

Flush eyes with large amounts of water for 15 minutes while holding eyelids open. Seek medical attention.

#### Ingestion

Seek medical attention.

Do not induce vomiting.

## Section 5. Fire Fighting Measures.

#### **5.1.** Extinguishing media

Foam, dry powder, carbon dioxide. Do not use water jet.

### **5.2.** Special hazards arising from the substance or mixture

The product can form flammable mixtures or can burn only on heating above the flash point.

#### **5.3.** Advice for fire-fighters

Do not enter confined fire space without protective equipment.

Only use water only to cool fire exposed containers. Do not use water to fight fire.

### Section 6. Accidental Release Measures.

**6.1.** Personal precautions, protective equipment and emergency procedures

If handling hydraulic oil: Ensure there is adequate ventilation.

Use Personal Protective Equipment, see Section 8.

### **6.2.** Environmental precautions

Do not empty into drains. Take up with absorbent material, e.g. sawdust, sand or vermiculite.

Place materials taken up into disposable container.

#### **6.3.** Methods and material for containment and cleaning up

Soak up residue with absorbent such as sawdust, sand or vermiculite. Dispose of absorbent and contaminated soil in the same manner as the product.

### **6.4.** Reference to other sections

See Section 7 for information on Safe Handling

See Section 8 for information of Personal Protective Equipment.

See Section 13 for information on disposal.



## Section 7. Handling and Storage.

**7.1.** Precautions for safe handling Avoid contact with eyes and skin. Ensure good ventilation in working area. Keep away from heat and direct sunlight. Keep receptacles tightly closed.

**7.2.** Conditions for safe storage, including any incompatibilities Store in dry place at room temperature. Store only in original container. Store way from foodstuffs. Store away from oxidising agents. Keep away from ignition sources.

### 7.3. Specific end use(s)

Intended for use as hydraulic the oil for the Model Number identified in 1.1 with Description stated in 1.2.

# **Section 8. Exposure Controls/Personal Protection.**

#### **Eve/Face Protection**

Wear chemical goggles to prevent eye contact.

### **Skin Protection**

Use chemical-resistant gloves, if needed.

### **Respiratory Protection**

Not required under normal usage. If product is handled in such a way as to create a vapour or mist, an approved respirator should be used to prevent overexposure.



## Section 9. Physical and Chemical Properties.

**9.1.** Information on basic physical and chemical properties

The following information is not a technical specification or sales specification.

(a) Appearance: Liquid, yellow to amber.

(b) Odour: Slight petroleum.
(c) Odour threshold; No data available.
(d) pH: No data available.
(e) Melting point; Pour point ≤ -27°C

(f) Boiling point;  $\geq 200^{\circ}\text{C}$  (g) Flash point;  $\geq 175^{\circ}\text{C}$  (h) Evaporation rate; Negligable.

(i) Flammability (solid, gas); No data available. (j) Lower flammability or explosive limit;  $\geq 45 \text{ g/m}^2$  (Aerosol)

(k) Vapour pressure; ≤ hPa (20°C)
(l) Vapour density; No data available.
(m) Relative density; No data available.

(n) Solubility(ies); Immiscible and insoluble in water.

(o) Partition coefficient: n-octanol/water; xxx (p) Auto-ignition temperature; ≥ 300°C

(q) Decomposition temperature; No data available. (r) Viscosity; 21 – 24 mm²/s

(s) Explosive properties; xxx

(t) Oxidising properties. No data available.

**9.2** Other information No data available.

## Section 10. Stability and Reactivity.

10.1. Reactivity
 10.2. Chemical stability
 10.3. Possibility of hazardous reactions
 None other than reported in the following paragraphs.
 Stable under normal condition of storage and handling.
 Stable under normal condition of storage and handling.

10.4. Conditions to avoid

Keep away from: strong oxidants. Keep away from open flames, hot surfaces and sources of ignition.

Avoid the build-up of electrostatic charge.

**10.5.** Incompatible materials Strong oxidants.

**10.6.** Hazardous decomposition products

None under normal condition of storage and handling

# Section 11. Toxicological Information.

### **11.1.** Information on toxicological effects

Distillates (petroleum), solvent-refined light paraffinic

LD50 oral rat > 5000 mg/kg (OECD 401) LD50 dermal rat > 5000 mg/kg (OECD 402) LC50 inhalation rat (mg/l) > 5 mg/l/4h (OECD 403)



## Section 12. Ecological Information.

12.1. Toxicity Toxicity for aquatic organisms > 100 mg/l This product is not soluble in water. It floats on water and forms a film on the surface.

The damage to aquatic organisms is of mechanical kind (immobilization and entrapment)

12.2. Persistence and degradability
12.3. Bioaccumulative potential
12.4. Mobility in soil
12.5. Results of PBT and vPvB assessment
12.6. Other adverse effects
No data available.
No data available.
No data available.

## Section 13. Disposal Considerations.

13.1. Waste treatment methods

Disposal must be in accordance with local authority regulations.

## **Section 14. Transport Information.**

Product identified in 1.1 with description stated in 1.2 is not classified as hazardous for transport.

## **Section 15. Regulatory Information.**

**15.1.** Safety, health and environmental regulations/legislation specific for the substance or mixture No data available.

**15.2.** Chemical safety assessment No data available.

### Section 16. Additional Information.

Full text of Phrases and Statements used in Section 3;

H350 May cause cancer.

H413 May cause long lasting harmful effects to aquatic life.

The above information is believed to be accurate and represents the best information currently available.

No warranty is expressed or implied by the above information.

We assume no liability resulting from use of the above information.

The end user should conduct their own investigations to determine the suitability of the above information for their particular purpose.

| Issue level | Date     | Revisions    |
|-------------|----------|--------------|
| 1           | 07/09/18 | First issue. |
|             |          |              |
|             |          |              |
|             |          |              |

End of Safety Data Sheet.