



Green Line – METALLIC WAX + PTFE

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Date of issue: 06/05/2016

Revision date:

Version: 1.1

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture
Product name : Green Line – METALLIC WAX + PTFE

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Intended for general public
Main use category : Consumer use
Use of the substance/mixture : Automotive Care Products

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Turtle Wax Europe Limited
4th Floor Alaska House, Atlantic Park, Dunnings Bridge Road
Liverpool, L30 4AB - United Kingdom
T +44 151 530 4740
MSDS@turtlewaxeurope.com

1.4. Emergency telephone number

Emergency number : +44 151 530 4740
Office hours only 08:30 - 17:00

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Not classified

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Precautionary statements (CLP) : P102 - Keep out of reach of children

2.3. Other hazards

Adverse physicochemical, human health and environmental effects : To our knowledge, this product does not present any particular risk, provided it is handled in accordance with good occupational hygiene and safety practice.

Other hazards not contributing to the classification : None under normal conditions.

SECTION 3: Composition/information on ingredients

3.1. Substance

Not applicable

3.2. Mixture

| Name | Product identifier | % | Classification according to Regulation (EC) No. 1272/2008 [CLP] |
|-----------------------|---|---------|---|
| Anatase | (CAS No) 1317-70-0 (EC no) 205-280-1 | 1 - 10 | Not classified |
| CARNAUBA WAX | | 1 - 10 | Not classified |
| Aminofunctional fluid | (CAS No) 102782-92-3 | 0.1 - 1 | Skin Irrit. 2, H315 Eye Irrit. 2, H319 |
| MAPEG 600 MO | | 0.1 - 1 | Not classified |
| Polyacrylic acid | (CAS No) 9003-01-4 | 0.1 - 1 | Not classified |

Green Line – METALLIC WAX + PTFE

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

| | | | |
|--|---|---------|---|
| octadec-1-ene | (CAS No) 112-88-9 (EC no) 204-012-9 (REACH-no) 01-2119485121-46 | 0.1 - 1 | Asp. Tox. 1, H304 Aquatic Chronic 4, H413 |
| ISOTRIDECANOL ETHOXYLATE (EO 3-5) | (CAS No) 24938-91-8 | 0.1 - 1 | Eye Dam. 1, H318 |
| White Mineral Oil (Petroleum) | (CAS No) 8042-47-5 (EC no) 232-455-8 (REACH-no) 01-2119487078-27 | 0.1 - 1 | Asp. Tox. 1, H304 |
| Fatty acids, C16-18 and C18-unsatd. | (CAS No) 67701-08-0 (EC no) 266-932-7 | 0.1 - 1 | Not classified |
| Anhydrous Aluminium Silicate | (CAS No) 92704-41-1 (EC no) 296-473-8 (REACH-no) 01-2119527779-22 | < 0.1 | Not classified |
| 2-Amino-2-methylpropanol | (CAS No) 124-68-5 (EC no) 204-709-8 (EC index no) 603-070-00-6 (REACH-no) 01-2119475788-16 | < 0.1 | Eye Irrit. 2, H319 Skin Irrit. 2, H315 Aquatic Chronic 3, H412 |
| Polytetrafluoroethylene | (CAS No) 9002-84-0 | < 0.1 | Not classified |
| Ammonia | (CAS No) 1336-21-6 (EC no) 215-647-6 (EC index no) 007-001-01-2 | < 0.1 | Acute Tox. 4 (Oral), H302 Skin Corr. 1B, H314 STOT SE 3, H335 Aquatic Acute 1, H400 |
| Polyethylene Oxide Mono(1-Isobutyl-3;5-Dimethylhexyl) Ether | (CAS No) 60828-78-6 | < 0.1 | Eye Irrit. 2, H319 Aquatic Chronic 3, H412 |
| Aliphatic alcohol ethoxylate | (CAS No) 68131-40-8 (EC no) 614-295-4 (REACH-no) 01-2119560577-29 | < 0.1 | Acute Tox. 4 (Oral), H302 Eye Dam. 1, H318 |
| 2-(2-Hydroxy-5-t-octylphenyl) benzotriazole | (CAS No) 3147-75-9 (EC no) 221-573-5 | < 0.1 | Aquatic Chronic 3, H412 |
| Tridecanoethoxylate; branched | (CAS No) 69011-36-5 | < 0.1 | Acute Tox. 4 (Oral), H302 Eye Dam. 1, H318 |
| Benzenesulfonic acid; 4-C10-13-sec-alkylderivs. | (CAS No) 85536-14-7 (EC no) 287-494-3 (REACH-no) 01-2119490234-40 | < 0.1 | Acute Tox. 4 (Oral), H302 Skin Corr. 1C, H314 Eye Dam. 1, H318 Aquatic Chronic 3, H412 |
| CI Acid Blue 9 | (CAS No) 3488-45-9 | < 0.1 | Not classified |
| Pyrithione Zinc | (CAS No) 13463-41-7 (EC no) 236-671-3 | < 0.1 | Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Inhalation:dust,mist), H332 Eye Dam. 1, H318 Aquatic Acute 1, H400 |
| 2-methylisothiazol-3(2H)-one | (CAS No) 2682-20-4 (EC no) 220-239-6 | < 0.1 | Acute Tox. 4 (Oral), H302 Acute Tox. 3 (Inhalation:dust,mist), H331 Skin Corr. 1B, H314 Skin Sens. 1, H317 Aquatic Acute 1, H400 |
| 3a,4;5;6;7;7a-HEXAHYDRO-4;7-METHANO-1(3)-INDEN-6-YL-ACETATE | (CAS No) 5413-60-5 (EC no) 226-501-6 (REACH-no) 01-2119934491-39 | < 0.1 | Aquatic Chronic 3, H412 |
| TERPINEOL ACETATE | (CAS No) 8007-35-0 (EC no) 232-357-5; 904-693-9 | < 0.1 | Aquatic Chronic 2, H411 |
| PHENETHYL ALCOHOL | (CAS No) 60-12-8 (EC no) 200-456-2 | < 0.1 | Acute Tox. 4 (Oral), H302 Eye Irrit. 2, H319 |
| 4-TERTIARY-BUTYLCYCLOHEXYL ACETATE | (CAS No) 32210-23-4 (EC no) 250-954-9 | < 0.1 | Aquatic Chronic 2, H411 |
| AMYL CINNAMAL | (CAS No) 122-40-7 (EC no) 204-541-5 | < 0.1 | Skin Sens. 1, H317 Aquatic Chronic 2, H411 |
| AMYL SALICYLATE | (CAS No) 2050-08-0 (EC no) 218-080-2 | < 0.1 | Aquatic Chronic 2, H411 |
| 1,2-benzisothiazol-3(2H)-one, 1,2-benzisothiazolin-3-one | (CAS No) 2634-33-5 (EC no) 220-120-9 (EC index no) 613-088-00-6 | < 0.1 | Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Eye Dam. 1, H318 Skin Sens. 1, H317 Aquatic Acute 1, H400 |
| LINALYL ACETATE | (CAS No) 115-95-7 (EC no) 204-116-4 (REACH-no) 01-2119454789-19 | < 0.1 | Skin Irrit. 2, H315 |
| (L) GERANIOL | (CAS No) 106-24-1 (EC no) 203-377-1 (REACH-no) 01-2119552430-49 | < 0.1 | Skin Irrit. 2, H315 Eye Dam. 1, H318 Skin Sens. 1, H317 |
| 1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran, galaxolide, (HHCb) | (CAS No) 1222-05-5 (EC no) 214-946-9 (EC index no) 603-212-00-7 | < 0.1 | Aquatic Acute 1, H400 Aquatic Chronic 1, H410 |
| NEROL | (CAS No) 106-25-2 (EC no) 203-378-7 (REACH-no) 01-2119983244-33 | < 0.1 | Skin Irrit. 2, H315 |
| 2,6-Dimethyl-7-Octen-2-ol | (CAS No) 18479-58-8 (EC no) 242-362-4 (REACH-no) 01-2119457274-37 | < 0.1 | Skin Irrit. 2, H315 |

Green Line – METALLIC WAX + PTFE

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

| | | | |
|---------------------------------------|---|-------|---|
| (L) COUMARIN | (CAS No) 91-64-5 (EC no) 202-086-7 (REACH-no) 01-2119949300-45 | < 0.1 | Acute Tox. 4 (Oral), H302 Skin Sens. 1, H317 |
| Partially Fluorinated Alkyl Polyether | (CAS No) 000-00-1 | < 0.1 | Acute Tox. 4 (Oral), H302 Aquatic Chronic 3, H412 |
| CITRONELLOL | (CAS No) 106-22-9 (EC no) 203-375-0 (REACH-no) 01-2119453995-23 | < 0.1 | Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Chronic 2, H411 |
| Methanol | (CAS No) 67-56-1 (EC no) 200-659-6 | < 0.1 | Acute Tox. 3 (Oral), H301 Acute Tox. 3 (Dermal), H311 STOT SE 1, H370 |

Specific concentration limits:

| Name | Product identifier | Specific concentration limits |
|--|---|--------------------------------|
| Ammonia | (CAS No) 1336-21-6 (EC no) 215-647-6 (EC index no) 007-001-01-2 | (C >= 5) STOT SE 3, H335 |
| 1,2-benzisothiazol-3(2H)-one, 1,2-benzisothiazolin-3-one | (CAS No) 2634-33-5 (EC no) 220-120-9 (EC index no) 613-088-00-6 | (C >= 0.05) Skin Sens. 1, H317 |

Full text of H-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

| | |
|---------------------------------------|---|
| First-aid measures general | : If you feel unwell, seek medical advice (show the label where possible). |
| First-aid measures after inhalation | : Not expected to present a significant hazard under anticipated conditions of normal use. |
| First-aid measures after skin contact | : Wash skin with plenty of water. |
| First-aid measures after eye contact | : Rinse eyes with water as a precaution. |
| First-aid measures after ingestion | : Not expected to present a significant hazard under anticipated conditions of normal use. Rinse mouth. |

4.2. Most important symptoms and effects, both acute and delayed

| | |
|--------------------------------------|---|
| Symptoms/injuries | : To our knowledge, this product does not present any particular risk, provided it is handled in accordance with good occupational hygiene and safety practice. |
| Symptoms/injuries after inhalation | : None under normal use. |
| Symptoms/injuries after skin contact | : May cause slight irritation. |
| Symptoms/injuries after eye contact | : May cause slight irritation. |
| Symptoms/injuries after ingestion | : May cause slight irritation. |

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

5.2. Special hazards arising from the substance or mixture

| | |
|--|---------------------------------|
| Fire hazard | : The product is not flammable. |
| Explosion hazard | : Product is not explosive. |
| Reactivity in case of fire | : Not known. |
| Hazardous decomposition products in case of fire | : Toxic fumes may be released. |

5.3. Advice for firefighters

| | |
|--------------------------------|--|
| Precautionary measures fire | : Not applicable. |
| Firefighting instructions | : Use extinguishing media appropriate for surrounding fire. |
| Protection during firefighting | : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing. |

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : Avoid release to the environment.

6.1.1. For non-emergency personnel

| | |
|----------------------|--|
| Protective equipment | : Not required for normal conditions of use. |
| Emergency procedures | : Ventilate spillage area. |

Green Line – METALLIC WAX + PTFE

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

6.1.2. For emergency responders

Protective equipment : Not required for normal conditions of use. For further information refer to section 8: "Exposure controls/personal protection".

Emergency procedures : Ventilate area. Stop leak if safe to do so.

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

For containment : Collect spillage.

Methods for cleaning up : Take up liquid spill into absorbent material. Shovel into suitable and closed container for disposal. This material and its container must be disposed of in a safe way, and as per local legislation.

Other information : Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 8: "Exposure controls/personal protection". For disposal of solid materials or residues refer to section 13 : "Disposal considerations".

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Wear personal protective equipment.

Hygiene measures : Always wash hands after handling the product. Do not eat, drink or smoke when using this product.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in a well-ventilated place. Keep cool. Store in original container.

Packaging materials : Keep only in original container.

7.3. Specific end use(s)

Automotive Care Products.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

| Methanol (67-56-1) | | |
|--------------------|-------------------------------|---|
| United Kingdom | Local name | Methanol |
| United Kingdom | WEL TWA (mg/m ³) | 266 mg/m ³ |
| United Kingdom | WEL TWA (ppm) | 200 ppm |
| United Kingdom | WEL STEL (mg/m ³) | 333 mg/m ³ |
| United Kingdom | WEL STEL (ppm) | 250 ppm |
| United Kingdom | Remark (WEL) | Sk (Can be absorbed through the skin. The assigned substances are those for which there are concerns that dermal absorption will lead to systemic toxicity) |

8.2. Exposure controls

Appropriate engineering controls : Ensure good ventilation of the work station.

Personal protective equipment : Not required for normal conditions of use.

Hand protection : Protective gloves

Eye protection : Safety glasses

Skin and body protection : Wear suitable protective clothing

Respiratory protection : Not required for normal conditions of use

Environmental exposure controls : Avoid release to the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid

Colour : various.

Odour : characteristic.

Odour threshold : No data available

pH : 7.8 - 8.7

Relative evaporation rate (butylacetate=1) : No data available

Melting point : Not applicable

Green Line – METALLIC WAX + PTFE

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

| | |
|----------------------------------|-------------------------------------|
| Freezing point | : No data available |
| Boiling point | : No data available |
| Flash point | : No data available |
| Auto-ignition temperature | : No data available |
| Decomposition temperature | : No data available |
| Flammability (solid, gas) | : Not applicable |
| Vapour pressure | : No data available |
| Relative vapour density at 20 °C | : No data available |
| Relative density | : 1.03 - 1.07 |
| Solubility | : No data available |
| Log Pow | : No data available |
| Viscosity, kinematic | : 35 - 50 mm ² /s |
| Viscosity, dynamic | : No data available |
| Explosive properties | : Product is not explosive. |
| Oxidising properties | : Oxidising liquids Not applicable. |
| Explosive limits | : No data available |

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

Acids. Oxidizing agent.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Not classified

| | |
|--|-------------------------|
| Benzenesulfonic acid; 4-C10-13-sec-alkylderivs. (85536-14-7) | |
| LD50 oral | 1470 mg/kg bodyweight |
| 1,2-benzisothiazol-3(2H)-one, 1,2-benzisothiazolin-3-one (2634-33-5) | |
| LD50 oral | 1020 mg/kg bodyweight |
| LD50 dermal | 4115 mg/kg bodyweight |
| LC50 inhalation rat (Dust/Mist - mg/l/4h) | 100 mg/l/4h |
| 2-Amino-2-methylpropanol (124-68-5) | |
| LD50 oral | 2900 mg/kg bodyweight |
| LD50 dermal | > 2000 mg/kg bodyweight |
| Ammonia (1336-21-6) | |
| LD50 oral | 350 mg/kg bodyweight |
| LC50 inhalation rat (Dust/Mist - mg/l/4h) | 3310 mg/l/4h |
| 2,6-Dimethyl-7-Octen-2-ol (18479-58-8) | |
| LD50 oral | 3600 mg/kg bodyweight |
| 3a;4;5;6;7;7a-HEXAHYDRO-4;7-METHANO-1(3)-INDEN-6-YL-ACETATE (5413-60-5) | |
| LD50 oral | 3000 mg/kg bodyweight |
| 4-TERTIARY-BUTYLCYCLOHEXYL ACETATE (32210-23-4) | |
| LD50 oral | 3370 mg/kg bodyweight |

Green Line – METALLIC WAX + PTFE

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

| | |
|-------------------------------------|-------------------------|
| AMYL CINNAMAL (122-40-7) | |
| LD50 oral | 3730 mg/kg bodyweight |
| LD50 dermal | > 2000 mg/kg bodyweight |
| CITRONELLOL (106-22-9) | |
| LD50 oral | 3450 mg/kg bodyweight |
| LD50 dermal | 2650 mg/kg bodyweight |
| (L) COUMARIN (91-64-5) | |
| LD50 oral | 500 mg/kg bodyweight |
| (L) GERANIOL (106-24-1) | |
| LD50 oral | 3600 mg/kg bodyweight |
| LD50 dermal | > 5000 mg/kg bodyweight |
| NEROL (106-25-2) | |
| LD50 oral | 4500 mg/kg bodyweight |
| LD50 dermal | > 5000 mg/kg bodyweight |
| PHENETHYL ALCOHOL (60-12-8) | |
| LD50 oral | 1610 mg/kg bodyweight |
| LD50 dermal | 2500 mg/kg bodyweight |
| Polyacrylic acid (9003-01-4) | |
| LD50 oral | 2500 mg/kg bodyweight |

| | |
|--|-----------------------------------|
| Skin corrosion/irritation | : Not classified pH: 7.8 - 8.7 |
| Serious eye damage/irritation | : Not classified pH: 7.8 - 8.7 |
| Respiratory or skin sensitisation | : Not classified |
| Germ cell mutagenicity | : Not classified |
| Carcinogenicity | : Not classified |
| Reproductive toxicity | : Not classified |
| Specific target organ toxicity (single exposure) | : Not classified |
| Specific target organ toxicity (repeated exposure) | : Not classified |
| Aspiration hazard | : Not classified |

| | |
|---|----------------------------|
| Green Line – METALLIC WAX + PTFE | |
| Viscosity, kinematic | 35 - 50 mm ² /s |

SECTION 12: Ecological information

12.1. Toxicity

| | |
|-------------------|---|
| Ecology - general | : The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment. |
| Ecology - water | : The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment. |

| | |
|---|----------------------------------|
| Benzenesulfonic acid; 4-C10-13-sec-alkylderivs. (85536-14-7) | |
| LC50 fish 1 | 1 mg/l |
| EC50 other aquatic organisms 1 | 1 mg/l EC50 waterflea (48 h) |
| EC50 other aquatic organisms 2 | 10 mg/l IC50 algae (72 h) mg/l |
| 1,2-benzisothiazol-3(2H)-one, 1,2-benzisothiazolin-3-one (2634-33-5) | |
| LC50 fish 1 | 2.18 mg/l |
| EC50 other aquatic organisms 1 | 2.94 mg/l EC50 waterflea (48 h) |
| EC50 other aquatic organisms 2 | 0.11 mg/l IC50 algae (72 h) mg/l |
| 2-Amino-2-methylpropanol (124-68-5) | |
| LC50 fish 1 | 190 mg/l |
| Ammonia (1336-21-6) | |
| LC50 fish 1 | 9 mg/l |
| EC50 other aquatic organisms 1 | 101 mg/l EC50 waterflea (48 h) |
| AMYL CINNAMAL (122-40-7) | |
| LC50 fish 1 | 3 mg/l |
| EC50 other aquatic organisms 1 | 1.1 mg/l EC50 waterflea (48 h) |
| EC50 other aquatic organisms 2 | 1.89 mg/l IC50 algae (72 h) mg/l |

Green Line – METALLIC WAX + PTFE

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

| CITRONELLOL (106-22-9) | |
|--------------------------------|----------------------------------|
| LC50 fish 1 | 10 mg/l |
| EC50 other aquatic organisms 1 | 17.48 mg/l EC50 waterflea (48 h) |
| EC50 other aquatic organisms 2 | 2.38 mg/l IC50 algea (72 h) mg/l |
| (L) COUMARIN (91-64-5) | |
| LC50 fish 1 | 56 mg/l |
| EC50 other aquatic organisms 1 | 13.5 mg/l EC50 waterflea (48 h) |
| (L) GERANIOL (106-24-1) | |
| LC50 fish 1 | 22 mg/l |
| EC50 other aquatic organisms 1 | 10.8 mg/l EC50 waterflea (48 h) |
| EC50 other aquatic organisms 2 | 13.1 mg/l IC50 algea (72 h) mg/l |

12.2. Persistence and degradability

| Green Line – METALLIC WAX + PTFE | |
|---|------------------|
| Persistence and degradability | Not established. |

12.3. Bioaccumulative potential

| Green Line – METALLIC WAX + PTFE | |
|---|------------------|
| Bioaccumulative potential | Not established. |

12.4. Mobility in soil

| Green Line – METALLIC WAX + PTFE | |
|---|------------------|
| Ecology - soil | Not established. |

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Other adverse effects

Other adverse effects : None known.
Additional information : Avoid release to the environment

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Regional legislation (waste) : Disposal must be done according to official regulations.
Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.
Waste disposal recommendations : Dispose in a safe manner in accordance with local/national regulations.

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

14.1. UN number

Not regulated for transport

14.2. UN proper shipping name

Proper Shipping Name (ADR) : Not applicable
Proper Shipping Name (IMDG) : Not applicable
Proper Shipping Name (IATA) : Not applicable
Proper Shipping Name (ADN) : Not applicable
Proper Shipping Name (RID) : Not applicable

14.3. Transport hazard class(es)

ADR

Transport hazard class(es) (ADR) : Not applicable

IMDG

Transport hazard class(es) (IMDG) : Not applicable

IATA

Transport hazard class(es) (IATA) : Not applicable

ADN

Transport hazard class(es) (ADN) : Not applicable

Green Line – METALLIC WAX + PTFE

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

RID

Transport hazard class(es) (RID) : Not applicable

14.4. Packing group

Packing group (ADR) : Not applicable
Packing group (IMDG) : Not applicable
Packing group (IATA) : Not applicable
Packing group (ADN) : Not applicable
Packing group (RID) : Not applicable

14.5. Environmental hazards

Dangerous for the environment : No
Marine pollutant : No
Other information : No supplementary information available

14.6. Special precautions for user

- Overland transport

No data available

- Transport by sea

No data available

- Air transport

No data available

- Inland waterway transport

Carriage prohibited (ADN) : No
Not subject to ADN : No

- Rail transport

Carriage prohibited (RID) : No

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions
Contains no substance on the REACH candidate list
Contains no REACH Annex XIV substances

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Full text of H- and EUH-statements:

| | |
|-------------------------------------|---|
| Acute Tox. 3 (Dermal) | Acute toxicity (dermal), Category 3 |
| Acute Tox. 3 (Inhalation:dust,mist) | Acute toxicity (inhalation:dust,mist) Category 3 |
| Acute Tox. 3 (Oral) | Acute toxicity (oral), Category 3 |
| Acute Tox. 4 (Inhalation:dust,mist) | Acute toxicity (inhalation:dust,mist) Category 4 |
| Acute Tox. 4 (Oral) | Acute toxicity (oral), Category 4 |
| Aquatic Acute 1 | Hazardous to the aquatic environment — Acute Hazard, Category 1 |
| Aquatic Chronic 1 | Hazardous to the aquatic environment — Chronic Hazard, Category 1 |
| Aquatic Chronic 2 | Hazardous to the aquatic environment — Chronic Hazard, Category 2 |
| Aquatic Chronic 3 | Hazardous to the aquatic environment — Chronic Hazard, Category 3 |
| Aquatic Chronic 4 | Hazardous to the aquatic environment — Chronic Hazard, Category 4 |
| Asp. Tox. 1 | Aspiration hazard, Category 1 |

Green Line – METALLIC WAX + PTFE

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

| | |
|---------------|--|
| Eye Dam. 1 | Serious eye damage/eye irritation, Category 1 |
| Eye Irrit. 2 | Serious eye damage/eye irritation, Category 2 |
| Skin Corr. 1B | Skin corrosion/irritation, Category 1B |
| Skin Corr. 1C | Skin corrosion/irritation, Category 1C |
| Skin Irrit. 2 | Skin corrosion/irritation, Category 2 |
| Skin Sens. 1 | Sensitisation — Skin, Category 1 |
| STOT SE 1 | Specific target organ toxicity — single exposure, Category 1 |
| STOT SE 3 | Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation |
| H301 | Toxic if swallowed |
| H302 | Harmful if swallowed |
| H304 | May be fatal if swallowed and enters airways |
| H311 | Toxic in contact with skin |
| H314 | Causes severe skin burns and eye damage |
| H315 | Causes skin irritation |
| H317 | May cause an allergic skin reaction |
| H318 | Causes serious eye damage |
| H319 | Causes serious eye irritation |
| H331 | Toxic if inhaled |
| H332 | Harmful if inhaled |
| H335 | May cause respiratory irritation |
| H370 | Causes damage to organs |
| H400 | Very toxic to aquatic life |
| H410 | Very toxic to aquatic life with long lasting effects |
| H411 | Toxic to aquatic life with long lasting effects |
| H412 | Harmful to aquatic life with long lasting effects |
| H413 | May cause long lasting harmful effects to aquatic life |

SDS EU TURTLEWAX

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product