

# Batteries & Accessories



Alkaline Batteries	306
Battery Chargers	310
Battery Holders	308
Coin Cells	307
Rechargeable Batteries	308
Zinch Chloride Batteries	306

Ultra Alkaline AA  
Batteries Pack of 24



**£7.36**

Order code 18-2107

LR44B2  
Coin Cell  
Battery  
(Pack  
of 2)



**£1.98**

Order code 18-4760

Full range of Batteries & Accessories products available at:

**[www.rapidonline.com](http://www.rapidonline.com)**

## Zinc Chloride Batteries

**GP Batteries**

### Greencell Zinc Chloride Batteries



A range of GP Greencell Batteries that can be used in All Domestic Devices. These reliable batteries are best for devices that do not need much power. They provide good value for price conscious customers.

Applications: CD players, radios, torches, toys, game controllers fire alarms and clocks.

- Mercury-free zinc chloride chemistry
- Last longer in clocks and torches
- Reliable power
- Full range of battery sizes
- Available in **AA, AAA, C Cell, D Cell and PP3 Type**

Type	Order code	1+	10+	40+
AAA Battery	<b>18-1090</b>	0.464	0.354	0.310
AA Battery	<b>18-1092</b>	0.564	0.422	0.374
C Cell	<b>18-1094</b>	1.11	0.875	0.760
D Cell	<b>18-1096</b>	2.17	1.68	1.46
PP3 Type	<b>18-1058</b>	0.887	0.692	0.604

551745

## Alkaline Batteries

**GP Batteries**

### Alkaline AA and AAA Batteries, Packs of 24 or 40



These batteries from GP are the ideal choice for devices such as digital cameras, audio players, toys and torches. They have been specially formulated to meet the increasing demands of today's new generation of power hungry devices and are both inexpensive and give plenty of power.

They offer higher energy capacity, better high and low temperature performance, and longer-term storage.

- For use with all high drain devices
- Long shelf life
- Positive terminal clearly marked
- Power rating 1.5V
- Available in two of the most popular sizes: AA and AAA
- Supplied in **packs of 24 or 40**

Battery size	Pack size	Order code	1+	10+
AA	24	<b>18-2107</b>	8.83	8.02
AA	40	<b>18-2112</b>	19.86	16.54
AAA	24	<b>18-2108</b>	9.32	8.59
AAA	40	<b>18-2113</b>	17.00	15.28

524127

## Like to follow us?



www.facebook.com/  
rapideducation/



https://twitter.com/  
Rapid\_Edu/

for offers and new product information

**GP Batteries**

### Super Alkaline Mercury Free Manganese Batteries



A range of GP Super Alkaline Mercury Free Manganese Batteries that are ideal for the increasing power demand of everyday devices. They offer great value for money with a long-lasting lifetime. This extensive range makes these products suitable for a very wide range of devices for people of all ages.

Applications: CD players, radios, torches, flashlights, toys, game controllers, fire alarms and clocks.

- GP Super Alkaline
- Mercury Free Manganese Batteries
- Voltage: 1.5V
- Cylindrical type
- Mercury Free
- Reliable power
- Available in **N, AAAA, AAA, AA, C, D and PP3 sizes**

Type	Pack size	Order code	1+	20+	100+
N	1	<b>18-1900</b>	0.967	0.835	0.744
AAAA	2	<b>18-1901</b>	3.35	2.87	1.97
AAA	2	<b>18-1922</b>	1.68	1.18	0.847
AA	2	<b>18-1924</b>	1.22	1.06	0.911
C	2	<b>18-1926</b>	2.48	2.06	1.78
D	2	<b>18-1928</b>	3.92	3.34	3.02
PP3	1	<b>18-0200</b>	2.20	1.96	1.58

551746

## DURACELL®

### Duracell Plus Battery - AA, AAA, C Cell, D Cell and PP3



The Duracell Plus range of long-life alkaline batteries offer a significant performance increase over the original 'Copper-top' range. The batteries are available in AA, AAA, C cell, D cell and PP3 sizes.

- Considerably longer life than ordinary zinc-carbon or zinc chloride batteries
- Provides longer lasting and dependable power source
- Supplied in **pack quantities**
- Available in **AA, AAA, C cell, D cell PP3 batteries**

Type	Pack qty	Order code	1+	5+	10+
AAA	4	<b>18-3250</b>	3.00	2.63	2.45
AA	4	<b>18-3260</b>	6.81	5.77	4.99
AA	12	<b>18-3262</b>	7.77	7.45	6.82
C	2	<b>18-3265</b>	3.08	2.93	2.71
D	2	<b>18-3270</b>	3.39	3.34	3.00
PP3	1	<b>18-3275</b>	3.81	3.54	3.35

62228

**CONRAD energy**

### Alkaline AAA Battery, Pack of 24

The Conrad Energy 650638 is a Multi-Pack of 24 Alkaline AAA Batteries. These batteries are an essential in every household's kitchen drawer. These excellent value alkaline AAA batteries from Conrad Energy offer the quality and endurance you would expect from a premium brand at an unbeatable price. And the LGA testing authority in Germany agree, giving these batteries their stamp of approval for quality.



- High quality alkaline AAA batteries
- LGA tested for quality
- Supplied in **packs of 24 pack**
- Manufacturer's part: **Conrad Energy 650638**

Type	Order code	1+
AAA Battery x24	<b>52-1005</b>	6.63

562990

**CONRAD energy**

### Alkaline AA Batteries

An essential in the kitchen drawer of every household. These excellent value alkaline AA batteries from Conrad Energy offer the quality and endurance you would expect from premium brands at an unbeatable price. AA batteries are the most commonly used battery in the world, so keeping a few spare around the house is always a good idea.



- High quality
- Rating: 1.5V
- Alkaline batteries maintain their charge longer than rechargeable batteries
- Available in money saving **packs of 24**

Type	Order code	1+
AA pack of 24	<b>51-2127</b>	7.36

524001

**CONRAD energy**

### Alkaline 9V Batteries - Pack of 10

A pack of 10 alkaline 9V batteries from Conrad Energy which have been manufactured for industrial and commercial uses. Carton packed and longlife.



- Battery size: 9V PP3
- Pack of 10
- Depth: 16mm
- Height: 48.5mm
- Width: 25.5mm
- Voltage: 9V
- Manufacturer's part **650900**

Type	Order code	1+
Alkaline 9V batteries	<b>54-6508</b>	18.18

531782

**No minimum order value  
UK mainland only**





## Industrial Batteries

High-quality Energizer® alkaline battery designed for industrial use offering long lasting, dependable power. Great value bulk pack.



Type	Pack size	Order code	1+
PP3	12	95-5653	16.66
C	12	95-5654	13.69
AA	10	95-5655	4.35
AAA	10	95-5656	4.35
D	12	95-5657	18.57

573590



## AA Alkaline Power Mignon Batteries, Pack of 10



These Energizer Alkaline Power Mignon Batteries are supplied in packs of 10. The batteries are a long lasting, reliable energy source to meet the requirements of all your devices. The batteries contain no added mercury or cadmium.

Applications: Ideal for torches, game controllers, cameras, radios, toy cars, wall clocks, baby monitors, Bluetooth headsets and more.

- Classification: Alkaline
- Chemical System: Zinc-Manganese Dioxide (Zn/MnO<sub>2</sub>)
- Nominal Voltage: 1.5V
- Nominal IR: 150 to 300 milliohms (fresh)
- Operating Temperature: -18°C to +55°C
- Weight: 22.7g
- Typical Volume: 8.1 cubic centimetres
- Jacket: Plastic Label
- Terminal: Flat Contact
- Supplied in **packs of 10**
- Manufacturer's part: **Energizer ANSI-15A, IEC-LR6**

Type	Order code	1+
AA Pack of 10	64-6304	4.49

561058



## Alkaline Power Mignon Batteries, Pack of 16



These Energizer Alkaline Power Mignon Batteries are supplied in packs of 16. The batteries are a long lasting, reliable energy source to meet the requirements of all your devices. The batteries contain no added mercury or cadmium.

Applications: Ideal for torches, game controllers, cameras, radios, toy cars, wall clocks, baby monitors, Bluetooth headsets and more.

- Classification: Alkaline
- Chemical System: Zinc-Manganese Dioxide (Zn/MnO<sub>2</sub>)
- Nominal Voltage: 1.5V
- Nominal IR: 150 to 300 milliohms (fresh)
- Operating Temperature: -18°C to +55°C
- Weight: 22.7g
- Typical Volume: 8.1 cubic centimetres

- Jacket: Plastic Label
- Terminal: Flat Contact
- Supplied in **packs of 16**
- Manufacturer's part: **Energizer ANSI-15A, IEC-LR6**

Type	Order code	1+
AA Pack of 16	64-6305	5.88

561059

## Coin Cells



### Alkaline Button Cells



A range of the most popular long life alkaline manganese button cells.

- Nominal voltage 1.5V
- Used extensively in calculators, cameras, clocks etc.
- Supplied in **protective blister packs**

Type	Order code	1+	10+	100+
L621 pack of 10	18-1395	2.22	1.87	1.44
L736 pack of 10	18-0411	2.78	1.97	1.40
L1131 pack of 10	18-1376	3.52	2.42	1.90
L1142 pack of 10	18-0403	3.29	2.50	1.99

62240



### 1.5V Alkaline Button Cell Batteries

A range of Energizer Button Cell Batteries of the most popular sizes. These high quality, long life

1.5V alkaline button cells are ideal for use with a pedometer, remote control or other small devices.

- Voltage: 1.5V
- Alkali-manganese
- Supplied in packs of 2
- Available in **LR44**

Type	Pack size	Order code	1+
LR44	2	59-1876	1.15

569475



### Coin Alkaline Battery (Pack 2)

The Energizer® LR44 Coin Alkaline Battery offers reliable, dependable power. Can be used in watches, calculators, games, etc.

- Battery Type: Alkaline
- Volts: 1.5
- mAh: 150



Type	Order code	1+
LR44 Coin cell	95-5719	1.10

573614

## DURACELL® LR44 Coin Cell Battery

The Duracell LR44 is suitable for a range of small electronic equipment including calculators and power photo equipment. Duracell offers a wide range of specialty batteries. For long lasting power use Duracell in all your important devices.

Duracell is the world's leading producer of high-performance batteries. Duracell believes there is no limit to the potential of portable power and it always strives to find innovative and efficient ways to power your life.

- Chemistry of battery: Alkaline (single use)
- Battery type: Coin cell
- Capacity: 105.0mAh
- Current: 0.0002A
- Voltage: 1.50V
- Dimensions: 11.6 x 5.4mm
- Replaces: 1166A, 5244, A01, A200, A76, A76LR44, AG-13, AG13, FM28F, G13, G13-A, G13A, GP76A, GPA76, KA, KA76, L1154, LR44, LR44H, RW82, V13GA, WL14
- Supplied in **packs of 2**

Type	Order code	1+	5+
Pack of 2	18-4760	1.98	1.76

500594

## Lithium Batteries



### Lithium Coin Cell Batteries

A range of high quality GP manganese non-rechargeable 3V lithium coin cell batteries for applications that require a low quiescent current.

Coin cell batteries are suitable for a wide variety of items including electronic devices, calculators and watches, and these lithium coin cell batteries will provide you with both a superior performance and durability over cheaper unbranded coin cells.

GP Lithium coin cell batteries possess remarkable features including a long shelf life of 10 years, high energy density, flat discharge voltage, wide operating temperature and excellent storability with low self discharge rate.

- Non-rechargeable
- Operating temperature -20°C to +60°C
- Used in miniature electronic equipment, calculators and watches

Type	Quantity	Order code	1+	10+	25+
CR1220	5	18-0363	4.33	3.58	3.10
CR1616	5	18-0367	4.34	3.30	2.48
CR1620	5	18-0377	4.74	4.40	
CR1632	1	18-0544	1.36	1.22	1.10
CR1632	5	18-0599	5.42	4.76	4.30
CR2016	5	18-0486	3.58	3.48	2.48
CR2025	5	18-0501	3.58	2.71	2.05
CR2032	5	18-0493	3.58	2.71	2.05
CR2430	5	18-0374	7.73	7.42	6.12

74895

## Pricing

Pricing correct at time of going to press.  
For up-to-date pricing visit  
**www.rapidonline.com**

## Rechargeable Batteries

### GP Batteries

#### ReCyco Rechargeable Nickel Hydride NiMH Batteries on Paper Cards

These ReCyco rechargeable nickel metal hydride (NiMH) batteries from GP offer a greener choice than standard, single-use disposable batteries. Their new packaging is even easier to recycle.

They are ideal for digital cameras, flashlights, children's toys, remote controls, cordless phones, etc., offering high energy capacity and long usage times before needing re-charging. They come pre-charged and are ready to use out of the pack.

- New easy-to-recycle packaging
- Nominal voltage: 1.2V
- Available in a range of sizes and capacities
- GP ReCyco range



Size	Capacity	Order code	1+	10+
<b>Packs of 4</b>				
AAA	650mAh	<b>18-4279</b>	6.06	5.45
AAA	850mAh	<b>18-4274</b>	7.12	6.41
AAA	950mAh	<b>18-4272</b>	8.98	7.13
AA	1300mAh	<b>18-4278</b>	7.04	6.35
AA	2100mAh	<b>18-4273</b>	9.68	8.93
AA	2600mAh	<b>18-4271</b>	12.89	11.50
<b>Packs of 2</b>				
C	3000mAh	<b>18-4275</b>	9.58	8.63

569005

## DURACELL® Rechargeable Batteries



Duracell ActiveCharge is a rechargeable battery with improved consumer benefits. This low self-discharge battery comes "Ready Charged" and can immediately be used and stays charged longer than standard rechargeable batteries.

- Pre-charged and work straight from the pack
- Duracell rechargeable batteries offer you the quality and dependability
- Compatible with all battery chargers - up to 1000 charges
- Ideal for all your high drain devices
- Stays charged longer than standard rechargeable
- Charge 100's of times for thousands of photos
- Great for the environment
- Supplied in **packs of 4**

Type	Order code	1+	5+
AA 2400mAh	<b>18-4700</b>	13.75	12.59
AAA 800mAh	<b>18-4701</b>	9.79	8.87

123478

## NiMH AA Size 1.2V 850mAh Rechargeable Battery Tagged

Only

# £1.85

Order code 58-5613

www.rapidonline.com



## Battery Holders

### KEYSTONE

#### AA Battery Holders



Holds batteries securely in place to provide a positive connection and maintain a low contact resistance.

- Available with PC terminals or wire leads
- Polypropylene holder material
- Nickel-plated spring steel
- Nickel-plated brass PC pins
- 26AWG tinned red and black 150mm wire leads

Type	Order code	1+	25+
1x AA PC Mount	<b>18-3681</b>	1.45	1.13
2x AA PC Mount	<b>18-3683</b>	1.71	1.14
3x AA PC Mount	<b>18-3685</b>	1.98	1.29
4x AA PC Mount	<b>18-3687</b>	0.441	
1x AA Wire leads	<b>18-3689</b>	1.45	1.05
2x AA Wire leads	<b>18-3691</b>	1.35	1.16
3x AA Wire leads	<b>18-3693</b>	2.14	1.39
4x AA Wire leads	<b>18-3695</b>	2.56	1.37

71066

### KEYSTONE

#### AAA Battery Holders



Hold batteries securely in place to provide a positive connection and maintain a low contact resistance.


- Available with PC terminals or wire leads
- Polypropylene holder material
- Nickel-plated spring steel
- Nickel-plated brass PC pins
- 26AWG tinned red and black 150mm wire leads

Type	Order code	1+	25+	100+
2x AAA PC Mount	<b>18-3682</b>	1.63	1.09	0.88
3x AAA PC Mount	<b>18-3684</b>	2.37	1.34	
4x AAA PC mount	<b>18-3686</b>	1.14		
2x AAA Wire leads	<b>18-3690</b>	1.94	1.12	0.864
3x AAA Wire leads	<b>18-3692</b>	2.69	1.36	1.23
4x AAA Wire leads	<b>18-3694</b>	2.54	1.40	

71093

### Trupower

#### Battery Holders with Flying Leads



A range of battery holders with red and black flying leads for quick connection to equipment.

- Ideal for volume production applications
- Moulded in black thermoplastic
- Lead length 150mm

MQQ 5 - In Multiples of 5				
Type	Order code	5+	25+	100+
1x N	<b>18-0123</b>	0.576	0.41	0.278
1x AA	<b>18-0121</b>	0.576	0.408	0.298
2x AA	<b>18-0122</b>	0.619	0.444	0.327
2x AAA	<b>18-0124</b>	0.576	0.41	0.323

62273

### Trupower

#### Battery Boxes with Covers

Enclosed AAA and AA size battery boxes with detachable lids, moulded in black ABS.



- Lids may be secured with the small screws provided
- Terminated in red and black stranded 26AWG wires approx. 150mm long
- Also available with fitted miniature On/Off switch wired into the black (negative) wire

MQQ 5 - In Multiples of 5					
Type	Order code	5+	25+	100+	500+
2x AAA With Switch	<b>18-2900</b>	1.20	0.914	0.786	0.763
3x AAA With Switch	<b>18-2901</b>	1.45	1.10	0.936	0.906
4x AAA With Switch	<b>18-2902</b>	1.56	1.16	0.981	0.929
2x AAA	<b>18-2903</b>	0.848	0.633	0.53	0.49
3x AAA	<b>18-2904</b>	1.18	0.802	0.69	0.668
4x AAA	<b>18-2905</b>	1.12	0.876	0.751	0.717
2x AA With Switch	<b>18-2906</b>	1.35	1.05	0.906	0.84
3x AA With Switch	<b>18-2908</b>	1.76	1.34	1.06	0.98
4x AA With Switch	<b>18-2909</b>	1.63	1.30	1.12	1.08
2x AA	<b>18-2910</b>	0.987	0.746	0.638	0.605
3x AA	<b>18-2912</b>	1.56	1.16	0.838	0.791
4x AA	<b>18-2913</b>	1.52	1.16	0.86	0.835

62278



www.rapidonline.com/brands/yuasa

**Trupower**

**PCB Mounting Battery Holders**

A range of battery holders suitable for PCB mounting.

- All types are moulded in black thermoplastic
- All incorporate PCB pin terminations and marking for battery orientation
- Larger sizes incorporate screw fixing holes



MOQ 5 - In Multiples of 5					
Type	Dimensions	Order code	5+	25+	100+
1x N	13 x 12.5 x 35	18-2915	0.409	0.311	0.281
2x AAA	25 x 12 x 53	18-2925	0.446	0.352	0.298
4x AAA	50 x 12 x 53	18-2930	0.855	0.663	0.567
1x AA	16 x 13 x 57	18-2960	0.409	0.311	0.281
2x AA	32 x 16 x 58	18-2965	0.446	0.361	0.298
3x AA	48.5 x 17 x 58	18-2967	0.834	0.641	0.543
4x AA	62 x 16 x 58	18-2970	1.10	0.807	0.608
1x PP3	31 x 20 x 55	18-2990	0.522	0.393	0.354
3x AAA	40 x 12 x 53	18-2926	0.855	0.663	0.567

62276

**Trupower**

**PP3/ 9V Battery box with switch, 200mm lead and DC Jack Plug**

This battery holder has a slide top for easy access with a firm snap closing action. The internal battery contacts are connected to two 200mm leads terminated with a 2.1mm DC plug.



The top of the box has a simple On/Off slide switch. Dimensions of box: 68 x 33 x 21mm.

- Ideal for projects and backup power applications
- Designed for standard PP3 type 9V battery
- Supplied in black
- Includes On/Off switch

Technical Specification:  
Battery Size: PP3/ 9V  
Number of Cells: 1  
Material: Plastic  
Connection: Lead + 2.1mm DC plug  
Dimensions: 68(L) x 33(W) x 21(D)mm

Type	Order code	1+	25+	100+
Battery Box	18-0296	2.80	2.21	1.86

524992

**Trupower**

**PP3 Battery Holder with Flying Leads**

A 9V battery holder with 150mm flying leads.

- Ideal for many applications
- Male and female snap-in terminals assure positive contact and correct polarity
- Positive and negative legends clearly marked
- Withstands severe shock and vibration
- Moulded from black thermoplastic
- Incorporates screw fixing holes



MOQ 5 - In Multiples of 5				
Type	Order code	5+	25+	100+
PP3 Battery holder	18-0163	0.587	0.423	0.354

18026

**Trupower**

**Coin Cell Battery Holders**

A range of PCB mounting coin cell holders for use on equipment where battery replacement may be necessary.

- Holders for non-tagged coin cells
- Cell(s) held in position by positive contact
- Negative terminal in base of holder
- Raised sides holds the cell(s) in place
- Models available to suit 2x 12mm (CR1225 style), 1x 20mm (CR2032 style) or 1x 24mm (CR2430 style) diameter coin cells



Technical Specification:

	1225 type	2032 type	2430 type
A	13mm	22.6mm	27.7mm
B	15mm	27.3mm	30.4mm
C	4.0mm	5.1mm	4.7mm
D	5.5mm	7.6mm	7.2mm
E	8.2mm	8.4mm	8.3mm
Max. cell diameter	12mm	20mm	24mm
Housing	Black PBT		
Contacts	Tin plated phosphor bronze		

MOQ 5 - In Multiples of 5				
Type	Order code	5+	25+	100+
1225 style (2 cells)	18-0496	0.936	0.719	0.62
2032 style (1 cell)	18-0498	0.829	0.638	0.472
2430 style (1 cell)	18-0499	0.678	0.466	0.383

62297

**KEYSTONE**

**Lithium Coin Cell Retainer Contacts**



A range of economical and reliable retainer contacts.

- Designed for quick and easy battery installation and replacement
- Perfect for memory backup applications where the ultra low profile allows high density packing of PCBs
- Available in both surface and through hole mount to accommodate cell diameters from 12 to 24mm
- Negative battery connection is achieved by the battery contacting the PCB track directly

Technical Specification:

Cell types	Order code
CR1216, CR1220, CR1255	18-3570
CR1620, CR1632	18-3578
CR2016, CR2020, CR2025, CR2032	18-3580
CR2016, CR2020, CR2025, CR2032	18-3585

MOQ 5 - In Multiples of 5				
Type	Order code	5+	25+	100+
12mm SMT	18-3570	0.454	0.447	0.399
16mm THM	18-3578	0.173		
20mm SMT	18-3580	0.421	0.408	0.381
20mm THM	18-3585	0.187		

62296

**PJ996/4R25 Zinc Carbon Lantern Battery**

Only  
**£3.76**

Order code 18-0275  
[www.rapidonline.com](http://www.rapidonline.com)



**Trupower**

**Heavy Duty PP3 Battery Clips with Stripped and Tinned Ends**



A heavy duty battery clip with wires entering the cover at one end.

- The hard moulded ABS cover makes the clip more robust
- Fitted with colour coded 150, 200 or 300mm leads with stripped and tinned ends

MOQ 20 - In Multiples of 20			
Type	Order code	20+	
End entry 45mm	18-3786	0.383	

MOQ 10 - In Multiples of 10			
Type	Order code	10+	100+
End entry 150mm	18-0092	0.41	0.317
End entry 200mm	18-0093	0.422	0.298
End entry 300mm	18-0097	0.603	0.468

62284

**KEYSTONE**

**PP3 9V Battery Straps**



A series of battery straps with 'I' configurations.


- Fully insulated and feature brass nickel plated snap-on connectors
- Supplied with a vinyl base construction
- Available in 100, 150 and 200mm lead lengths for economy
- Red and black tinned lead wires

MOQ 5 - In Multiples of 5				
Type	Order code	5+	100+	500+
Strap 100mm lead wire	18-0080	0.621	0.475	0.425
Strap 200mm lead wire	18-0084	0.743	0.585	

71699

**Trupower**

**Heavy Duty PP3 Battery Clips - Side Entry**



Heavy duty battery clips with wires entering the cover at the side.

- The hard moulded ABS cover makes the clip more robust
- Fitted with colour coded 150, 200 or 300mm leads with stripped and tinned ends

MOQ 10 - In Multiples of 10			
Type	Order code	10+	100+
Side entry 150mm	18-0094	0.422	0.27
Side entry 200mm	18-0095	0.422	0.281
Side entry 300mm	18-0091	0.591	0.41

62285

**Can't find what you need?**

Get in touch [education@rapidonline.com](mailto:education@rapidonline.com)



Order online

Save time, and place your order at:  
[www.rapidonline.com](http://www.rapidonline.com)  
24 hours a day



Battery Clips for PP3 Batteries



These battery clips suit PP3 and PP6 type 9V batteries.

- Lead length 150 or 200mm

MOQ 10 - In Multiples of 10

Type	Order code	10+	100+	1000+
150mm	18-0105	0.319	0.26	0.223
200mm	18-0106	0.409	0.311	0.281

62283



PP1/PP9 Battery Clips



Twin 'mouse type' battery clips.

- Suitable for PP1 and PP9 type batteries
- Available with 100mm or 305mm flying leads

Not for use with PP3 style 9V batteries.

MOQ 5 - In Multiples of 5

Type	Order code	5+	100+
PP9 Clip 100mm	18-0100	0.433	0.397
PP9 Clip 300mm	18-0169	0.63	0.579

62286



Spring Holder Clip for PP3 Batteries

A spring metal clip for physically holding PP3 batteries.

- Single M3 fixing hole
- Dimensions: 24(W) x 26(H) x 17mm(D)



MOQ 5 - In Multiples of 5

Type	Order code	5+	25+	100+	500+
Spring clip for PP3	18-3480	0.371	0.261	0.225	0.217

62291

Quick Quote

Quick quote service available online  
Either click on a product and ask for  
a quick quote or visit  
[www.rapidonline.com/quotation](http://www.rapidonline.com/quotation)  
for more details

Battery Chargers

DURACELL®

Universal Battery Charger CEF22

This battery charger is ideal for multiple NiMH batteries. It will charge AA, AAA, C, D and 9V batteries at the same time.

The charger is capable of charging up to 4 batteries at once. The charge time is around 6 to 8 hours depending how much power is left in the batteries. An LED indicator shows charging status, red for charging, turning green when your batteries are ready to use.



Please note: Batteries not included.

Technical Specification:

Charges AA, AAA, C, D and 9V batteries in 5 to 12 hours

Battery size	Battery power	Charging time
AA	1300mAh	2.4hr
AA	2000mAh	3.6hr
AA	2500mAh	4.5hr
AA	2650mAh	5.0hr
AAA	850mAh	2.5hr
AAA	1000mAh	3.0hr
C cell	2500mAh	4.5hr
D cell	2500mAh	4.5hr
9V	175mAh	12.5hr

Type	Order code	1+
Universal charger	18-4750	33.08

123482

DURACELL®

Value Battery Charger with 4 FREE Batteries

This high quality battery charger with 4 free batteries from Duracell provides good charging capability at an affordable price. Charges both AA and AAA rechargeable batteries.

- Typically charges in 6 hours
- Lasts up to 3 times longer in digital cameras (compared to ordinary alkaline)
- Duracell rechargeable batteries help keep your devices running longer
- LED indicator to indicate status of charging process
- Supplied with 2x AA and 2 x AAA batteries



Type	Order code	1+
Value charger	18-4751	20.78

123483

Help

Visit our online help centre  
[www.rapidonline.com/help](http://www.rapidonline.com/help)

VOLTCRAFT®

V-Charge 240 Quadro 4-Channel Multifunction Battery Charger 12A

The V-Charge 240 Quadro is a multifunction charger that features four independent charge/discharge channels, each with its own two-line backlit LCD and 4x operating buttons. The charger works with NiMH/NiCd, LiPo/LiIon/LiFe and lead acid rechargeable batteries.

Each charge/discharge channel has an adjustable charge/discharge current, dependent on the number and type of batteries connected. For multi-cell Lithium batteries each channel has a separate balancer output. There are connections for an external temperature sensor (not supplied) for each channel.

The charger has an integrated power supply for use with mains supply and can also operate from a stabilised 11 to 18V DC voltage. Included with the charger are a mains cable, 4x T-plug charging cables, CD with operating instructions

- Charge current up to 12A
- Charging power 240W total



- Discharge current up to 5A
- Discharge power 10W
- Safety timer with off switch
- Integrated fan

For Technical specification visit [www.rapidonline.com](http://www.rapidonline.com)

Type	Order code	1+
Battery charger	64-9589	204.80

564856