

# Tapes & Adhesives



All Purpose Adhesives	240
Blu-Tack	239
Epoxy	241
Expanding Glue	241
Glue Guns	242
Glue Sticks	243
Spray Adhesives	242
Sticky Pads	239
Super Glue	240
Tapes	238
UV Adhesive	241
Wood Glue	239

**Titebond®**  
Glues & Adhesives

Titebond  
1413 III  
Ultimate  
Wood Glue -  
237ml (8floz)

**£7.33**

Order code 87-5020



**STANLEY**



Mini Trigger  
Glue Gun  
240 Volt

**£8.37**

Order code 84-7559



Full range of Tapes & Adhesives products available at:

**[www.rapidonline.com](http://www.rapidonline.com)**

## Tapes



### Sellotape Blister Pack 24mm x 50m Golden

Original Golden Sellotape is one of the most popular sticky tapes. Though golden in colour, it is clear when applied. It will stick card, paper, envelopes, and all sorts of household objects. It is easy to tear, with no need for scissors. The roll comes with an Easy Starter tab to eliminate the search for the end of the tape. It is strong, extra sticky and won't tangle, twist, or stick to itself.

Type	Order code	1+
24mm x 50m	<b>97-1289</b>	1.85

588451



### Clear Adhesive Tape

Good quality general purpose clear adhesive tape.

- Available in a range of widths
- High tack-adhesion qualities for everyday sealing and sticking
- Length 66m

Type	Order code	1+	12+	36+
19mm x 66m	<b>34-3180</b>	0.882	0.85	0.78
25mm x 66m	<b>34-3182</b>	1.07	0.989	0.926
48mm x 66m	<b>14-0992</b>	1.02		

60210



### Double-Sided Tape

A lightweight, double-sided adhesive tape, manufactured from a thin transparent polypropylene film coated on both sides with a good quality high-tack rubber-based adhesive.

- Very high adhesion to metals, plastics, foam and paper
- Available in **12 and 25mm** widths
- Supplied on **33m reels**

Type	Order code	1+	12+
12mm	<b>87-1873</b>	1.07	0.957
25mm	<b>87-1872</b>	2.14	1.93

60211



### Fabric-Backed Waterproof Tape

Tough fabric-backed, polythene coated self-adhesive gaffer tape in a choice of 3 colours.

- Can easily be torn without cutting
- Excellent waterproofing properties
- Width 50mm
- Supplied on **50m reels** in black, white or silver

Type	Order code	1+	6+
Black 50m waterproof tape	<b>87-1886</b>	2.90	2.74
White 50m waterproof tape	<b>87-1887</b>	2.90	2.74
Silver 50m waterproof tape	<b>87-1888</b>	2.90	2.74

64267



### DuckB. Tape Ultimate 50mm x 20m

These **ultimate tape from Duck®** Tape has been manufactured to a high standard, using four toughened fabric layers fused together to create a truly amazing heavy-duty tape. Ideal for numerous uses and easy to use via its tear formula requiring no scissors. The unique adhesive is 50% stronger than most other cloth tapes, sticking to most surfaces with ease. Perfect for temporary repairs to your bike - and it can even secure a broken car bumper until you get to the garage!

- Triple layer technology!
- \*100% waterproof
- For indoor and outdoor use
- Width: 50mm
- Length: 20m
- Colours: black, silver or white

Colour	Order code	1+
Black	<b>84-5193</b>	6.35
Silver	<b>84-5195</b>	6.35
White	<b>84-5197</b>	6.35

559721



### Ultratape PVC Insulating Tape

A superior quality electrical grade PVC self-adhesive insulating tape conforming to **BS3924**.

- Nominal thickness 0.15mm
- Dielectric breakdown 40KV/mm
- Temperature range 0°C to +80°C
- Flame retardant
- Available in 19mm width in a wide range of colours on **20m or 33m reels**
- Black tape is also available in 25mm width on **20m or 33m reels**
- **Packs of 8 assorted coloured reels are available in 19mm width, in 20m or 33m lengths**
- Each pack contains one reel of red, yellow, green, blue, white, green/yellow and two reels of black

Type	Order code	1+	10+	50+
<b>20m reels</b>				
20m x 19mm Black	<b>87-1552</b>	0.699	0.645	
20m x 25mm Black	<b>87-1588</b>	0.85	0.742	
20m Brown	<b>87-1554</b>	0.699	0.645	
20m Red	<b>87-1556</b>	0.699	0.645	
20m Yellow	<b>87-1558</b>	0.699	0.645	
20m Green	<b>87-1560</b>	0.699	0.645	
20m Green/yellow	<b>87-1562</b>	0.699	0.645	
20m Blue	<b>87-1564</b>	0.699	0.645	
20m Grey	<b>87-1566</b>	0.699	0.645	
20m White	<b>87-1568</b>	0.699	0.645	
20m Assorted pack	<b>87-1592</b>	5.37	5.05	
<b>33m reels</b>				
33m x 19mm Black	<b>87-1570</b>	1.03	0.957	
33m x 25mm Black	<b>87-1590</b>	1.50	1.39	
33m Brown	<b>87-1572</b>	1.03	0.957	
33m Red	<b>87-1574</b>	1.03	0.957	
33m Yellow	<b>87-1576</b>	1.03	0.957	
33m Green	<b>87-1578</b>	1.03	0.957	
33m Green/yellow	<b>87-1580</b>	1.03	0.957	
33m Blue	<b>87-1582</b>	1.03	0.957	
33m Grey	<b>87-1584</b>	1.03	0.957	
33m White	<b>87-1586</b>	1.03	0.957	
33m Assorted pack	<b>87-1594</b>	8.06	7.52	

71221



### Self-Adhesive Copper Foil Track

Self-adhesive copper tape, ideal for making up simple electrical and electronic circuits.

- Self-adhesive backing
- Ideal for one-offs and prototyping
- Available in 5mm and 20mm widths
- Supplied on **50 metre reels**

Width	Max. power rating	Order code	1+	10+
5mm	99W	<b>34-0636</b>	10.23	9.14
20mm	396W	<b>34-0638</b>	28.21	

547605



### 50mm Self Adhesive Hazard Tape - 33m Roll

Diagonally striped durable self adhesive PVC tape for floor and hazard marking.

- Width 50mm
- Length 33m
- Thickness 150 micron
- Shrink wrapped in singles with label

Type	Order code	1+
Black / yellow	<b>91-4949</b>	5.03
Red / white	<b>91-4950</b>	4.51

312302



### Ultratape Hazard Warning Tape

Hazard warning tape made from heavy-duty plasticised PVC film.

- Coated with an aggressive, white, non-corrosive, pressure-sensitive adhesive
- Highly flexible
- Water and UV resistant
- Good abrasion resistance
- Can be walked on immediately after laying
- 0.14mm thick, 50mm wide
- Supplied on **33m reels**

Type	Order code	1+
Black/yellow	<b>87-3020</b>	3.21
Red/white	<b>87-3022</b>	3.21

60217



### Masking Tape

A self-adhesive creped paper masking tape with rubber resin adhesive that is easily cut or torn as required, ideal for painting, surface protection and labelling.

- Suited to a wide variety of applications
- Available in widths of **19, 25 and 50mm**
- Supplied on **reels of 50m**

Type	Order code	1+	12+
19mm masking tape	<b>87-1926</b>	1.28	1.24
25mm masking tape	<b>87-1927</b>	1.61	1.50
50mm masking tape	<b>87-1928</b>	3.00	2.90

60215



## PTFE Thread Seal Tape

A high quality polytetrafluoroethylene (PTFE) thread seal tape for an economical and clean way of sealing threaded joints.

- Chemically pure and inert
- Unequalled resistance to water, gases, solvents, acids, alkalis and other reactive media
- Suitable for use in harsh and aggressive environments
- Ideal for plumbing, hydraulic and pneumatic systems
- Supplied in 12mm width on **12m reels**



Type	Order code	1+	10+
PTFE tape 12m	<b>87-1818</b>	0.484	0.42

72691



## Large Tape Dispenser

A high quality adhesive tape dispenser ideal for office, home or school.

- Accepts up to 25mm (1in) wide tapes on 25mm (1in) or 75mm (3in) diameter cores
- Weighted, rubber base prevents slipping and scratching
- Approx. overall dimensions: 200 x 80 x 80mm
- Colour may vary



Tape not included.

Type	Order code	1+
Large tape dispenser	<b>34-3190</b>	3.98

60236

## Sticky Pads



## Sticky Fixers Foam Pads

Permanent double-sided self-adhesive foam pads.

- Use for joining or mounting wood, ceramic, metal and most plastics
- Ideal for permanent mounting of hooks, name plates, signs and display work, model building, hobby and craft work
- Overlapping backing paper for easy release of pad
- Pad size 12 x 25mm, approx. 2mm thick
- Supplied in **packs of 140**



Type	Order code	1+
Sticky fixers	<b>87-7204</b>	3.78

80244



## VELCRO® Brand Stick On Rolls 20/25mm - Beige/Black/White

These stick on rolls 20/25mm have been designed for a host of uses and are simple to use - just cut the strips required, peel backing paper and press firmly to both surfaces. Items can then be secured, such as small tools, notice boards, access panels, remote controls and much more. A convenient, quick alternative to nails, screws and glues.



- Easy to use
- Holds up to 500g per 20mm x 20mm
- 50cm hook and loop tape per pack
- Cut to required size
- Colours available: Beige, black or white
- Content: 1 roll
- Length ranges: 0.5m, 1m, 2.5m, 5m, 10m or 25m
- Width ranges: 20mm or 25mm

W x L	Colour	Order code	1+
20mm x 50cm	White	<b>54-4298</b>	3.60
20mm x 50cm	Black	<b>54-4299</b>	2.08
20mm x 2.5m	White	<b>54-4302</b>	6.06
20mm x 2.5m	Black	<b>54-4303</b>	5.99
20mm x 2.5m	White	<b>54-4304</b>	8.30
20mm x 2.5m	Black	<b>54-4305</b>	9.57
20mm x 10m	White	<b>54-4306</b>	15.33
20mm x 10m	Black	<b>54-4307</b>	15.33
20mm x 25m	White	<b>54-4309</b>	34.38

53721

## Blu-Tack



## Blu-Tack Original Re-Usable Adhesive

The original Blu-Tack with numerous uses around the office, home and school.

- Repositionable
- Reusable
- Versatile
- Clean and safe
- Holds up posters, maps, messages etc., without marking the surface
- Suggested uses include on non-porous surfaces, vinyl coated wallpapers, painted surfaces, glass, metal etc.
- Available in a **range of pack sizes**



Approx. weight	Order code	1+
110g	<b>87-0425</b>	2.36
12x 55g	<b>87-0423</b>	8.67
12x 110g	<b>87-0428</b>	15.75

30070

## Wood Glue



## Titebond III Ultimate Wood Glue

Described as an APP (Advanced Proprietary Polymer), Titebond III Ultimate Wood Glue has been formulated as a dedicated wood glue to provide the ease of application of aliphatic resins and



PVAs, and the water resistance of polyurethane glues. Making an exceptionally strong bond in wood-to-wood joints, it has longer open time and higher viscosity than conventional PVAs and will maintain integrity at lower application temperatures. Titebond III Ultimate Wood Glue has been designed to give you high strength wood-to-wood bonds without the problems of Polyurethane glues. Despite the undoubted flexibility of use and massive strength of Polyurethane glues they can be very persistent and difficult to clean from equipment and particularly hands. Titebond III Ultimate Wood Glue cleans up with water whilst wet, sands off without softening when fully cured, is unaffected by finishes, solvent and heat and is mildew resistant. It is suitable for interior and exterior use.

Titebond III Ultimate Wood Glue has been independently tested for lead, cadmium and other metal content and complies with ASTM F963 and 16 CFR 1303 specifications for for toy safety. It has also been tested by an independent toxicologist and conforms to ASTM D4236 for use in art and craft activities.

- Suitable for wood, cloth, leather and crafts
- Initial Tack time 30 minutes
- Setting time approx. 24 hours
- Passes **ANSI/HPVA** Type I water-resistance
- Waterproof formulacan be cleaned up with water
- Superior strength - strong initial tack
- Designed for interior and exterior applications
- Longer open assembly time
- Lower application temperature
- Unaffected by paint, varnish and other finishes
- **FDA** approved for indirect food contact
- Conforms to **ASTM D-4236**
- Available in **237 & 473ml and 3.8 litre packs**

Type	Order code	1+
237ml	<b>87-5020</b>	7.33
473ml	<b>87-5022</b>	10.84
3.8 Litre	<b>87-5024</b>	43.21

50180



## Clear Label Washable PVA Glue 5 Litre

Only

**£7.54**

Order code 87-6083

[www.rapidonline.com](http://www.rapidonline.com)



**Order online**  
Activate your account for  
online ordering.  
For further information:  
[www.rapidonline.com/activate](http://www.rapidonline.com/activate)





### Wood Glue

Gorilla Wood Glue is perfectly named – for it is the king of the adhesive jungle, the strongest, most powerful household glue on the market. The strong, expanding formula of Gorilla Glue handles the toughest jobs in and around the home, bonding all types of woods such as hardwood, softwood and wood composites in 24 hours.

Once applied, Gorilla Glue expands during curing, and once set is paintable and stainable. People love Gorilla Glue because it succeeds where other heavy duty adhesives fail, helping you to build, repair and maintain furniture, interior and exterior features and DIY projects. Dries with a natural finish.

You can order Gorilla Glue from Rapid today and be using it tomorrow – order before 8pm for same day despatch. We have some of the best online prices for Gorilla Glue and can also offer some excellent price breaks on bulk orders.

- Incredibly strong
- Solvent free polyvinyl acetate (PVA) glue
- Non-toxic water based
- Paintable and stainable
- 20-30mins clamp time
- Fully cured in 24 hours
- Supplied in sizes of: **118ml, 236ml, 532ml or 1 litre**

Type	Order code	1+
236ml	<b>87-2202</b>	4.05
532ml	<b>87-2204</b>	5.40
1 litre	<b>87-2206</b>	7.55

546274



### All Purpose Weatherproof Wood Adhesive 502

All Purpose Weatherproof Wood Adhesive is a high quality, resin-based wood adhesive for all wood bonding. It can be used internally and externally and provides a high strength, impact-resistant bond that is usually stronger than the wood itself.

Ideal for all general woodworking and joinery uses, furniture assembly and household DIY use. Dries clear. Fast cure, initial set in just 10 minutes. Conforms to the international standard EN 204 (D3) and BS 14256 for creep resistance.

Type	Order code	1+
75ml	<b>84-6510</b>	2.77
125ml	<b>84-6512</b>	2.96
250ml	<b>84-6514</b>	3.75
500ml	<b>84-6516</b>	6.06
1 litre	<b>84-6518</b>	7.38
5 litre	<b>84-6520</b>	26.24

546172



### Black Label Premium PVA Medium Glue 1 Litre Bottle

Only

**£4.61**

Order code 87-6077

[www.rapidonline.com](http://www.rapidonline.com)



### Weatherproof Wood Adhesive

This adhesive from Evo-Stik is the UK's market leading waterproof wood adhesive and is ideal for exterior use on all types of wood.

- Ideal for soft, hard, chipboard and plywood
- Fast setting and extra strong
- When glue has dried it forms a bond stronger than the wood itself
- Resealable cap
- Dries to a clear finish
- Clog free nozzle
- Anti-roll bottle with non-clogging twist cap
- Developed for interior and exterior use
- Complies with **EN 204 Type D3** -weatherproof, water resistant wood adhesive
- Available in **125ml, 250ml, 500ml, 1 litre, 2.5 litre and 5 litre bottles**

Pack size	Order code	1+	5+
125ml	<b>87-2670</b>	2.18	1.95
250ml	<b>87-4093</b>	4.53	3.75
500ml	<b>87-4094</b>	8.35	8.29
1 litre	<b>87-4095</b>	11.77	11.69
2.5 litres	<b>87-4096</b>	33.31	27.93
5 litres	<b>87-2672</b>	74.69	

77528

## All Purpose Adhesives



### All Purpose Adhesive

Bostik All Purpose Adhesive is a fast drying, super strong, long lasting adhesive.

- Water resistant
- Sets clear
- Ideal for all household repairs, DIY tasks, crafts and hobbies, and much more
- Features a resealable cap
- Glue will not dry out in tubes
- Available in **20 and 50ml tubes**



Type	Order code	1+	6+	12+
20ml tube	<b>87-4048</b>	1.28	1.16	0.98
50ml tube	<b>87-4050</b>	3.84	3.43	2.88

77510



### All Purpose Adhesive - Solvent Free

A solvent-free version that is just as powerful as the classic all-purpose adhesive.

- Odour-free
- No-run formula
- Fast drying time
- Water-resistant
- Can be washed out at 40°C
- Suitable for PVC and expanded polystyrene, due to the absence of solvent
- Supplied in a **33ml tube**

Type	Order code	1+
Solvent-free adhesive	<b>87-2466</b>	2.09

80882



### Twist & Glue Adhesive 35ml

Only

**£2.04**

Order code 06-7995

[www.rapidonline.com](http://www.rapidonline.com)



### UHU All-purpose Adhesive

The original UHU all-purpose adhesive.

- Fast, permanent, transparent and adjustable
- Doesn't wrinkle paper
- Adhesive layer remains elastic
- Available in **7, 20, 35 and 125ml tubes**



Type	Order code	1+
7ml	<b>87-2458</b>	0.878
20ml	<b>87-2460</b>	0.986
35ml	<b>87-2462</b>	1.83
125ml	<b>87-2464</b>	3.91

80361



### Impact Adhesive

If you want something to stick look no further than this impact adhesive from Evo-Stik. This one-part contact adhesive is ideal for numerous jobs in the home and workplace. Evo-Stik impact adhesive produces a high-strength bond on contact without using jigs, clamps or other support.

- Suitable for bonding most materials
- Ideal for emergency repairs
- Available in a choice of package sizes



Pack	Order code	1+	12+
Small tube	<b>87-2612</b>	2.52	
Large tube	<b>87-2614</b>	5.50	
250ml tin	<b>87-2616</b>	6.45	6.28
500ml tin	<b>87-2618</b>	9.95	

560409

## Super Glue



### Stick 2 Industrial Superglue General Purpose

Medium viscosity formula fills gaps to 0.1mm. For use on perfect fit surfaces where fast set is required. Bonds non porous surfaces eg most plastics, metals, glass, PVCu, rubber and EPDM. Viscosity at 25°C - 100cps. Set time 5 to 15 seconds. Packed in self merchandising display boxes.



Type	Order code	1+
Industrial Superglue General P	<b>84-5770</b>	1.33
Industrial Superglue General P	<b>84-5772</b>	3.61

546513



**SEALEY**

**Fast Setting Super Glue**

This low viscosity super glue from Sealey sets fast, bonding metal, rubber, plastics, wood and much, much more in seconds.

- Supplied in containers of 5g or 20g



Quantity	Order code	1+
5g	<b>84-1871</b>	1.54
20g	<b>84-2010</b>	2.08

562437

**Epoxy**

**Araldite®**  
professional adhesives

**Glue - Tubes and Syringe**

Araldite Rapid is a quick-setting version of the famous Araldite two-part epoxy resin glue, which bonds ceramics, wood, chipboard, glass, metal and most hard plastics.

- Fast setting and very strong
- Solvent free
- Heat, cold, water and oil resistant
- Supplied with one tube of adhesive and one tube of hardener
- Suitable for bonding almost all materials in common use
- Sets with virtually no shrinkage and joints are resistant to chemical attack
- Provides a seal which is impervious to moisture
- Ideal for electrically insulating and a protection against electrolytic corrosion
- Available in **2x 15ml tubes or 24ml dual syringe**



Type	Order code	1+	6+	12+
Rapid 2x 15ml	<b>87-4036</b>	5.34	4.87	4.34
Rapid syringe 24ml	<b>87-4038</b>	5.92	5.38	4.91

77504

**Araldite®**  
professional adhesives

**Instant Clear Adhesive**

Instant clear is a strong, long lasting adhesive, which sets in 90 seconds.

- Ideal for uneven breaks
- Sets clear
- Bonds china, glassware, leather, fabric, cardboard, wood and most hard plastics
- Ideal for all household repairs
- Syringe pack for easy mixing
- Syringe enables equal amounts of resin and hardener to be dispensed and features a resealable cap
- Glue will not dry out in tubes
- Supplied in **24ml dual syringe**



Type	Order code	1+	6+
Instant clear	<b>87-4044</b>	6.10	5.66

77508

**EVO-STIK**

**Rapid Set**

Evo-Stik Rapid Set is an ultra-strong two-part epoxy adhesive that gives a strong bond in seconds and sets in 5 minutes. It is ideal for use on ceramics, wood, chipboard, glass, metal, stone and most hard plastics. Evo-Stik Rapid Set is available in packs of 2x 15ml tubes (1 resin and 1 hardener) or a dual 25ml syringe that helps you mix exactly equal amounts of resin and hardener.



- 2-part epoxy resin
- Strong bond in seconds
- Sets in 5 minutes
- Use on ceramics, wood, chipboard, glass, metal, stone and most hard plastics
- Available in tubes or a syringe

Type	Order code	1+	6+
2x 15ml tubes	<b>87-4037</b>	5.79	5.27
25ml syringe	<b>87-4039</b>	5.89	5.68

502593

**UV Adhesive**

**LOCTITE**

**AA 350 UV Adhesive**

Loctite AA 350 is a transparent, light amber, medium viscosity, UV light-cured acrylic adhesive with good resistance to chemicals and high humidity which is suitable for bonding glass and metals and can also be used on plastics and ceramics.

- Cures on demand
- Resistant to humidity and chemicals
- Tack-free time 20 seconds
- Fixture time 15 seconds
- Depth of cure 4mm
- Service temperature range -40°C to +120°C
- Supplied in 50ml container
- Manufacturer's part **267423**



Contents	Order code	1+
50ml	<b>87-7225</b>	41.66

565469

**LOCTITE**

**AA 358 UV Adhesive**

Loctite AA 358 is an amber, single-part, medium viscosity, UV light-cured, urethane methacrylate ester acrylic adhesive. It is used to bond and seal glass to glass and glass to metal, for example in decorative glassware and jewellery.

- Suitable for gaps up to 0.5mm
- High speed curing
- Supplied in **50ml** container
- Manufacturer's part **88491**



Contents	Order code	1+
50ml	<b>87-7243</b>	53.66

565472

**UV Curing Instant Adhesive High Viscosity 20g**

Only

**£31.50**

Order code 87-7431

[www.rapidonline.com](http://www.rapidonline.com)



**LOCTITE**

**AA 3491 UV Adhesive Glass**

Loctite AA 3491 cures in seconds, on exposure to ultraviolet radiation of 365nm, to form an impact-resistant bond which exhibits excellent resistance to prolonged humidity or water immersion. Typical applications include bonding, sealing and potting of glass to itself, or other materials, such as rough surfaced decorative glass, moulded glass tableware items and automotive lighting components.

- Colour: clear
- Viscosity 1,100 mPa.s
- Depth of cure 4mm
- Tack-free time\* 15s
- Fixturing time\*\* 12s
- Shore hardness: D 75
- Well suited for plastics
- Well suited for metals
- Suited for ceramics
- Well suited for glass
- Service temperature range: -40 to +130°C
- Supplied in a **25ml pack**
- **Loctite type AA 3491**

\*Cured with Loctite 97055, 100mW/cm² at 365nm \*\*Irradiated with 6mW at 365nm

Contents	Order code	1+
25ml	<b>63-1117</b>	68.25

565397



**Expanding Glue**



**Waterproof Polyurethane Expanding Glue**

A strong, expanding adhesive for the toughest jobs.

- Bonds tight-fitting, clean surfaces on wood, stone, metal, ceramics, foam, glass and much more
- Incredibly strong
- Expands during curing for a guaranteed tight fit
- 100% waterproof
- Solvent-free
- Paintable and stainable
- Goes on dark, dries light tan
- Cures in 1 to 2 hours
- Available in a range of sizes



Type	Order code	1+
60ml	<b>87-2172</b>	4.05
115ml	<b>87-2174</b>	6.63
250ml	<b>87-2178</b>	9.00
500ml	<b>87-2180</b>	14.38
1 litre	<b>87-2182</b>	24.21

81384

### 3M™ Scotch-Weld™ Repositionable 75 Spray Adhesive 500ml

**3M**

Only

**£15.72**

Order code 87-8021

[www.rapidonline.com](http://www.rapidonline.com)



## Spray Adhesives

**3M**

### Spray Mount Spray Adhesive

Spray Mount™ adhesive provides an instant, repositionable and secure bond that does not go brittle with age.

- Excellent for sticking down and mounting most commonly used graphics materials to almost any surface
- Clear
- Non-staining
- Does not cause wrinkling
- Supplied in 200ml or 400ml ozone friendly aerosols



Type	Order code	1+	5+
Spray Mount (TM) 200ml	<b>34-3002</b>	9.03	8.42
Spray Mount (TM) 400ml	<b>34-3000</b>	13.44	12.95

64260

## Glue Guns

**BOSCH**  
Invented for life

### PKP 18 E Glue Gun 240V

The Bosch PKP 18 E glue gun has been designed for the quick gluing of clean, dry and grease-free materials using hot-melt adhesives.



- Electronically controlled heating for quick warm-up and steady working temperature
- Mechanical feed system for accurate dispensing and targeted, rapid application
- Clean and user-friendly - no dripping thanks to drip lock
- Wire stand supports gun when not in use
- Gluing capacity 20 g/min
- Glue stick diameter 11mm
- Glue stick length 45 to 200mm
- Machine weight 0.35kg
- Supplied complete with 1 glue stick and extra-long nozzle
- **Bosch type PKP 18 E**

Type	Order code	1+
Glue gun	<b>85-9969</b>	20.58

558811

**DREMEL**  
BIG ON SMALL

### Dremel 940 Glue Gun - 11/12mm

The Dremel 940 Hot Melt Glue Gun takes 11 and 12mm diameter glue sticks. Glue sticks are available in two types: general purpose and a special formulation for wood.

- High temperature setting (195°C)
- Drip control
- Power indicator light
- On/Off switch
- Removable power lead
- **Dremel type F0130940JB**



Type	Order code	1+
Glue gun 11/12mm	<b>85-0489</b>	27.61
Glue sticks - general	<b>85-0495</b>	5.13
Glue sticks - wood	<b>85-0499</b>	5.78

501715

**STANLEY**

### Heavy-Duty Glue Gun 240 Volt

Heavy-Duty glue gun with convenient fold down stand for use between applications. Uses dual melt 11 mm glue sticks for full range of materials. 40 Watt



Type	Order code	1+
Heavy-Duty Glue Gun 240 Volt	<b>84-7561</b>	10.10

549800

**STANLEY**

### Mini Trigger Glue Gun 240 Volt

Mini trigger glue gun with convenient fold down stand for use between applications. Uses dual melt 7 mm glue sticks for full range of materials. 15 Watt



Type	Order code	1+
Mini Trigger Glue Gun 240 Volt	<b>84-7559</b>	8.37

549799

**SEALEY**

### Glue Gun 230V

Glue Gun from Sealey.

- Composite housing with trigger feed
- Fitted with 1.3m cable with BS approved 3-pin 230V non-rewirable fused plug
- Includes 2 x 11mm glue sticks
- Replacement glue sticks available as Rapid part 89-0921
- Model No. **AK292**



Type	Order code	1+
230V Glue gun	<b>89-0919</b>	8.62

301331

**Anvil**  
Hand tools

### Low Temperature Miniature Hot Melt Glue Gun

The Anvil AV-LTGG Low Temperature Miniature Glue Gun operates at approximately 100 to 120°C rather than the normal glue gun temperature of around 190 to 200°C, or higher, significantly reducing the danger of serious burns or damage to delicate materials.

- Ideal for educational applications including decoration and art
- Reduces the risk of serious burns
- Ideal for industrial applications like caulking and filling where delicate components could be damaged by high temperature glue
- Trigger-feed mechanism for ease of use and accurate control of glue feed rate
- Power rating 7W
- Supplied complete with fitted 13A plug fused at 3A
- Takes 8mm diameter low temperature glue sticks
- **Anvil type AV-LTGG**

Please note that the glue sticks for this gun are specially formulated for low temperature use, and are not suitable for use with higher temperature guns.



Type	Order code	1+
Low temp. glue gun	<b>87-0404</b>	8.37

561102

**SEALEY**

### All Purpose Glue Sticks Pack Of 25

Hot melt glue sticks suitable for use with **Sealey** and other popular makes of glue guns.

- Supplied in packs of 25
- Length: 100mm
- Diameter 11mm
- **Sealey type AK292/2**



Type	Order code	1+
Glue sticks pack of 25	<b>89-0921</b>	5.29

301333

**Rapid**  
ONLINE

### Low Temperature Oval 9mm Glue Sticks + Red, Green & Blue Glitter Sticks

Oval, 9mm hot melt glue sticks for use with the Rapid UK EG130 low temperature glue gun, 85-9811.

Designed for working with heat sensitive materials at low temperature, these multi-purpose oval glue sticks are the perfect solution for hobby and craft work and other tasks that require a gentle, yet strong hot melt glue.

The sticks are also available in coloured glitter form, ideal for decorating greetings cards, models, etc.

- Oval, 9mm hot melt glue sticks
- Ideal for heat sensitive materials
- Perfect for hobby and craft work
- Available in natural and coloured glitter
- Ideal for decorating greetings cards, models, etc.



Type	Order code	5+
Glitter sticks	<b>85-9827</b>	8.02

Type	Order code	1+
Multi-purpose sticks	<b>85-9828</b>	9.41

564254

**Rapid**

**Low Temperature & Standard Temperature Hot Melt Glue Sticks**

Hot melt glue sticks for use with RVFM and other hot melt glue guns.

- Standard and low temperature formulations
- Colour: natural
- Standard temperature glue sticks are available in lengths of 100 and 300mm
- The 300mm sticks are supplied per kilo (approx 30 sticks)



Technical Specification:

Temperature	Colour	Finish	Diameter	Length	Quantity	Order code
Low	Natural	Plain	8mm	100mm	12	<b>87-4002</b>
Standard	Natural	Plain	11mm	100mm	12	<b>87-0405</b>
Standard	Natural	Plain	11mm	300mm	30	<b>87-0410</b>

Type	Dia. (mm)	Order code	1+	10+	50+
Low temp. natural	8	<b>87-4002</b>	3.36	2.96	2.37
Std. temp. nat. 100mm	11	<b>87-0405</b>	4.67	4.04	3.54
Std. temp. nat. 300mm	11	<b>87-0410</b>	15.51	14.19	

80889



**12mm Diameter Hot Melt Glue Sticks**

A wide range of 12mm diameter hot melt glue sticks suitable for use with Rapid UK glue guns.

- See Technical Details for colour and application information



Technical Specification:

Rapid UK part	Type	Details	Stick length	Pack size	Order code
40302787	ASS	Wood, leather, cork, etc.	190mm	1kg	<b>85-9839</b>
40302788	ASS	Wood, leather, cork, etc.	190mm	10kg	<b>85-9855</b>
40302798	ECO-T	Transparent	190mm	1kg	<b>85-9835</b>
40302799	GEN-T	Multipurpose	190mm	1kg	<b>85-9837</b>
40302800	GEN-T	Multipurpose	295mm	2.5kg	<b>85-9845</b>
40302771	GEN-T	Multipurpose	190mm	10kg	<b>85-9849</b>
40302781	LT	Low temperature	190mm	1kg	<b>85-9833</b>
40302791	PAC	Fast tack, packaging	190mm	10kg	<b>85-9859</b>
40302777	PRO+	High performance, metal etc.	190mm	1kg	<b>85-9841</b>
40302779	PRO+	High performance, metal etc.	190mm	10kg	<b>85-9851</b>
40302803	PRO-B	White, sanitary, cable	190mm	1kg	<b>85-9831</b>
40302804	PRO-B	White, sanitary, cable	295mm	2.5kg	<b>85-9847</b>
40302768	PRO-T	Transparent, PVC, plastic, etc.	190mm	1kg	<b>85-9843</b>

Type	Pack size	Order code	1+
ASS	1kg	<b>85-9839</b>	13.02
ASS	10kg	<b>85-9855</b>	100.86
ECO-T	1kg	<b>85-9835</b>	13.89
GEN-T	1kg	<b>85-9837</b>	14.71
GEN-T	2.5kg	<b>85-9845</b>	33.24
GEN-T	10kg	<b>85-9849</b>	116.67
LT	1kg	<b>85-9833</b>	12.78
PAC	10kg	<b>85-9859</b>	100.86
PRO+	1kg	<b>85-9841</b>	25.20
PRO+	10kg	<b>85-9851</b>	100.86
PRO-B	1kg	<b>85-9831</b>	13.24
PRO-B	2.5kg	<b>85-9847</b>	25.60
PRO-T	1kg	<b>85-9843</b>	12.27

564255

**Free Delivery\***

on all orders over £30 (excl. VAT)  
(UK mainland only)

\* See Terms & Conditions for full details - [www.rapidonline.com/terms](http://www.rapidonline.com/terms)



**Hot Melt Glue Sticks**

Hot melt glue sticks for use with Bostik and other hot melt glue guns.

- Available in standard or low temperature (90°C) formulation
- Colour: natural

Please note that the diameter of some

of this range of glue sticks is 12mm and may not fit other brands of glue gun.



Technical Specification:

Temperature	Diameter	Length	Quantity	Order code
Standard	7mm	100mm	14	<b>87-4070</b>
Low	11mm	190mm	Approx. 30	<b>87-4066</b>
Standard	12mm	100mm	6	<b>87-3986</b>
Standard	12mm	300mm	5kg	<b>87-3988</b>

Type	Order code	1+	6+
Std. Temp. 7mm dia.	<b>87-4070</b>	3.85	3.07
Low Temp. 11mm dia.	<b>87-4066</b>	8.40	
Glue sticks 12mm, pk of 6	<b>87-3986</b>	3.73	
Std. Temp. 12mm, 5kg	<b>87-3988</b>	85.10	

80888



**Hot Melt Glue Sticks Pack of 12**

A pack of 12 general purpose hot melt glue sticks. Ideal for most woods, plastics and cardboard.

- Size: 11.2 dia. x 150mm
- Draper type 65860 / AG1



Type	Order code	1+
Glue sticks - pk 12	<b>91-5355</b>	4.01

312606

**Glue Sticks**



**Educational Gluesticks 20g**

These premium medium 20g gluesticks are supplied in a Gratnell's classroom tray.

- Manufactured in Europe using PVP - giving a shelf-life approximately 3 times longer than standard PVA gluesticks
- Ideal for children - non-toxic, acid-free, solvent-free and completely washable
- Suitable for sticking paper, card and photos
- Excellent value - 72 gluesticks per classtray

Type	Order code	1+
Pack of 72	<b>34-9912</b>	39.06

122475



**Educational Gluesticks 40g**

Premium super stick large gluesticks suitable for sticking paper, card and photos.

- Manufactured in Europe using PVP - this gives a shelf-life approximately 3 times longer than standard PVA gluesticks
- Ideal for children - non-toxic, acid-free, solvent-free and completely washable
- Suitable for sticking paper, card and photos
- Choice of pack sizes - standard tray of 56 or value large tray of 108



Type	Order code	1+
Pack of 56	<b>34-9914</b>	40.51
Pack of 108	<b>34-9916</b>	76.40

122476



**Pritt Stick Glue Sticks**

The original stick of solid glue adhesive, for sticking paper and card.

- Washable
- Non-toxic
- Solvent free
- Dries clear
- Supplied in 11g, 22g, 43g and 90g sticks



Volume	Quantity	Order code	1+
11g	1	<b>87-6013</b>	0.968
22g	1	<b>87-6026</b>	1.20
43g	1	<b>87-6028</b>	1.78
43g	34 + 4 free	<b>87-6659</b>	47.12
43g	100 + 4 free	<b>87-6657</b>	118.31
90g	1	<b>87-6030</b>	3.71

66893



**Stic Magic Colour-Change Solvent-Free Glue Stick 40g**

Only

**£1.97**

Order code 06-8025

[www.rapidonline.com](http://www.rapidonline.com)

**Stic 40g Single**

Only

**£2.03**

Order code 06-8021

[www.rapidonline.com](http://www.rapidonline.com)





# PROJECT IDEAS

VISIT [WWW.RAPIDONLINE.COM/STEAM-LAB/](http://WWW.RAPIDONLINE.COM/STEAM-LAB/)  
**PROJECTS** TO VIEW A HUGE RANGE OF  
PROJECTS. HERE IS A GLIMPSE OF WHAT  
THERE IS ON OFFER ...



**HOW TO BUILD**  
An Audio Amplifier



**CREATE  
YOUR OWN**  
Mini-Light



**MAKE YOUR OWN**  
555 Timer



**CREATE  
YOUR OWN**  
Moisture Tester



**HOW TO BUILD**  
A Logic Alarm




**REACTION GAME**  
micro:bit Project




**STEP COUNTER**  
micro:bit Project



**SPORTS ROBOT**  
Arduino Project




**BUILD A SIMPLE  
TRACKING ROBOT**  
With Orangepi



**POLLEN LOVE  
WITH BEES!**  
Ozobot Project



**WONDER LEAGUE**  
Mini Missions



**SORTING WASTE**  
Codey Rocky Project



**Makey  
Makey**

**CRAFT & CODE**  
Interactive Stories



**REUSE AND  
RECYCLE**  
MAYKU - Lamination



[WWW.RAPIDONLINE.COM/STEAM-LAB](http://WWW.RAPIDONLINE.COM/STEAM-LAB)