



## ESD Refuse sacks

Our ESD refuse sacks are suitable for holding waste in an EPA.

Specifically designed for the particular needs of the electronics industry. The special additives used do not effect the film clarity or quality, and it is therefore most economical in use, as the standard film thickness can be selected.

TECHNICAL PROPERTIES	DETAILS	
Thickness	130 Gauge – 32.5 Microns	
Tensile Strength (ASTM D 882)	1500 to 3000 psi	
Tear Strength (ASTM D 1004)	65 to 450lbs/inch	
Elongation (ASTM D 882)	MD: 550	
Dart Impact (ASTM D 3420)	250-750 grms	
Burst (Mullen) (ASTM D 3420)	20 – 60 psi	
Heating Sealing (ASTM D 882)	Temperature: 250-375°F	
Time	.25 – 3.5 seconds	
Pressure	30-60 psi	



## **FEATURES**

- Our ESD refuse sacks are made of antistatic polyethylene
- Printed in black (printed in white on the black bags) with ESD caution logo and text onto polyethylene
- Supplied in packs of 100
- Available in blue, pink, green, yellow, clear or black from stock
- Homogeneous, non-amine antistatic polythene film which is effective at low relative humidities (less than 12%).

ELECTRICAL PROPERTIES	DETAILS		
Surafce resistivity	(Inside/Outside) at 28.8°C and 12% RH < 10 <sup>11</sup> Ohms/sq		
Static decay rate	(5000 volts to 0 volts at 28.8°C and 12% RH) <2 seconds		

To request a quotation or for more information, please call +44 (0)1473 836200 email info@antistat.co.uk or visit www.antistat.co.uk

IMPORTANT: This data sheet and its contents (the "Information") belong to Antistat or are licensed to it. No licence is granted for the use of it other than for information purposes in connection with the products to which it relates. No licence of any intellectual property rights is granted. The Information is subject to change without notice and replaces all data sheets previously supplied. The Information supplied is believed to be accurate but Antistat assumes no responsibility for its accuracy or completeness, any error in or omission from it or for any use made of it. Users of this data sheet should check for themselves the Information and the suitability of the products for their purpose and not make any assumptions based on information included or omitted. Liability for loss or damage resulting from any reliance on the Information or use of it (including liability resulting from negligence or where Antistat was aware of the possibility of such loss or damage arising) is excluded. © 2021 Antistat.



PRODUCT CODE	DESCRIPTION	SIZE (L)	SIZE (MM)	NOTES
091-0028	ESD Refuse Sack - Blue	110 Litre	450 x 735 x 990	Pack of 100
091-0036	ESD Refuse Sack - Yellow	110 Litre	450 x 735 x 990	Pack of 100
091-0046	ESD Refuse Sack - Clear	110 Litre	450 x 735 x 990	Pack of 100
091-0047	ESD Refuse Sack - Green	110 Litre	450 x 735 x 990	Pack of 100
091-0053	ESD Refuse Sack - Black	110 Litre	450 x 735 x 990	Pack of 100
091-0056	ESD Refuse Sack - Pink	110 Litre	450 x 735 x 990	Pack of 100



To request a quotation or for more information, please call +44 (0)1473 836200 email info@antistat.co.uk or visit www.antistat.co.uk

IMPORTANT: This data sheet and its contents (the "Information") belong to Antistat or are licensed to it. No licence is granted for the use of it other than for information purposes in connection with the products to which it relates. No licence of any intellectual property rights is granted. The Information is subject to change without notice and replaces all data sheets previously supplied. The Information supplied is believed to be accurate but Antistat assumes no responsibility for its accuracy or completeness, any error in or omission from it or for any use made of it. Users of this data sheet should check for themselves the Information and the suitability of the products for their purpose and not make any assumptions based on information included or omitted. Liability for loss or damage resulting from any reliance on the Information or use of it (including liability resulting from negligence or where Antistat was aware of the possibility of such loss or damage arising) is excluded. © 2021 Antistat.