## DATASHEET - EVG-3P+3N/12MODUL



EV busbars 4Ph., 12HP

Part no. EVG-3P+3N/12MODUL Catalog No. 121091

EL-Nummer

0001600325

(Norway) Similar to illustration



Technical data FTIM 7.0

recinited uata Ethin 7.0				
Low-voltage industrial components (EG000017) / Phase busbar (EC000215)				

FI .:
Electric engineering, automation, process control engineering / Low-voltage switch technology / Component for low-voltage switching technology / Phase busbar (ecl@ss10.0.1-27-37-13-06
Elocatio originosting, automation, process sona or originosting, Eow voltage ownton room voltage owntoning toolinology, r nase basbar (ostessoro.c.) 27 or 10 oc

[ACN992011])		
Number of phases		4
Number of poles		4
Suitable for number of devices		0
Pitch dimensions	mm	0
Cross section	mm²	10
Length	mm	211
Number of modular spacings		12
Rated permanent current lu	А	63
Type of electric connection		Fork
Insulated		Yes
Rated surge voltage	kV	4
Conditioned rated short-circuit current Iq	kA	25
Max. rated operation voltage Ue	V	415
Rated short-time withstand current lcw	kA	0
Suitable for devices with N-busbar		Yes
Suitable for devices with auxiliary switch		No