# 1-1670901-1 V ACTIVE

## AMP | Heavy Duty Sealed Connector Series

TE Internal #: 1-1670901-1

Heavy Duty Sealed Connector Series, Housing for Female Terminals, Wire-to-Wire, 12 Position, 6mm [.236in] Centerline,

Sealable, Black, Signal

View on TE.com >



Connectors > Automotive Connectors > Connector Housings > HEAVY DUTY SEALED CONNECTOR HOUSINGS



Connector & Housing Type: Housing for Female Terminals

Mating Tab Width: 2.8 mm [.11 in]
Connector System: Wire-to-Wire

Number of Positions: 12

Centerline (Pitch): 6 mm [ .236 in ]

#### All HEAVY DUTY SEALED CONNECTOR HOUSINGS (186)

## **Features**

#### **Product Type Features**

Connector & Housing Type	Housing for Female Terminals
Connector System	Wire-to-Wire
Sealable	Yes
Hybrid Connector	No
Primary Locking Feature	On the Terminal
Configuration Features	
Number of Positions	12
Number of Rows	2
Electrical Characteristics	
Operating Voltage	60 VDC
Nominal Voltage Architecture	12 V, 24 V, 42 V, 60 V

Cable Exit Angle	Other
Body Material	PBT GF
Primary Product Color	Black

## **Contact Features**

**Body Features** 



Mating Tab Width	2.8 mm[.11 in]
Mechanical Attachment	
Mounting Feature	Without
Terminal Position Assurance	Yes
Strain Relief	No
Mating Alignment Type	Polarized
Housing Features	
Centerline (Pitch)	6 mm[.236 in]
Dimensions	
Product Width	25.7 mm[1.012 in]
Product Length	67.2 mm[2.646 in]
Product Height	31.25 mm[1.23 in]
Usage Conditions	
Operating Temperature (Max)	70 °C, 80 °C, 85 °C, 90 °C, 100 °C, 105 °C, 110 °C, 120 °C, 125 °C, 130 °C, 140 °C[158 °F][167 °F][176 °F][185 °F][194 °F][212 °F][221 °F][230 °F][248 °F][257 °F][266 °F][284 °F]
Operating Temperature Range	-40 - 140 °C[-40 - 284 °F]
Operation/Application	
Circuit Application	Signal
Industry Standards	
Degree of Protection	IP67
UL Flammability Rating	UL 94V-0
Packaging Features	
Packaging Quantity	230
Packaging Method	Carton
Other	
Serviceable	Yes
Connector Position Assurance Capable	No

## **Product Compliance**

For compliance documentation, visit the product page on TE.com>



EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2021 (211) Candidate List Declared Against: JAN 2021 (211) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

#### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

## Compatible Parts





TE Part # CAT-H3399-C1748
HEAVY DUTY CONNECTORS
PROTECTION CAPS





Also in the Series | Heavy Duty Sealed Connector Series





Automotive Connector Caps & Covers (20)




Automotive Housings(189)




Automotive Seals & Cavity Plugs(1)



Insertion & Extraction Tools(1)



# Customers Also Bought



TE Part #1586043-8 8P VAL-U-LOK R/A HDR SCR MT V2



TE Part #1586862-6
6P FH PLUG VAL-U-LOK FH GW



TE Part #1-1563759-1
HEAVY DUTY SEALED CONNECTOR
HOUSINGS





AMP MCP, RECEPTACLE AND TAB



TE Part #1544332-1 LANGUETTE 8MM NG1



TE Part #1544333-1 LANGUETTE 8MM NG1



TE Part #GC1074U-3-0
NTC THERMISTOR, GLASS ENCAPSUL

## **Documents**



## **Product Drawings**

12POS,AMP MCP2.8,REC HSG,ASSY

English

**CAD Files** 

3D PDF

3D

**Customer View Model** 

ENG\_CVM\_CVM\_1-1670901-1\_J.2d\_dxf.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_1-1670901-1\_J.3d\_igs.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_1-1670901-1\_J.3d\_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use

## Datasheets & Catalog Pages

ICT Terminals and Connectors Catalogue

English

**HDSCS Catalog** 

English

**CONNECTOR SELECTOR** 

English

**Product Specifications** 

**Application Specification** 

English