AMP | Heavy Duty Sealed Connector Series

TE Internal #: 3-1564520-1

Heavy Duty Sealed Connector Series, Housing for Male Terminals,

Wire-to-Wire, 12 Position, 4mm [.157in] Centerline, Sealable,

Green, Signal

View on TE.com >



Connectors > Automotive Connectors > Connector Housings > HEAVY DUTY SEALED CONNECTOR HOUSINGS



Connector & Housing Type: Housing for Male Terminals

Mating Tab Width: 1.6 mm [.063 in]
Connector System: Wire-to-Wire

Number of Positions: 12

Centerline (Pitch): 4 mm [.157 in]

All HEAVY DUTY SEALED CONNECTOR HOUSINGS (186)

Features

Product Type Features

Troduct Type reductes	
Connector & Housing Type	Housing for Male Terminals
Connector System	Wire-to-Wire
Sealable	Yes
Hybrid Connector	No
Primary Locking Feature	On the Terminal
Configuration Features	
Number of Positions	12
Number of Rows	2
Electrical Characteristics	
Operating Voltage	60 VDC
Nominal Voltage Architecture	12 V, 24 V, 42 V, 60 V
Body Features	

Other

PBT GF

Green

Contact Features

Cable Exit Angle

Primary Product Color

Body Material



Mating Tab Width	1.6 mm[.063 in]
Mechanical Attachment	
Mounting Feature	Without
Terminal Position Assurance	Yes
Strain Relief	No
Mating Alignment Type	Polarized
Housing Features	
Centerline (Pitch)	4 mm[.157 in]
Dimensions	
Product Width	39.8 mm[1.567 in]
Product Length	50.5 mm[1.988 in]
Row-to-Row Spacing	2.54 mm[.1 in]
Usage Conditions	
Operating Temperature (Max)	70 °C, 80 °C, 85 °C, 90 °C, 100 °C, 105 °C, 110 °C, 120 °C, 125 °C, 130 °C, 140 °C[158 ° F][167 °F][176 °F][185 °F][194 °F][212 °F][221 °F][230 °F][248 °F][257 °F][266 °F][284 °F]
Operating Temperature Range	-40 - 140 °C[-40 - 284 °F]
Operation/Application	
Circuit Application	Signal
Industry Standards	
Degree of Protection	IP67
UL Flammability Rating	UL 94V-0
Packaging Features	
Packaging Quantity	220
Packaging Method	Carton
Other	
Serviceable	Yes
Connector Position Assurance Capable	No

Product Compliance

For compliance documentation, visit the product page on TE.com>



EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2021 (211) Candidate List Declared Against: JUN 2018 (191) SVHC > Threshold: Not Yet Reviewed
Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-onreach

Compatible Parts



HEAVY DUTY CONNECTORS FIXING SLIDES



TE Part # CAT-H3399-B128 **HEAVY DUTY SEALED CONNECTOR BACKSHELLS**



TE Part # CAT-H3399-C1748 **HEAVY DUTY CONNECTORS** PROTECTION CAPS





HEAVY DUTY SEALED CONNECTOR HOUSINGS







Also in the Series | Heavy Duty Sealed Connector Series





Automotive Connector Caps & Covers (20)




Automotive Housings(189)



Automotive Seals & Cavity Plugs(1)



Insertion & Extraction Tools(1)



Customers Also Bought



TE Part #1604072-2 Reducing Bushing: 16-0 AWG



TE Part #1879257-5 RP 2B 255R 0.1% 15PPM 1K RL



TE Part #3-1670214-1 HEAVY DUTY SEALED CONNECTOR HOUSINGS









Documents

Product Drawings
12POS,TAB 1.6X0.6,TAB HSG,ASSY

English

CAD Files

3D PDF

3D

Customer View Model ENG_CVM_CVM_3-1564520-1_H.2d_dxf.zip



English

Customer View Model

ENG_CVM_CVM_3-1564520-1_H.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_3-1564520-1_H.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Datasheets & Catalog Pages

ICT Terminals and Connectors Catalogue

English

HDSCS Catalog

English

CONNECTOR SELECTOR

English

Product Specifications

Application Specification

English