



Terminals & Splices > Terminal Housings, Insulation Sleeves & Blocks > Crimp Terminal Housings



Terminal & Splice Type: **Receptacle**

Housing Type: **Receptacle**

Number of Crimp Terminal Housing Positions: **2**

Crimp Terminal Housing Terminal Orientation: **Straight**

Crimp Terminal Housing Housing Color: **Natural**

Features

Product Type Features

Product Type	Terminal Housing
Housing Type	Receptacle
Sealable	No
Insulated	No

Configuration Features

Number of Crimp Terminal Housing Positions	2
--	---

Body Features

Crimp Terminal Housing Housing Color	Natural
Crimp Terminal Housing Mating Retention	With
Crimp Terminal Housing Mating Alignment	With

Contact Features

Terminal & Splice Type	Receptacle
Crimp Terminal Housing Terminal Orientation	Straight



Mechanical Attachment

Mating Retention Type	Latch
Crimp Terminal Housing Mounting Style	Cable Mount (Free-Hanging)

Housing Features

Crimp Terminal Housing Housing Material	PBT
---	-----

Dimensions

Width	7.8 mm
Length	20.6 mm[.811 in]
Crimp Terminal Housing Centerline	9.5 mm[.374 in]

Usage Conditions

Operating Temperature Range	-40 – 105 °C[-40 – 221 °F]
-----------------------------	----------------------------

Packaging Features

Packaging Quantity	5100
--------------------	------

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2021 (211) Candidate List Declared Against: JAN 2021 (211) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on



requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts

 TE Part # 521306-1 FASTON 110 REC HSG 2CIR NYLON NAT	 TE Part # 1738475-1 250 FASTON HSG.,REC.,NATURAL	 TE Part # 2-171706-1 FASTON 250 INS POD NYLON NAT	 TE Part # 521442-1 FASTON 250 REC HSG 2CIR NYLON NAT
 TE Part # 1-2133346-0 250 FASTON HSG.,REC.,1 POS, NATURAL	 TE Part # 1-2133346-1 250 FASTON HSG.,REC.,1 POS,RED	 TE Part # 1-2133346-4 250 FASTON HSG.,REC.,1 POS,BLACK	 TE Part # 1738496-1 250 FASTON HSG.,REC.,NATURAL
 TE Part # 2-2133346-0 250 FASTON HSG.,REC.,1 POS,BLACK	 TE Part # 521069-1 FASTON 250 REC HSG 2 CIR NYLON NAT		

Also in the Series | FASTON 187

 Crimp Terminal Housings(40)	 Insertion & Extraction Tools(1)	 Joints & Splices(1)	 PCB Terminals(48)
---------------------------------	-------------------------------------	-------------------------	-----------------------



[Quick Disconnects\(222\)](#)



[Splices\(1\)](#)

Customers Also Bought



TE Part #1-967642-1  
[MQS, CONNECTOR HOUSING](#)



TE Part #1-1903608-0  
[0.50 CONNECTOR SYSTEM, CONNECTOR HOUSING](#)



TE Part #1473369-3  
[SQUIB 11DIA SCR ASSY 8.8MM TYP](#)



TE Part #1473369-5  
[SQUIB 11DIA SCR ASSY 8.8MM TYP](#)



TE Part #1-2103157-1  
[SHIELD, PLUG, SIZE 1, Ag, HVA280](#)




TE Part #1-2141256-1  
[2POS,AMP MCP6.3/4.8K,REC HSG, COD.A,ASSY](#)



TE Part #1473369-7  
[SQUIB 11DIA SCR ASSY CODE-A GR](#)



TE Part #NB11566001  
[ATUM-6/2-0-35MM](#)



TE Part #1456983-5  
[1X4 Fem unsealed LP assy Key C](#)



TE Part #1102896-1  
[HEE.32.BU.C.B1-32](#)

Documents

Product Drawings

[FASTON REC HSG 2P PBT NAT](#)

German

CAD Files

[3D PDF](#)

3D

Customer View Model

[ENG\\_CVM\\_CVM\\_928673-1\\_B.2d\\_dxf.zip](#)



English

Customer View Model

[ENG\\_CVM\\_CVM\\_928673-1\\_B.3d\\_igs.zip](#)

English

Customer View Model

[ENG\\_CVM\\_CVM\\_928673-1\\_B.3d\\_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Product Specifications

[.110,.187 & 250 Series FASTON Terminals](#)

English

Product Specification

English