

Cables and antennas

TECHNICAL SPECIFICATIONS										
Part number	NB3003	NB3001		NB3002	E-022	E-021	E-020	E-023	E-024	E-025
Description	Foldable antenna	GSM antenna	GPS antenna	GSM antenna	Magnetic foot antenna	Angled stub antenna	Straight stub antenna	Extension cable 3 m	Extension cable 5 m	Extension cable 10 m
Frequency	850/900/1800/1900/2100 MHz	900/1800/1900/2100 MHz	1575.42 MHz	900/1800/1900/2100 MHz	850/900/1800/1900/2100 MHz	850/900/1800/1900/2100 MHz	850/900/1800/1900/2100 MHz	-	-	-
Antenna gain	3 dBi	0 dBi	28 dBic	0 dBi	2.2 dBi	2.14 dBi	2.14 dBi	-	-	-
Connector	SMA male	SMA male	SMA male	SMA male	SMA male	SMA male	SMA male	SMA male + female	SMA male + female	SMA male + female
Cable type	-	RG174	RG174	RG174	RG174U	-	-	LMR195	LMR195	LMR195
Cable length	-	150 cm	150 cm	150 cm	500 cm	-	-	300 cm	500 cm	1 000 cm
Environment	-40°C to +85°C	-40°C to +75°C, IP 68	-40°C to +75°C, IP 68	-40°C to +75°C, IP 68	-40°C to +85°C	-40°C to +85°C	-	-	-	-

Please consider cable loss

