

# Datasheet

Manufacturer Part No.: T23C001

## Ferrule assortment 1800 pcs (DIN color code)



These ferrules are especially suitable for hobbyists, craftsmen, field service, service workshops, electronics technicians and laboratory needs.

The assortment contains a 1800-piece premium ferrule set (DIN color code) for an application range of cable cross sections from 0.5 to 10 qmm. Optimal for use with suitable wire end ferrule crimping pliers.

**Technical data:** Voltage (max.): 440 V, Material: polyamide, copper alloy, tin-plated. The ferrules comply with RoHS directives and are CE compliant. Further technical data on the included components are noted in the data sheet. Installation by qualified electricians only.

**Content:** Practical assortment box, 60 ferrules yellow 6 qmm (10 AWG), 40 ferrules red 10 qmm (7 AWG), 100 ferrules grey 4 qmm (12 AWG), 450 ferrules blue 2,5 qmm (14 AWG), 450 ferrules black 1.5 qmm (16 AWG), 200 ferrules gray 0.75 qmm (20 AWG), 200 ferrules red 1 qmm (18 AWG), 300 ferrules white 0.5 qmm (22 AWG).

Description	Cross-section	Barrel length	Color	Inner diameter
Wire ferrules 0.5 mm <sup>2</sup> , plastic-collar white	0.5 mm <sup>2</sup>	8 mm	White	1.1 mm
Wire ferrules 0.75 mm <sup>2</sup> , plastic-collar grey	0.75 mm <sup>2</sup>	8 mm	Grey	1.3 mm
Wire ferrules 1 mm <sup>2</sup> , plastic-collar red	1 mm <sup>2</sup>	8 mm	Red	1.5 mm
Wire ferrules 1.5 mm <sup>2</sup> , plastic-collar black	1.5 mm <sup>2</sup>	8 mm	Black	1.8 mm
Wire ferrules 2.5 mm <sup>2</sup> , plastic-collar blue	2.5 mm <sup>2</sup>	8 mm	Blue	2.3 mm
Wire ferrules 4 mm <sup>2</sup> , plastic-collar grey	4 mm <sup>2</sup>	9 mm	Grey	2.9 mm
Wire ferrules 6 mm <sup>2</sup> , plastic-collar yellow	6 mm <sup>2</sup>	12 mm	Yellow	3.6 mm
Wire ferrules 10 mm <sup>2</sup> , plastic-collar red	10 mm <sup>2</sup>	12 mm	Red	4.6 mm