



15 to 22 pin Camera Cables

PCN 36 – Form factor improvement

Colophon

© 2022-2025 Raspberry Pi Ltd

This documentation is licensed under a [Creative Commons Attribution-NoDerivatives 4.0 International](#) (CC BY-ND).

Release	1
Build date	18/09/2025
Build version	7c80b9c94545-dirty

Legal disclaimer notice

TECHNICAL AND RELIABILITY DATA FOR RASPBERRY PI PRODUCTS (INCLUDING DATASHEETS) AS MODIFIED FROM TIME TO TIME (“RESOURCES”) ARE PROVIDED BY RASPBERRY PI LTD (“RPL”) “AS IS” AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. TO THE MAXIMUM EXTENT PERMITTED BY APPLICABLE LAW IN NO EVENT SHALL RPL BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THE RESOURCES, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

RPL reserves the right to make any enhancements, improvements, corrections or any other modifications to the RESOURCES or any products described in them at any time and without further notice.

The RESOURCES are intended for skilled users with suitable levels of design knowledge. Users are solely responsible for their selection and use of the RESOURCES and any application of the products described in them. User agrees to indemnify and hold RPL harmless against all liabilities, costs, damages or other losses arising out of their use of the RESOURCES.

RPL grants users permission to use the RESOURCES solely in conjunction with the Raspberry Pi products. All other use of the RESOURCES is prohibited. No licence is granted to any other RPL or other third party intellectual property right.

HIGH RISK ACTIVITIES. Raspberry Pi products are not designed, manufactured or intended for use in hazardous environments requiring fail safe performance, such as in the operation of nuclear facilities, aircraft navigation or communication systems, air traffic control, weapons systems or safety-critical applications (including life support systems and other medical devices), in which the failure of the products could lead directly to death, personal injury or severe physical or environmental damage (“High Risk Activities”). RPL specifically disclaims any express or implied warranty of fitness for High Risk Activities and accepts no liability for use or inclusions of Raspberry Pi products in High Risk Activities.

Raspberry Pi products are provided subject to RPL’s [Standard Terms](#). RPL’s provision of the RESOURCES does not expand or otherwise modify RPL’s [Standard Terms](#) including but not limited to the disclaimers and warranties expressed in them.

Document version history

Release	Date	Description
1	08 Sep 2025	Initial release

Product Change Notification

Notification ID

36

Notification date

15 September 2025

Title

New cable design for the 15 to 22 pin camera cables.

Products Affected

15 to 22 pin camera cables of 200mm, 300mm and 500mm length.

Reason for Change

Form factor improvement to aid with fitting in confined areas.

Change Description

The cable design has been updated to reduce its overall width for much of its length.

Raspberry Pi Ltd have extensively tested and qualified alternatives which closely match the original parts in terms of specification and performance.

Mechanical (Form, Fit, Function) Changes

The point in the cable where it transitions to a narrower width has been moved to the 15 pin end of the cable. For the majority of the cable, the width has been reduced from 16 mm to 11.5 mm. See Identifications method section for details.

Electrical

No change.

Software/Firmware Changes Required

None

Transition Date(s)

August 2025

There will be a transition period where both old and new units are available in the distribution channel.

Identification Method to Distinguish Change

The new product can be distinguished by examination of the cable and comparing with the diagrams.


Note

Although only the 200mm product is shown here, the changes affects the 300mm and 500mm in the same way

Revision One



Revision Two



Contact Details for more information

Please contact applications@raspberrypi.com if you have any queries about this PCN.

Web: www.raspberrypi.com



Raspberry Pi

Raspberry Pi is a trademark of Raspberry Pi Ltd