

Spec Sheet


## USB 3.1 (10Gbps) Dual-Bay Dock for 2.5"/3.5" SATA SSD/HDDs

StarTech ID: SDOCK2U313



Get unprecedented performance and storage capacity with this USB 3.1 Gen 2 (10 Gbps) dual-drive docking station. It supports both 2.5" and 3.5" form factor solid-state and hard drives, with a high capacity storage capability of 12TB (6TB per drive).

# Harness the speed of USB 3.1 Gen 2



USB 3.1 Gen 2 gives you greater bandwidth and speed with file transfer rates of up to 10 Gbps - twice the speed of USB 3.0 (USB 3.1 Gen 1) technology. It lets you leverage the high performance of the latest SSDs and hard drives, while alleviating bottlenecks in your data transfers.

# Top-loading design for easy drive access



1 800 265 1844



Spec Sheet



It's never been easier to dock and swap drives from your desktop computer or laptop. Simply insert your drives into the top loading slot, with no tools or trays required. The HDD ejection button allows fast and simple drive removal.

# **Convenient compatibility**

The dual-drive docking station comes with a USB Type-A to B cable, providing backward compatibility with your existing USB 3.0, 2.0 and 1.x devices. It also supports UASP for enhanced performance.

Extend the value of this hard drive docking station further with the addition of our <u>SATA to IDE Hard Drive</u> <u>Adapter (SAT2IDEADP)</u>, allowing easy insertion of any 2.5" or 3.5" IDE hard drive into a SATA hard drive dock.

The SDOCK2U313 is backed by a StarTech.com 2-year warranty and free lifetime technical support.



#### Applications

- Perfect for system builders and IT professionals who need quick access to drives for imaging
- Back up data quickly to an external drive for archiving
- Transfer data from one hard drive to another
- Convenient for technicians who test or benchmark multiple hard drives
- Easily take backup data to an offsite location for safekeeping

#### Features

- Access data from two 2.5/3.5" SATA SSD/HDDs over ultra-fast USB 3.1 Gen 2
- Support for SATA I, II and III (up to 6 Gbps)
- USB Type A interface for backward compatibility with USB 3.0, 2.0 and 1.x
- Dual bay, top-loading design with built-in ejection button for easy drive access
- UASP support for enhanced performance
- Supports large drive capacity of 12TB (6TB per bay)

www.startech.com 1 800 265 1844

Hard-to-find made easy®

Spec Sheet

#### **Technical Specifications**

Warranty	2 Years
Bus Type	USB 3.1 Gen 2
Chipset ID	ASMedia - ASM1352R
Compatible Drive Types (Type and Rate)	) SATA
Drive Installation	Removable
Drive Size	2.5in & 3.5in
Fan(s)	No
Interface	USB 3.1 Gen 2
Number of 2.5 inch bays	2
Number of Drives	2
Number of internal 3.5 inch bays	2
Max Drive Capacity	Currently tested with hard drives up to 6TB at 7200 RPM
Maximum Data Transfer Rate	10 Gbps
Type and Rate	USB 3.1 Gen 2 - 10 Gbit/s
Type and Rate	SATA III (6 Gbps)
UASP Support	Yes
Drive Connectors	2 - SATA Data & Power Combo (7+15 pin) Receptacle
Host Connectors	1 - USB 3.1 USB Type Micro-B (10 pin; Gen 2; 10 Gbps) Female
OS Compatibility	OS independent; No software or drivers required
LED Indicators	1 - Power
LED Indicators	2 - HDD Activity
Center Tip Polarity	Positive
Input Current	1.3A
Input Voltage	100 ~ 240 AC
Output Current	3000 mA
Output Voltage	12 DC
Plug Type	M
Power Source	AC Adapter Included
Humidity	20% ~ 80% RH
Operating Temperature	5°C to 35°C (35°F to 95°F)
Storage Temperature	-20°C to 50°C (-4°F to 122°F)
Color	Black
Enclosure Type	Plastic

www.startech.com 1 800 265 1844

# StarTechcom

### Hard-to-find made easy®

- Product Height Product Length Product Weight **Product Width** Shipping (Package) Weight Included in Package Included in Package Included in Package Included in Package
- Included in Package

5.2 in [132 mm] 17.3 oz [490 g]

2.8 in [70 mm]

- 5.8 in [148 mm]
- 33.2 oz [940 g]
  - 1 USB 3.1 Dual-drive HDD Dock
- 1 USB Cable
- 1 Universal Power Adapter
- 4 Power Adapter Plugs (NA/EU/UK/AUS)
- 1 Quick Install Guide

## **Certifications, Reports and Compatibility**









www.startech.com 1 800 265 1844

# Spec Sheet