Getting the most out of your





Hello

Please do not throw these instructions away. (We worked really hard to make sure they were as useful and readable as possible!)

the3Doodler.com

Revised: April 20, 2016

SECTION 1: WARNINGS



WARNINGS



- The Nozzle of the 3Doodler can become hot. DO NOT touch the Nozzle, or you may be burned!
- DO NOT allow the Nozzle near or in contact with flammable materials.
- Inform others in the area that the Pen is hot and should not be touched.



Unplug and set the Control Switch to OFF when not in use or before storing.



Allow the Nozzle to cool completely before storing.



The Unblocking Tool can become hot. DO NOT touch the metal part of the Unblocking Tool after using it to clean your 3Doodler, or you may burn yourself!



DO NOT use the 3Doodler near bathtubs, showers, basins or other vessels containing water. This could result in death due to electric shork.


ADULT USE ONLY.
KEEP OUT OF REACH OF CHILDREN.

Disposal of this product

At the end of your 3Doodler's life, please do not dispose of it in your general household waste. In order to prevent possible harm to the environment or human health from uncontrolled waste disposal, please dispose of your 3Doodler separately in accordance with local laws and regulations. For more information on the separate collection systems for waste electrical and electronic equipment, please contact your local municipal authority. You can also contact the retailer from which you purchased your 3Doodler, who may have a recycling service, or be part of a specific recycling scheme that you can use.

SECTION 2: GETTING STARTED WITH 3DOODLER

We created this User Manual as a step-by-step guide to get you comfortable with your **3Doodler Pen** and its features. Once you are familiar with these steps, you will be able to Doodle with confidence. Skipping steps may result in a less enjoyable time with your **3Doodler**.




- Nozzle
 Hot end where Plastic is extruded for Doodling
- 7 Drive Gear
 This pushes the Plastic through the Pen
- 2 FAST Speed Button
- Control Switch
 For turning the 3Doodler ON
 and OFF, and selecting HI or
 LO extrusion temperature
- 3 SLOW Speed Button
- Plastic Loading Port
 Hole for inserting Plastic in
 the back of the 3Doodler
- 4 Light
 Tells you when your
 3Doodler is ready for
 Doodling
- 10 Plastic
- 5 Power Adapter
- 11 Temperature Adjuster
- Maintenance Cover
 Allows you to look inside your
 Pen to see what's going on
- Control Port

How it Works:

The 3Doodler melts **Plastic** and uses a motor and gears (**Drive Gear**) to push it through the **Pen's** hot end (**Nozzle**) in a thin line. This process is called **extruding** or **extrusion**, and we will refer to it throughout this User Manual. Once extruded, **Plastic** cools and hardens instantly, allowing you to draw on surfaces and in the air. This User Manual will show you how!

Step 1: Turn on your 3Doodler and wait for it to heat up



Plug in 3Doodler Pen.

Slide Control Switch to HI.



Light will glow **RED** while the **Pen** is reaching the temperature required to melt your **Plastic**. Once **Light** has turned **BLUE**, your **Pen** is ready to extrude **Plastic**.

Step 2: Load and extrude Plastic






BLUE Light

Select one strand of **ABS** (MATTE) Plastic (provided in your **3Doodler** box).

Making sure the **Light** is still **BLUE**, push the **Plastic** through the **Plastic Loading Port**.


Clockwise twist





Click **FAST** button once and release. You will hear the **Drive Gear** start.

Using your thumb and forefinger, gently grip and turn **Plastic** clockwise while pushing into **Plastic Loading Port** until you feel the strand pulled through the **Drive Gear** on its own.







Press the **FAST** button once to stop extruding.

3

Step 3: Doodle your name

Use box below to create your first Doodle - your name!





Write your name in the box provided using marker, pen, pencil, or any other writing utensil of your choice. We suggest cursive, or block with the letters connected.


Click **FAST** button once. When **Plastic** starts extruding, push **Nozzle** down into paper to get **Plastic** to stick to surface.





Doodle your name in a continuous unbroken Doodle by dragging the **Plastic** along the paper as if you were writing with a pencil, with all letters connected. Keep your movement slow and steady.

When you reach the end of your name, stop extruding by clicking the **FAST** button once again.




Bend the paper outwards to pop your Doodled name off.

Your Name:


#MyFirstDoodle

Step 4: Doodle in the air!


Please read all steps below before you begin this section, which will teach you how to Doodle vertically in the air.



Extrude **Plastic** onto a piece of paper until you have a blob about the size of a ladybug. Make sure it is anchored into



Lift Pen and Plastic up off the paper in a straight line for 1.5 in.



the paper.

Click the FAST button to stop extruding, BUT DO NOT MOVE PEN YET.



Wait a few seconds with the Pen still connected to the top of your Plastic line.



Pull the Pen away. The line will remain vertical.

Well done! You just Doodled in the air! This is a crucial stepping stone to making all kinds of wonderful three dimensional objects with your 3Doodler.

Step 5: Doodle Even More!

For further guides, projects and inspiration, please refer to:



YouTube videos: Cube https://www.youtube.com/3Doodler



YouTube videos: Squiggly https://www.youtube.com/3Doodler



Stencils provided at the back of this manual: Eiffel tower - P.13-15




Stencils provided at the back of this manual: Glasses - P.16-17

Community projects for further inspiration MORE and guidance:


http://the3Doodler.com/community

Now that you've Doodled with ABS Plastic, we want to show you everything you need to know about changing Plastic and introduce you to the different types of Plastic.


Step 6: Reverse and Remove **Plastic**



With Pen set to HI, wait for BLUE Light to come on.



Double click either Speed Button. Light will start flashing to signal **Plastic** reversing.



Once Plastic stops reversing, it is safe to remove it from the Pen by gently pulling on the back of the strand.

TIP SNIP THOSE ENDS!

After removing a Plastic strand from the 3Doodler, cut and remove any partially melted material at the end of your strand before re-feeding it into the 3Doodler. This will reduce blockages and clogging issues.



NOTE:



Plastic that is shorter than 5.3 inches cannot be reversed. You should feed it all the way through your 3Doodler and use it up. (Alternatively, you can push Plastic out the back - see Section 3, Step 3B.)

TIP PLASTIC TYPES AND SETTINGS.


Before we continue, it's time you learned about the different types of Plastic you can use with the 3Doodler (and which settings to use for each type).

ABS (MATTE):

Temp: HI Temp

Light: BLUE

Feature: Great for drawing in the air. How to tell: Plastic has white semi-circle ends.



PLA (GLOSSY / CLEAR / METALLIC / SPARKLE):

Temp: LO Temp Light: GREEN

Feature: Eco-friendly and glossy, making it perfect for artistic creations. How to tell: Very rigid, no white semi-circle ends.




FLEXY: Temp: HI Temp

Light: BLUE Feature: Make flexible, bendable Doodles.

How to tell: Plastic is very flexible.




Step 7: Let's Switch to PLA Plastic!






With **Pen** on **HI**, load a new strand of **PLA Plastic** into **Plastic Loading Port**. Use a different color to the **ABS** you were using before.

Push the **Plastic** through the back of **Pen** and click the **SLOW** button once. Push and turn the **Plastic** clockwise if needed, until **Plastic** starts to pull through on its own.






The color of the **Plastic** will change once the **PLA** starts extruding. It will appear mixed at first. **STOP** extrusion by pushing either button once.

Switch **Pen** to **LO** setting. Wait for **Light** to turn **GREEN**.



Click **FAST** or **SLOW** once to continue extruding the **PLA Plastic** and Doodle as you wish.

Step 8: Power Down





Remove all **Plastic** from the **Pen** using the **Reverse** feature (double click any **Speed Button**). Friendly reminder to snip those ends!

Move the **Control Switch** to **OFF**.



Allow your **3Doodler** to cool completely before storing.

NOTE:

After 5 minutes of inactivity, the **3Doodler's** heating system will automatically power down. You will need to press one of the **Speed Buttons** OR toggle the **Control Switch OFF** and then **ON** again to continue use.


TAKE A BREAK:

We recommend powering down and giving your **3Doodler** a 30 minutes break after every 2 hours of continuous use.

SECTION 3: TROUBLESHOOTING

Tools (Provided in Box)

Before showing you how to troubleshoot issues with your 3Doodler, we want to introduce you to three handy tools provided in your box:



With those introductions over, it's time to look at the different issues that may arise with your 3Doodler and steps to get back to Doodling.

1. My Pen won't turn on! (Light doesn't turn on)

Let's double check the following: **A.** Is the **Power Adapter** plugged into a working power outlet?

NOTE:

If you have a spare power adapter around the house please use it to test your **3Doodler**. This will help determine if the problem is with your **3Doodler** or with the **Power Adapter** provided in the box.





B. Is the end of the **Power Adapter** connected to the correct part of the **Pen**?

C. Make sure the **Control Switch** on your **3Doodler** is not set to **OFF**.

2. My Plastic is extruding but it won't stick to the paper, or is curling up around the Nozzle.

Stop extruding and start again using the following instructions:

When the **Plastic** resumes extruding, push the **Nozzle** firmly down into the paper, allowing **Plastic** to stick to the surface.



Drag the **Plastic** along the paper or surface in a continuous unbroken line as if you were writing with a pencil.

Keep your movement slow and steady. The **Plastic** should hold to the paper and not curl up around the **Nozzle**.

3. My Plastic is not extruding from my 3Doodler.

3A. Plastic not engaging properly with the Drive Gear:

Gently push and turn the **Plastic** clockwise until you feel the strand pulled through the **Drive Gear** on its own.


If the above does not work, reverse the **Plastic** fully from the **Pen**. (See Section 2, Step 6) Snip ends, then reinsert and try again.

If **Plastic** is too short to be removed from the **Pen**, move to 3B.


3B. Plastic is too short to be removed from the Pen:

Try unscrewing the **Nozzle** and using the **Unblocking Tool**.

While **Pen** is hot (**BLUE** or **GREEN Light** on), use **Mini Spanner** to unscrew and remove **Nozzle** anti-clockwise.




Insert **Unblocking Tool** through open front end of **Pen** and gently push any excess **Plastic** out through the back of the **Pen**.



3C. Plastic may be wrapped around the Drive Gear.

Remove **Maintenance Cover** using **Mini Screwdriver** provided in the box.

Use the Mini Screwdriver or Unblocking Tool to lift and release Plastic from the Prive Gear and out of the Pen through the open area beneath the Maintenance Cover or from the Plastic Loading Port.





4. My Plastic is leaking from around the Nozzle.

Nozzle may loosen with continued usage (or in transit). While Pen is hot (BLUE or GREEN Light on), gently turn Nozzle clockwise to tighten it using the Mini Spanner provided. Stop tightening once you first feel resistance so as to avoid over-tightening the Nozzle and breaking it.



5. My Plastic won't stop extruding.

A. Click either the FAST or SLOW button once.

B. If Step A does not solve this problem, please unplug your **3Doodler** and then plug it in and try again.

6. How do I reverse my unused Plastic?

While the **Pen** is on and hot (**BLUE** or **GREEN Light**), **double click** either the **FAST** or **SLOW** button. **Light** will start flashing to signal the **Plastic** is reversing. Once the **Plastic** stops reversing, it is safe to remove it from the **Pen** by gently pulling on the back of the strand.

If **Plastic** is too short to reverse, see Section 3, Step 3B.




Snip the ends of your **Plastic** now for easier loading and Doodling later.


7. I have reversed my Plastic but cannot get it out.

It is possible that the **Plastic** is either too short to reverse all the way out of your **3Doodler**, or that the **Plastic** has moved past the **Pen's Drive Gear** system.

You will be able to check for these issues by looking through the **Maintenance Cover**.



For both of these issues, you can try the following options:
• Insert a new strand of **Plastic** or **Unblocking Tool** to push the remaining **Plastic** through while **Pen** is **ON** and extruding.



• Remove Nozzle and use Unblocking Tool to push Plastic out the back of the Pen. (See Section 3, Step 3B).

8. My Pen won't heat up! (light stays red).

It takes around 60-90 seconds for your Pen to heat up. If, after that time, the Pen still does not heat up and the Light remains RED, turn the Pen ON and OFF and try again. If that still does not work, please contact us at help@the3Doodler.com and we will

SECTION 4: TIPS AND BEST PRACTICES

Pay attention to Plastic types and settings


- For optimal Doodling, we suggest using the correct temperature settings for your **Plastic**.
- DO double check which type of Plastic you are using before you turn on the ${\bf 3Doodler}$ and insert a ${\bf Plastic}$ strand. If your Plastic strands get mixed up, here is a handy table for sorting and identifying what you're working with.

ABS (MATTE):

Temp: HI Temp Light: BLUE

Feature: Great for drawing in the air.

How to tell: Plastic has white semi-circle ends.



PLA (GLOSSY / CLEAR / METALLIC / SPARKLE): Temp: LO Temp


Light: GREEN Feature: Eco-friendly and glossy,

making it perfect for artistic

How to tell: Very rigid, no white semi-circle ends


How to tell: Plastic is very flexible.

FLEXY: Temp: HI Temp Light: BLUE Feature: Make flexible. bendable Doodles.




Do not forget to snip your Plastic ends

· After removing a Plastic strand from the 3Doodler, cut and remove any partially melted material at the end of your strand before re-feeding it into the 3Doodler. This will reduce blockages or clogging issues.



Reverse and remove Plastic correctly

• DO NOT pull Plastic from the back of the 3Doodler other than as directed.





With the Pen set to HI, wait for the BLUE Light to come on.

Double click either Speed Button and the Light will start flashing to signal the Plastic is reversing.




Once the Plastic stops reversing, it is safe to remove it from the Pen by gently pulling on the back of the strand.


Take a break

• DO give your 3Doodler a rest after every 2 hours of continuous Doodling. 30 minutes of down time should be plenty.

Treat your Nozzle right

• If you ever remove your Nozzle, DO NOT remove it when your 3Doodler is cold. Light should be BLUE or GREEN.





Specifications are subject to change

and improvement without notice

SPECIFICATIONS

Output Power: 6W Output Voltage: 5V Input Voltage: 5V

CARE & MAINTENANCE

For care and maintenance information, and more advice on how to use your 3Doodler, please refer to our website: the3Doodler.com To troubleshoot, please visit: the3Doodler.com/troubleshooting



LIMITED WARRANTY

For more details on your limited warranty, please visit:

the3Doodler.com/warranty
For 3Doodler's Terms and Conditions and other notices please refer to our website: the3Doodler.com/terms-and-conditions



This marking indicates that this product should not be disposed of with other household wastes. To prevent possible harm to the environment or human health from uncontrolled waste disposal recycle it responsibly to promote the sustainable reuse of material resources

SECTION 5: STENCILS Eiffel Tower

