

CT100

CABLE TESTER

Technical Specifications

Version 1.0 March 2003

ENGLISH



www.behringer.com



Microprocessor Controlled 6 in 1 Cable Tester

- ▲ Accepts XLR, mono and TRS phone (1/4", 1/8", TT), RCA and MIDI connectors
- ▲ Sports three different testing modes: cable test mode, installed cable test mode and test tone mode
- ▲ Detects phantom power, intermittent connections and indicates the cable's internal wiring
- ▲ Checks signal continuity
- ▲ Generates different test tones (1 kHz and 440 Hz) to fast-check your gear when your lab is out of reach
- ▲ Generates test tones with various signal levels (+4 dBu, -10 dBV and -50 dBV mic level)
- ▲ Battery operation (requires two AA alkaline batteries—not included)
- ▲ Belt clip included
- ▲ Durable, professional quality input/output connectors
- ▲ Manufactured under BEHRINGER's stringent quality control system

The information contained in this publication is subject to change without notice.
No part of this publication may be reproduced or transmitted in any form or by any means,
electronic or mechanical, including photocopying and recording of any kind, for any purpose,
without the express written permission of BEHRINGER Spezielle Studiotechnik GmbH.

BEHRINGER is a registered trademark. ALL RIGHTS RESERVED.

© 2003 BEHRINGER Spezielle Studiotechnik GmbH.

BEHRINGER Spezielle Studiotechnik GmbH, Hanns-Martin-Schleyer-Str. 36-38,
47877 Willich-Münchheide II, Germany

Tel. +49 (0) 21 54 / 92 06-0, Fax +49 (0) 21 54 / 92 06-30
