


U.I. Lapp GmbH	PRODUCT INFORMATION	
		12.09.2012

Watertight
Gentle cable clamping
Robust
High strain relief



Optimum strain relief



Robust



Waterproof

Application range

Watertight cable gland with conical sealing element.

Pumps

Floater switches

Design

Metric connection thread acc. to EN 50262

Note

Counter nut to be used: SKINDICHT® SM-M

Suitable accessory: SKINDICHT® SHV sealing cones

Example description: SHV-M 20/11/720 = metric connection thread11 = PG function thread7 = clear opening of sealing cone

Remark

Photographs are not to scale and do not represent detailed images of the respective products.

Technical Data

Caution:

The installation dimensions
can be found in appendix T21

Material:

Body: nickel-plated brass
Sealing cone: CR
O-ring: NBR

Protection rating:

IP 68 - 10 bar

Temperature range:


-20°C to +80°C



Product Management	Document: LAPP_PRO1015EN.pdf	1 / 3
--------------------	------------------------------	-------

Part number	Article designation / size	Clamping range ØF (mm)	Function thread PG	SW1/SW2 mm	Overall length/ C (mm)	Thread length/ D (mm)	Clear opening seal	Pieces / PU
SKINDICHT® SHV-M								
52105270	12 x 1,5	3 - 4,8	7	14 / 14	26.0	5.0	5	50
52105280	16 x 1,5	4,5 - 5,8	9	18 / 17	26,5	5.0	6	50
52105290	16 x 1,5	4,5 - 6,8	9	18 / 17	26,5	5.0	7	50
52105300	20 x 1,5	6 - 6,8	11	22 / 20	31.0	6.0	7	25
52105310	20 x 1,5	6,5 - 8,8	11	22 / 20	31.0	6.0	9	25
52105320	20 x 1,5	6,5 - 8,8	13.5	22 / 22	32,5	6.0	9	25
52105330	20 x 1,5	9 - 10,8	13.5	22 / 22	32,5	6.0	11	25
52105340	20 x 1,5	9 - 10,8	16	24 / 24	34,5	6.0	11	25
52105350	20 x 1,5	9,5 - 12,8	16	24 / 24	34,5	6.0	13	25
52105360	20 x 1,5	13 - 14,8	16	24 / 24	34,5	6.0	15	25
52105370	25 x 1,5	13,5 - 15,8	21	30 / 30	38,5	7.0	16	25
52105380	25 x 1,5	15 - 17,8	21	30 / 30	38,5	7.0	18	25
52105390	25 x 1,5	17,5 - 19,8	21	30 / 30	38,5	7.0	20	25
52105400	32 x 1,5	17,5 - 21,8	29	40 / 40	42,5	8.0	22	10
52105410	32 x 1,5	19 - 23,8	29	40 / 40	42,5	8.0	24	10
52105420	32 x 1,5	23 - 25,8	29	40 / 40	42,5	8.0	26	10

U.I. Lapp GmbH	PRODUCT INFORMATION	 LAPP GROUP
		12.09.2012



Product Management	Document: LAPP_PRO1015EN.pdf	3 / 3
--------------------	------------------------------	-------