

## 3851/4 Bits, stainless, PH 2 x 89 mm

### Bits for Phillips Screws



|                     |               |                               |           |
|---------------------|---------------|-------------------------------|-----------|
| <b>EAN/GTIN:</b>    | 4013288115492 | <b>Dimension:</b>             | 89x7x6 mm |
| <b>Part no.:</b>    | 05071082001   | <b>Weight:</b>                | 18 g      |
| <b>Article no.:</b> | 3851/4        | <b>Country of origin:</b>     | CZ        |
|                     |               | <b>Customs tariff number:</b> | 82079030  |

- Solution to the extraneous rust problem: fasten stainless screws with stainless tools
- For Phillips screws
- 1/4" hexagon drive
- Suitable for AEG, ARO, Atlas-Copco, Biax, Black & Decker, Bosch, Buckeye Tools etc.
- Vacuum ice-hardened

High quality bits out of stainless steel for cross-recess screws. Wera stainless are made out of stainless steel which prevents the formation of unsightly extraneous rust. 1/4" hexagon, suitable for holders as per DIN ISO 1173-F 6.3.

#### Weblink

[http://products.wera.de/en/bits\\_holders\\_adaptors\\_the\\_range\\_of\\_wera\\_bits\\_bits\\_for\\_phillips\\_screws\\_3851\\_4.html](http://products.wera.de/en/bits_holders_adaptors_the_range_of_wera_bits_bits_for_phillips_screws_3851_4.html)

Wera - 3851/4  
05071082001 - 4013288115492

Wera Werkzeuge GmbH  
Korzter Straße 21-25  
D-42349 Wuppertal  
Tel: +49 (0)2 02 / 40 45-0  
E-Mail: [info@wera.de](mailto:info@wera.de)

Bits for Phillips Screws

Extraneous rust



Stainless steel has the property of not rusting. However, if tools made out of conventional steel are used for stainless steel components or screws, the particles left behind from these tools can adhere to the surface and then rust. This effect – known as extraneous rust – can impair the visual appearance and even cause structural damage that may result in expensive repair work. The wear particles that cause this rust effect can be prevented by using stainless steel tools.

Stainless Steel Bits



Wera stainless steel bits are manufactured out of stainless steel so unsightly rust can be avoided. The stainless steel bits from Wera are vacuum ice-hardened and have the hardness and strength needed for screw connections. There are no limitations to the industrial applications they are suitable for.

Screw stainless steel together with stainless steel!




Solution to the rust problem: screw stainless steel together with stainless steel! Wera stainless steel tools are manufactured out of stainless steel so unsightly rust can be avoided.

Vacuum ice-hardened



The stainless steel tools from Wera are vacuum ice-hardened and have the hardness and strength needed for screw connections. There are no limitations to the industrial applications they are suitable for.

“Take it easy” tool finder



“Take it easy” tool finder with colour coding according to profiles and size stamp – for simple and rapid accessing of the required tool.

Weblink

[http://products.wera.de/en/bits HOLDERS\\_adaptors\\_the\\_range\\_of\\_wera\\_bits\\_bits\\_for\\_phillips\\_screws\\_3851\\_4.html](http://products.wera.de/en/bits HOLDERS_adaptors_the_range_of_wera_bits_bits_for_phillips_screws_3851_4.html)

Wera - 3851/4  
05071082001 - 4013288115492

Wera Werkzeuge GmbH  
Korzerter Straße 21-25  
D-42349 Wuppertal  
Tel: +49 (0)2 02 / 40 45-0  
E-Mail: info@wera.de

More variants of this product family:



|                    |             | mm        | inch         |
|--------------------|-------------|-----------|--------------|
| 05071081001        | PH 1        | 89        | 3 1/2        |
| <b>05071082001</b> | <b>PH 2</b> | <b>89</b> | <b>3 1/2</b> |
| 05071083001        | PH 3        | 89        | 3 1/2        |

**Weblink**

[http://products.wera.de/en/bits\\_holders\\_adaptors\\_the\\_range\\_of\\_wera\\_bits\\_bits\\_for\\_phillips\\_screws\\_3851\\_4.html](http://products.wera.de/en/bits_holders_adaptors_the_range_of_wera_bits_bits_for_phillips_screws_3851_4.html)

Wera - 3851/4

05071082001 - 4013288115492

Wera Werkzeuge GmbH

Korzter Straße 21-25

D-42349 Wuppertal

Tel: +49 (0)2 02 / 40 45-0

E-Mail: [info@wera.de](mailto:info@wera.de)