

Page 1/7

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 27.02.2018 Version number 84 Revision: 27.02.2018

### SECTION 1: Identification of the substance/mixture and of the company/legal entity

· 1.1 Product identifier

· Trade name tesa Sekundenkleber fluessig / Instant Glue liquid

• Article number: tesa 57040, 57668, 57672

 • CAS Number:
 7085-85-0

 • EC number:
 230-391-5

 • Index number:
 607-236-00-9

 • Registration number
 01-2119527766-29

 1.2 Relevant identified uses of the substance or mixture and uses

advised against

No further relevant information available.

 $\cdot$  Application of the substance / the

mixture

Adhesives

• 1.3 Manufacturer/Supplier: tesa SE Tel.: +49-40-88899-101

Hugo-Kirchberg-Strasse 1 D-22848 Norderstedt

Germany

· Informing department: tesa SE, quality management/environment/occupational safety, Dr. Dirk Lamm

Dirk.Lamm@tesa.com, Tel.: +49-40-88899-2977

tesa SE, quality management/environment/occupational safety, Dr. Anja Koeth

Anja.Koeth@tesa.com, Tel.: +49-40-88899-3938

• 1.4 Emergency telephone number: tesa SE, Hugo-Kirchberg-Str. 1, D-22848 Norderstedt

Security Center Phone +49-40-88899-0 or +49-40-88899-9111

### **SECTION 2: Hazards identification**

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008



Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2 H319 Causes serious eye irritation. STOT SE 3 H335 May cause respiratory irritation.

· 2.2 Label elements

· Labelling according to Regulation

(EC) No 1272/2008

· Hazard pictograms

The substance is classified and labelled according to the CLP regulation.

GH



· Signal word Warning

· Hazard-determining components of

labelling: ethyl 2-cyanoacrylate
• Hazard statements H315 Causes skin irritation.

H319 Causes serious eye irritation. H335 May cause respiratory irritation.

• Precautionary statements P101 If medical advice is needed, have product container or label at

hand.

P102 Keep out of reach of children. P103 Read label before use.

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

(Contd. on page 2)



Page 2/7

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 27.02.2018 Version number 84 Revision: 27.02.2018

#### Trade name tesa Sekundenkleber fluessig / Instant Glue liquid

(Contd. of page 1)

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue

rinsing.

P321 Specific treatment (see on this label).

P362+P364 Take off contaminated clothing and wash it before reuse.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/

regional/national/international regulations.

· Additional information: Cyanoacrylate. Danger. Bonds skin and eyes in seconds. Keep out of the reach of

children.

• 2.3 Other hazards The preparation contains no elualable organic halogene compounds, which

increases the AOX values

· Results of PBT and vPvB assessment

PBT: Not classifiedvPvB: Not classified

#### **SECTION 3: Composition/information on ingredients**

· 3.1 Chemical characterisation: Substances

· CAS No. Designation: 7085-85-0 ethyl 2-cyanoacrylate

· Identification number(s):

• EC number: 230-391-5 • Index number: 607-236-00-9

• **SVHC** Free of any SVHC substances or < 0.1 %

### **SECTION 4: First aid measures**

· 4.1 Description of first aid measures

· General information In case of bonding tissues or eyes calm affected person. Avoid any forced

separation for example with a cutting knife. Don't rub bonded eyes.

Even without treatment cyanoacrylate based adhesive can be peeled of from skin, eyes or mouth due to the influence of wetness, humidity of skin, sweat, tears and

spittle.

• After inhalation At room temperature, the preparation is low volatile. The vapor pressure is <

1mbar. At normal use an exposition by inhalation is not likely.

In case of unconsciousness bring patient into stable side position for transport.

• After skin contact

In case of skin contact, soak the bonded area in warm, soapy water for several

minutes. Afterwards treat the skin with fatty or oily protecting cream. Cured

adhesive can be removed from the skin within about one day.

Bonded skin surfaces can be separated relatively easily by soaking in warm, soapy water for several minutes. Then gently try peeling the bond. Alternatively, a dull instrument such as a pencil or a dull and pointless table knife can be forced

carefully through the bond.

Instantly wash with water and soap and rinse thoroughly.

• After eye contact Immediately flush the eyes with water and seek for medical aid.

Allow the eye to remain closed and the bond to separate naturally (supported by

tear production), what generally will occurs within a few hours.

After swallowing
 Unlikely, because rapid hardening (polymerisation) of the adhesive will already take place in contact with spittle in the mouth.

· 4.2 Most important symptoms and

effects, both acute and delayed

No further relevant information available.

· Information for occupational

physician.

In case of bonded skin, do not separate surgical.

· 4.3 Indication of any immediate medical attention and special

medical attention and special treatment needed

No further relevant information available.

(Contd. on page 3)



Page 3/7

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 27.02.2018 Version number 84 Revision: 27.02.2018

Trade name tesa Sekundenkleber fluessig / Instant Glue liquid

(Contd. of page 2)

### **SECTION 5: Firefighting measures**

· 5.1 Extinguishing media

• Suitable extinguishing agents CO2, extinguishing powder or water jet. Fight larger fires with water jet or alcohol-

resistant foam.

· 5.2 Special hazards arising from the

**substance or mixture**Can be released in case of fire:

Nitrogen oxide (NOx) Carbon monoxide (CO) Hydrogen cyanide (HCN)

· 5.3 Advice for firefighters

• Protective equipment: Put on breathing apparatus.

Do not inhale explosion gases or combustion gases.

Additional information
 Collect contaminated fire fighting water separately. It must not enter drains.

#### SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective

equipment and emergency

**procedures** Not required.

• 6.2 Environmental precautions: No special measures required.

· 6.3 Methods and material for

containment and cleaning up: Apply absorbing material (sand, diatomite, acid binders, universal binders,

sawdust).

Ensure adequate ventilation.

• 6.4 Reference to other sections See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for information on disposal.

## SECTION 7: Handling and storage

• 7.1 Precautions for safe handling Store in cool, dry place in tightly closed containers.

Ensure good ventilation/exhaustion at the workplace.

Not cured rests of the adhesive can be removed with acetone.

· Information about protection

**against explosions and fires:** No special measures required.

· 7.2 Conditions for safe storage, including any incompatibilities

· Storage

· Requirements to be met by

**storerooms and containers:** No special requirements.

· Information about storage in one

**common storage facility:** Store away from oxidising agents.

· Further information about storage

**conditions:** Protect from humidity and keep away from water.

Keep container tightly sealed.

· 7.3 Specific end use(s) No further relevant information available.

# SECTION 8: Exposure controls/personal protection

· Additional information about design

**of technical systems:** No further data; see item 7.

· 8.1 Control parameters

· Components with critical values that require monitoring at the workplace:

7085-85-0 ethyl 2-cyanoacrylate

WEL Short-term value: 1.5 mg/m³, 0.3 ppm

(Contd. on page 4)



Page 4/7

## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 27.02.2018 Revision: 27.02.2018 Version number 84

### Trade name tesa Sekundenkleber fluessig / Instant Glue liquid

(Contd. of page 3)

· Additional information: The lists that were valid during the compilation were used as basis.

· 8.2 Exposure controls

· Personal protective equipment

· General protective and hygienic

measures The usual precautionary measures should be adhered to in handling the

Keep away from foodstuffs, beverages and food. Instantly remove any contaminated garments.

Wash hands before breaks and at the end of the work.

Avoid contact with the eyes and skin.

· Breathing equipment: In case of short term exposure use respiratory protection. In case of intensive or longer exposure use respiratory protection equipment

independent from ambient air.

· Protection of hands:

Protective gloves.

· Material of gloves wear protective glove (nitrile)

· Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the

protective gloves and has to be observed.

· Eye protection:



Safety glasses

· Body protection: Protective work clothing.

### **SECTION 9: Physical and chemical properties**

9.1 Information on basic physical and chemical properties		
<ul><li>General Information</li><li>Appearance:</li></ul>		
Form:	Liquid	
Colour:	Colourless	
· Smell:	Pungent	
· Odour threshold:	Not determined.	
· pH-value:	Not determined.	
· Change in condition  Melting point/freezing point:  Not determined  Initial boiling point and boiling range: 60 °C		
· Flash point:	Not applicable	
· Inflammability (solid, gaseous)	Not applicable.	
· Decomposition temperature:	265 °C	
· Self-inflammability:	Not determined.	
· Explosive properties:	Product is not explosive.	
· Critical values for explosion:		
Lower:	Not determined.	
Upper:	Not determined.	
· Steam pressure:	Not determined.	
· Density at 20 °C	1,04 g/cm³ .	
Delether deneths	Not determined	
· Relative density	Not determined.	
· Vapour density	Not determined.	

(Contd. on page 5)



Page 5/7

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 27.02.2018 Version number 84 Revision: 27.02.2018

### Trade name tesa Sekundenkleber fluessig / Instant Glue liquid

(Contd. of page 4)

· Evaporation rate	Not determined.
· Solubility in / Miscibility with Water:	Not miscible or difficult to mix
· Partition coefficient: n-octanol/water:	Not determined.
· Viscosity: dynamic: kinematic: Organic solvents:	Not determined. Not determined. 0,0 %
Solids content:  · 9.2 Other information	100,0 % No further relevant information available.

### **SECTION 10: Stability and reactivity**

• 10.1 Reactivity No further relevant information available.

· 10.2 Chemical stability

· Thermal decomposition / conditions

**to be avoided:**No decomposition if used according to specifications.

· 10.3 Possibility of hazardous

reactions Exothermic polymerisation

• 10.4 Conditions to avoid No further relevant information available.

· 10.5 Incompatible materials: Alkalien, Wasser

· 10.6 Hazardous decomposition

**products:** Hydrogen cyanide (prussic acid)

#### SECTION 11: Toxicological information

· 11.1 Information on toxicological effects

· Acute toxicity Based on available data, the classification criteria are not met.

Primary irritant effect:
 Skin corrosion/irritation
 Serious eye damage/irritation
 Causes skin irritation.
 Causes serious eye irritation.

Serious eye damage/irritation
 Respiratory or skin sensitisation
 Based on available data, the classification criteria are not met.

· CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)

Germ cell mutagenicity
 Carcinogenicity
 Reproductive toxicity
 Based on available data, the classification criteria are not met.
 Based on available data, the classification criteria are not met.

• STOT-single exposure May cause respiratory irritation.

STOT-repeated exposure
 Aspiration hazard
 Based on available data, the classification criteria are not met.
 Based on available data, the classification criteria are not met.

# **SECTION 12: Ecological information**

· 12.1 Toxicity

Aquatic toxicity:
12.2 Persistence and degradability
12.3 Bioaccumulative potential
12.4 Mobility in soil
No further relevant information available.
No further relevant information available.
No further relevant information available.

· Additional ecological information:

According to recipe contains the following heavy metals and compounds according to EC

guideline NO. 76/464 EC: Free of heavy metals (Pb, Cd, Hg, Cr6+)

• General notes: Water hazard class 1 (Self-assessment): slightly hazardous for water.

· 12.5 Results of PBT and vPvB assessment

PBT: Not applicable.vPvB: Not applicable.

(Contd. on page 6)



Page 6/7

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 27.02.2018 Version number 84 Revision: 27.02.2018

Trade name tesa Sekundenkleber fluessig / Instant Glue liquid

(Contd. of page 5)

· 12.6 Other adverse effects

No further relevant information available.

## **SECTION 13: Disposal considerations**

- · 13.1 Waste treatment methods
- · Recommendation





Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

Must be specially treated under adherence to official regulations.

The product can be polymerized with alkali, or water and disposed of as solid material.

This product can be polymerized with alkalies or water and can be disposed as an untoxic solid substance.

· European waste catalogue (recommendation)		
08 04 09*	waste adhesives and sealants containing organic solvents or other hazardous substances	
HP 4	Irritant - skin irritation and eye damage	
HP 5	Specific Target Organ Toxicity (STOT)/Aspiration Toxicity	

Additional information about the

European waste catalogue:

The assignment of a waste key number according to EC Decision 2000/532/EC in connection with EU Directive 75/442/EC has to follow specific industry requirements. The obove mentioned classification is only one possible proposal.

· Uncleaned packagings:

• **Recommendation:** Disposal according to official regulations.

SECTION 14: Transport information	
· 14.1 UN-Number · ADR, ADN, IMDG, IATA	Void
<ul> <li>14.2 UN proper shipping name</li> <li>ADR, ADN, IMDG, IATA</li> </ul>	Void
· 14.3 Transport hazard class(es)	
· ADR, ADN, IMDG, IATA · Class	Void
· 14.4 Packing group · ADR, IMDG, IATA	Void
· 14.5 Environmental hazards: · Marine pollutant:	No
· 14.6 Special precautions for user	Not applicable.
· 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code Not applicable.	
· Transport/Additional information:	Not dangerous according to the above mentioned specifications.
· UN "Model Regulation":	Void
	(Contd. on page 7)



Page 7/7

## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 27.02.2018 Version number 84 Revision: 27.02.2018

Trade name tesa Sekundenkleber fluessig / Instant Glue liquid

(Contd. of page 6)

#### **SECTION 15: Regulatory information**

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

· Directive 2012/18/EU

Named dangerous substances -

**ANNEX I** 

Substance is not listed.

· REGULATION (EC) No 1907/2006

**ANNEX XVII** Conditions of restriction: 3

National regulations

· Additional classification according to Decree on Hazardous Materials,

Annex III:

'Cyanoacrylate! Danger!

Bonds skin and eyes in seconds Keep out of the reach of children'.

· Information about limitation of use: Void

· Decree to be applied in case of

technical fault: Void

· Water hazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### **SECTION 16: Other information**

This data is based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing data

tesa SE, Quality Management/Environment/Safety specification sheet:

tesa SE: Dr. D. Lamm, Phone: +49-40-88899-2977, Email: dirk.lamm@tesa.com · Contact:

tesa SE: Dr. A. Koeth, Phone: +49-40-88899-3938, Email: anja.koeth@tesa.com

· Abbreviations and acronyms: RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer

(Regulations Concerning the International Transport of Dangerous Goods by Rail) ICAO: International Civil Aviation Organisation

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society)

PBT: Persistent, Bioaccumulative and Toxic SVHC: Substances of Very High Concern vPvB: very Persistent and very Bioaccumulative Skin Irrit. 2: Skin corrosion/irritation - Category 2

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2 STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

 \* Data compared to the previous version altered.