

according to Regulation (EC) No. 1907/2006 Version 5.2 Revision Date 19.04.2012

1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifiers Product name

Copper (II) sulphate anhydrous

Product Number	:	52-7445
Brand	:	Rapid
Index-No.	:	029-004-00-0
CAS-No.	:	7758-98-7

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Manufacture of substances

1.3 Details of the supplier of the safety data sheet

Company	: Rapid Electronics, Severalls Lane, Colchester, Essex, CO4 5JS, United Kingdom
Telephone	+44 (0) 1206 751166

relephone		+44 (0) 1206 751166
Fax	:	+44 (0) 1206 751188
E-mail address	:	sales@rapidelec.co.uk

1.4 Emergency telephone number

Emergency Phone # : +44 (0) 1206 751166

2. HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 [EU-GHS/CLP]

Acute toxicity, Oral (Category 4) Skin irritation (Category 2) Eye irritation (Category 2) Acute aquatic toxicity (Category 1) Chronic aquatic toxicity (Category 1)

Classification according to EU Directives 67/548/EEC or 1999/45/EC

Harmful if swallowed. Irritating to eyes and skin. Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

2.2 Label elements

Labelling according Regulation (EC) No 1272/2008 [CLP]

Pictogram Signal word	Warning
Hazard statement(s)	
H302	Harmful if swallowed.
H315	Causes skin irritation.
H319	Causes serious eye irritation.
H410	Very toxic to aquatic life with long lasting effects.

Precautionary statement(s) P273 P305 + P351 + P338

Avoid release to the environment. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Dispose of contents/ container to an approved waste disposal plant.

Supplemental Hazard Statements

P501

According to European Directive 67/548/EEC as amended.

none

Hazard symbol(s)

R-phrase(s)	
R22	Harmful if swallowed.
R36/38	Irritating to eyes and skin.
R50/53	Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
S-phrase(s)	
S22	Do not breathe dust.
S60	This material and its container must be disposed of as hazardous waste.
S61	Avoid release to the environment. Refer to special instructions/ Safety data sheets.

2.3 Other hazards - none

3. COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

Conner sulphate		
Component		Concentration
Molecular Weight	: 159.61 g/mol	
Formula	: CuO ₄ S	
Synonyms	: Cupric sulphate	

Copper sulphate			
CAS-No.	7758-98-7	-	
EC-No.	231-847-6		
Index-No.	029-004-00-0		

4. FIRST AID MEASURES

4.1 Description of first aid measures

General advice

Consult a physician. Show this safety data sheet to the doctor in attendance.

If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

In case of skin contact

Wash off with soap and plenty of water. Consult a physician.

In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

If swallowed

Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms of systemic copper poisoning may include: capillary damage, headache, cold sweat, weak pulse, and kidney and liver damage, central nervous system excitation followed by depression, jaundice, convulsions, paralysis, and coma. Death may occur from shock or renal failure. Chronic copper poisoning is typified by hepatic cirrhosis, brain damage and demyelination, kidney defects, and copper deposition in

the cornea as exemplified by humans with Wilson's disease. It has also been reported that copper poisoning has lead to hemolytic anemia and accelerates arteriosclerosis., To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

4.3 Indication of any immediate medical attention and special treatment needed no data available

5. FIREFIGHTING MEASURES

5.1 Extinguishing media

Suitable extinguishing media Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

- 5.2 Special hazards arising from the substance or mixture Sulphur oxides, Borane/boron oxides, Copper oxides
- **5.3** Advice for firefighters Wear self contained breathing apparatus for fire fighting if necessary.

5.4 Further information

The product itself does not burn.

6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures Use personal protective equipment. Avoid dust formation. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas. Avoid breathing dust.

6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

- 6.3 Methods and materials for containment and cleaning up Pick up and arrange disposal without creating dust. Sweep up and shovel. Keep in suitable, closed containers for disposal.
- 6.4 Reference to other sections

For disposal see section 13.

7. HANDLING AND STORAGE

7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid formation of dust and aerosols. Provide appropriate exhaust ventilation at places where dust is formed.

7.2 Conditions for safe storage, including any incompatibilities Store in cool place. Keep container tightly closed in a dry and well-ventilated place.

Air sensitive. hygroscopic Store under inert gas.

7.3 Specific end uses

no data available

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

Components with workplace control parameters

Contains no substances with occupational exposure limit values.

8.2 Exposure controls

Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

Personal protective equipment

Eye/face protection

Safety glasses with side-shields conforming to EN166 Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it.

Immersion protection Material: Nitrile rubber Minimum layer thickness: 0.11 mm Break through time: > 480 min Material tested:Dermatril® (Aldrich Z677272, Size M)

Splash protection Material: Nitrile rubber Minimum layer thickness: 0.11 mm Break through time: > 30 min Material tested:Dermatril® (Aldrich Z677272, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 873000, e-mail sales@kcl.de, test method: EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an Industrial Hygienist familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

Body Protection

Complete suit protecting against chemicals, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory protection

For nuisance exposures use type P95 (US) or type P1 (EU EN 143) particle respirator. For higher level protection use type OV/AG/P99 (US) or type ABEK-P2 (EU EN 143) respirator cartridges. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

a)	Appearance	Form: powder Colour: light grey
b)	Odour	no data available
c)	Odour Threshold	no data available
d)	рН	no data available
e)	Melting point/freezing point	Melting point/range: 200 °C - dec.
f)	Initial boiling point and boiling range	no data available
g)	Flash point	not applicable
h)	Evaporation rate	no data available
i)	Flammability (solid, gas)	no data available
j)	Upper/lower	no data available

flammability or explosive limits

k)	Vapour pressure	9.7 hPa at 25 °C
,		
I)	Vapour density	no data available
m)	Relative density	3.603 g/mL at 25 °C
n)	Water solubility	no data available
o)	Partition coefficient: n- octanol/water	no data available
p)	Autoignition temperature	no data available
q)	Decomposition temperature	no data available
r)	Viscosity	no data available
s)	Explosive properties	no data available
t)	Oxidizing properties	no data available
Oth	er safety information	
	Bulk density	1 kg/m3

10. STABILITY AND REACTIVITY

10.1 Reactivity no data available

9.2

- **10.2 Chemical stability** no data available
- **10.3** Possibility of hazardous reactions no data available
- **10.4** Conditions to avoid no data available
- **10.5** Incompatible materials Powdered metals, hydroxylamine, Magnesium, Strong reducing agents

10.6 Hazardous decomposition products Other decomposition products - no data available

11. TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute toxicity

LD50 Oral - rat - 482 mg/kg

LD50 Intraperitoneal - rat - 20 mg/kg

LD50 Subcutaneous - rat - 43 mg/kg

LD50 Intravenous - rat - 48.9 mg/kg

Skin corrosion/irritation

no data available

Serious eye damage/eye irritation no data available

Respiratory or skin sensitization

Prolonged or repeated exposure may cause allergic reactions in certain sensitive individuals.

Germ cell mutagenicity

Genotoxicity in vitro - rat - Liver DNA damage

Genotoxicity in vivo - mouse - Intraperitoneal DNA damage

Carcinogenicity

Carcinogenicity - Chicken - Parenteral Tumorigenic:Equivocal tumorigenic agent by RTECS criteria. Endocrine:Tumors.

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

Reproductive toxicity

Reproductive toxicity - mouse - Intravenous

Effects on Fertility: Post-implantation mortality (e.g., dead and/or resorbed implants per total number of implants).

Developmental Toxicity - mouse - Intravenous

Effects on Embryo or Fetus: Fetotoxicity (except death, e.g., stunted fetus). Specific Developmental Abnormalities: Central nervous system. Specific Developmental Abnormalities: Cardiovascular (circulatory) system.

Specific target organ toxicity - single exposure

no data available

Specific target organ toxicity - repeated exposure no data available

Aspiration hazard no data available

Potential health effects

Inhalation	May be harmful if inhaled. Causes respiratory tract irritation.
Ingestion	Harmful if swallowed.
Skin	May be harmful if absorbed through skin. Causes skin irritation.
Eyes	Causes serious eye irritation.

Signs and Symptoms of Exposure

Symptoms of systemic copper poisoning may include: capillary damage, headache, cold sweat, weak pulse, and kidney and liver damage, central nervous system excitation followed by depression, jaundice, convulsions, paralysis, and coma. Death may occur from shock or renal failure. Chronic copper poisoning is typified by hepatic cirrhosis, brain damage and demyelination, kidney defects, and copper deposition in the cornea as exemplified by humans with Wilson's disease. It has also been reported that copper poisoning has lead to hemolytic anemia and accelerates arteriosclerosis., To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Additional Information

RTECS: GL8800000

12. ECOLOGICAL INFORMATION

12.1 Toxicity

Toxicity to fish mortality LC50 - other fish - 1 - 2.5 mg/l - 96.0 h

Toxicity to daphnia and Immobilization EC50 - Daphnia magna (Water flea) - 0.024 mg/l - 48 h other aquatic invertebrates

- **12.2** Persistence and degradability no data available
- **12.3 Bioaccumulative potential** no data available

12.4	Mobility in soil no data available		
12.5	Results of PBT and vPvB assessment no data available		
12.6	Other adverse effects Very toxic to aquatic life.		
13.	DISPOSAL CONSIDERATION	S	
13.1	Waste treatment methods		
	Product Offer surplus and non-recyclab	le solutions to a licensed disposal cor	npany.
	Contaminated packaging Dispose of as unused product.		
14.	TRANSPORT INFORMATION		
14.1	UN number ADR/RID: 3077	IMDG: 3077	IATA: 3077
14.2	 2 UN proper shipping name ADR/RID: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Copper sulphate) IMDG: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Copper sulphate) IATA: Environmentally hazardous substance, solid, n.o.s. (Copper sulphate) 		
14.3	Transport hazard class(es) ADR/RID: 9	IMDG: 9	IATA: 9
14.4	Packaging group ADR/RID: III	IMDG: III	IATA: III
14.5	Environmental hazards ADR/RID: yes	IMDG Marine pollutant: yes	IATA: yes
14.6	Special precautions for user no data available		
15.	REGULATORY INFORMATIO	N	
	This safety datasheet complies	with the requirements of Regulation	(EC) No. 1907/2006.
15.1	Safety, health and environmend of the second	ental regulations/legislation specifi	c for the substance or mixture
15 2	Chamical Safety Assessment	H	

15.2 Chemical Safety Assessment no data available

16. OTHER INFORMATION

Further information

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product..