

according to Regulation (EC) No. 1907/2006 Version 5.1 Revision Date 05.02.2013

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1	Product identifiers Product name	:	Sodium hydroxide pellets
	Product Number Brand Index-No. REACH No. CAS-No.	::	52-7557 Rapid 011-002-00-6 A registration number is not available for this substance as the substance or its uses are exempted from registration, the annual tonnage does not require a registration or the registration is envisaged for a later registration deadline. 1310-73-2
1.2	Relevant identified uses of the substance or mixture and uses advised against		
	Identified uses	:	Laboratory chemicals, Manufacture of substances
1.3	Details of the supplier of the safety data sheet		
	Company	:	Rapid Electronics, Severalls Lane, Colchester, Essex, CO4 5JS, United Kingdom
	Telephone Fax E-mail address	:	+44 (0) 1206 751166 +44 (0) 1206 751188 sales@rapidelec.co.uk
1.4			Р
	Emergency Phone #	:	+44 (0) 1206 751166
SEC	FION 2: Hazards identificat	ion	
2.1	Classification of the sub	stan	ce or mixture
	Classification according	to R	egulation (EC) No 1272/2008

Skin corrosion (Category 1A), H314

For the full text of the H-Statements mentioned in this Section, see Section 16.

Classification according to EU Directives 67/548/EEC or 1999/45/EC Corrosive С R35

For the full text of the R-phrases mentioned in this Section, see Section 16.

2.2 Label elements

Labelling according Regulation (EC) No 1272/2008

Pictogram



Signal word Hazard statement(s) H314

Causes severe skin burns and eye damage.

Precautionary statement(s)	
P280	Wear protective gloves/ protective clothing/ eye protection/ face protection.
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER or doctor/ physician.
Supplemental Hazard Statements	none
Other hazards - none	

SECTION 3: Composition/information on ingredients

Substances		
Formula	:	NaOH
Molecular Weight	:	40.00 g/mol
CAS-No.	:	1310-73-2
EC-No.	:	215-185-5
Index-No.	:	011-002-00-6

Hazardous ingredients according to Regulation (EC) No 1272/2008

Component	Classification	Concentration		
Sodium hydroxide				
	Skin Corr. 1A; H314	-		
Hazardous ingredients according to Directive 1999/45/EC				
Component	Classification	Concentration		
Sodium hydroxide				
	C, R35	-		

For the full text of the H-Statements and R-Phrases mentioned in this Section, see Section 16

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice

Consult a physician. Show this safety data sheet to the doctor in attendance.

If inhaled

2.3

3.1

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

In case of skin contact

Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. Consult a physician.

In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed no data available

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

- 5.2 Special hazards arising from the substance or mixture Sodium oxides
- **5.3** Advice for firefighters Wear self contained breathing apparatus for fire fighting if necessary.
- 5.4 Further information The product itself does not burn.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Avoid dust formation. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas. Avoid breathing dust. For personal protection see section 8.

6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

- 6.3 Methods and materials for containment and cleaning up Pick up and arrange disposal without creating dust. Sweep up and shovel. Keep in suitable, closed containers for disposal.
- 6.4 Reference to other sections For disposal see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Avoid formation of dust and aerosols. Provide appropriate exhaust ventilation at places where dust is formed. For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities Store in cool place. Keep container tightly closed in a dry and well-ventilated place.

7.3 Specific end use(s)

A part from the uses mentioned in section 1.2 no other specific uses are stipulated

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Components with workplace control parameters

Component	CAS-No.	Value	Control parameters	Basis
Sodium hydroxide	1310-73-2	STEL	2 mg/m3	UK. EH40 WEL - Workplace Exposure Limits

8.2 Exposure controls

Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

Personal protective equipment

Eye/face protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it.

Full contact Material: Nitrile rubber Minimum layer thickness: 0.11 mm Break through time: 480 min Material tested:Dermatril® (KCL 740 / Aldrich Z677272, Size M)

Splash contact Material: Nitrile rubber Minimum layer thickness: 0.11 mm Break through time: 480 min Material tested:Dermatril® (KCL 740 / Aldrich Z677272, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method: EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

Body Protection

Complete suit protecting against chemicals, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face particle respirator type N100 (US) or type P3 (EN 143) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

a)	Appearance	Form: pellets Colour: white
b)	Odour	no data available
c)	Odour Threshold	no data available
d)	рН	13.0 - 14
e)	Melting point/freezing point	318 °C
f)	Initial boiling point and boiling range	1,390 °C
g)	Flash point	not applicable
h)	Evapouration rate	no data available
i)	Flammability (solid, gas)	no data available
j)	Upper/lower flammability or	no data available
	explosive limits	
k)		< 24.00 hPa at 20 °C 4.00 hPa at 37 °C

	m) Relative density		2.1300 g/cm3	
	n) Water solubility		no data available	
	 Partition coefficient: n- octanol/water 		no data available	
	p) Auto-ignition r temperature		no data available	
	 q) Decomposition no data av temperature 		no data available	
	r) Viscosity no data		no data available	
	s)	Explosive properties	no data available	
	t)	Oxidizing properties	no data available	
9.2	Other safety information			
		Bulk density	2,130 kg/m3	
	Relative vapour density 1.38 - (Air = 1.0)			
SECTION 10: Stability and reactivity				
10.1	Reactivity no data available			
10.2	Chemical stability			

- Stable under recommended storage conditions.
- **10.3** Possibility of hazardous reactions no data available
- **10.4** Conditions to avoid no data available
- **10.5** Incompatible materials Strong oxidizing agents, Strong acids, Organic materials
- **10.6 Hazardous decomposition products** Other decomposition products - no data available In the event of fire: see section 5

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity no data available

Skin corrosion/irritation

Skin - rabbit Result: Causes severe burns. - 24 h

Serious eye damage/eye irritation

Eyes - rabbit Result: Corrosive - 24 h

Respiratory or skin sensitisation no data available

Germ cell mutagenicity no data available

Carcinogenicity

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

Reproductive toxicity

no data available

Specific target organ toxicity - single exposure

no data available

Specific target organ toxicity - repeated exposure no data available

Aspiration hazard no data available

Additional Information

RTECS: WB4900000

spasm, inflammation and edema of the larynx, spasm, inflammation and edema of the bronchi, pneumonitis, pulmonary edema, burning sensation, Cough, wheezing, laryngitis, Shortness of breath, Headache, Nausea, Vomiting, Material is extremely destructive to tissue of the mucous membranes and upper respiratory tract, eyes, and skin.

SECTION 12: Ecological information

12.1 Toxicity

	Toxicity to fish	LC50 - Gambusia affinis (Mosqui	o fish) - 125 mg/l - 96 h		
	Toxicity to daphnia and other aquatic invertebrates	Immobilization EC50 - Daphnia -	40.38 mg/l - 48 h		
12.2	Persistence and degradability no data available				
12.3	Bioaccumulative potential no data available				
12.4	Mobility in soil no data available				
12.5	Results of PBT and vPvB assessment PBT/vPvB assessment not available as chemical safety assessment not required/not conducted				
12.6	Other adverse effects Harmful to aquatic life.				
SECT	TION 13: Disposal consid	erations			
13.1	Waste treatment methods				
	Product Offer surplus and non-recyclable solutions to a licensed disposal company.				
	Contaminated packaging Dispose of as unused product.				
SECT	ION 14: Transport inform	nation			
14.1	UN number ADR/RID: 1823	IMDG: 1823	IATA: 1823		
14.2	ADR/RID: SODIUM HY	DROXIDE, SOLID DROXIDE, SOLID			
14.3	Transport hazard class ADR/RID: 8	(es) IMDG: 8	IATA: 8		
14.4	Packaging group ADR/RID: II	IMDG: II	IATA: II	and C of 7	

14.5 Environmental hazards ADR/RID: no

14.6 Special precautions for user no data available

SECTION 15: Regulatory information

This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006.

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

no data available

15.2 Chemical Safety Assessment

For this product a chemical safety assessment was not carried out

SECTION 16: Other information

Full text of H-Statements referred to under sections 2 and 3.

H314Causes severe skin burns and eye damage.Skin Corr.Skin corrosion

Full text of R-phrases referred to under sections 2 and 3

С	Corrosive
R35	Causes severe burns.

Further information

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product.