



EAN/GTIN: 4013288029157

Part no.: 05073314001

Article no.: 867/1 SB TX20

Dimension: 100x60x10 mm

Weight: 15 g

Country of origin: CZ

**Customs tariff
number:** 82079030

- For recessed TORX® screws
- Ductile and tough for hard materials
- In practical 2-piece set
- Prevents premature breakage of the drive tip
- 1/4" hexagon, suitable for holders as per DIN ISO 1173-D 6.3

Weblink

http://products.wera.de/en/bits_holders_adaptors_the_range_of_wera_bits_bits_for_torx_screws_867_1_sb_sis.html

Wera - 867/1 SB TX20
05073314001 - 4013288029157

Wera Werkzeuge GmbH
Korzerter Straße 21-25
D-42349 Wuppertal
Tel: +49 (0)2 02 / 40 45-0
E-Mail: info@wera.de

High quality bits for recessed TORX PLUS® screws. Tough viscous for universal use. ¼" hexagon, suitable for holders as per DIN ISO 1173-D 6.3.

Weblink

http://products.wera.de/en/bits_holders_adaptors_the_range_of_wera_bits_bits_for_torx_screws_867_1_sb_sis.html

Wera - 867/1 SB TX20
05073314001 - 4013288029157

Wera Werkzeuge GmbH
Korzerter Straße 21-25
D-42349 Wuppertal
Tel: +49 (0)2 02 / 40 45-0
E-Mail: info@wera.de

Bits for TORX® Screws

Content:



867/1 TORX®
05066487001 2 x TX 20x25

Bits



The right bit for every screw and for every power tool connection. The right quality for every user. Thanks to the high-precision profile design and the outstanding concentricity properties, Wera bits provide for dependable working and offer great durability. Wera bits are designed for professional applications in industry as well as in the trade. They enable higher torque transfer and typically have a long service life. Material and manufacturing expertise, established over decades, combined with sophisticated hardening technologies form the foundation upon which our premium quality is based.

Weblink

http://products.wera.de/en/bits_holders_adaptors_the_range_of_wera_bits_bits_for_torx_screws_867_1_sb_sis.html

Wera - 867/1 SB TX20
05073314001 - 4013288029157

Wera Werkzeuge GmbH
Korzerter Straße 21-25
D-42349 Wuppertal
Tel: +49 (0)2 02 / 40 45-0
E-Mail: info@wera.de