



**Weblink**

[http://products.wera.de/en/bits\\_holders\\_adaptors\\_holders\\_adaptors\\_connectors\\_rapidaptor\\_bit\\_holders\\_897\\_4\\_r\\_sb\\_sis.html](http://products.wera.de/en/bits_holders_adaptors_holders_adaptors_connectors_rapidaptor_bit_holders_897_4_r_sb_sis.html)

Wera - 897/4 R SB  
05073420001 - 4013288099464

Wera Werkzeuge GmbH  
Korzter Straße 21-25  
D-42349 Wuppertal  
Tel: +49 (0)2 02 / 40 45-0  
E-Mail: [info@wera.de](mailto:info@wera.de)



**Weblink**

[http://products.wera.de/en/bits\\_holders\\_adaptors\\_holders\\_adaptors\\_connectors\\_rapidaptor\\_bit\\_holders\\_897\\_4\\_r\\_sb\\_sis.html](http://products.wera.de/en/bits_holders_adaptors_holders_adaptors_connectors_rapidaptor_bit_holders_897_4_r_sb_sis.html)

Wera - 897/4 R SB  
05073420001 - 4013288099464

## Rapidaptor Bit Holders

<b>EAN/GTIN:</b>	4013288099464	<b>Dimension:</b>	165x60x23 mm
<b>Part no.:</b>	05073420001	<b>Weight:</b>	59 g
<b>Article no.:</b>	897/4 R SB	<b>Country of origin:</b>	CZ
		<b>Customs tariff number:</b>	84661038

- Torsion zone to absorb peak loads
- The Rapidaptor technology allows bit take-up without needing to actuate the sleeve
- 1/4" hexagon, suitable for power screwdrivers with take-up as per DIN ISO 1173-F 6.3

Universal holder for bits with 1/4" hexagon head drive as per DIN ISO 1173-C 6.3 and E 6.3 (ISO 1173). BiTorsion holders by Wera have a torsion spring that absorbs low peak loads during screwdriving jobs. The combined use with BiTorsion bits and their torsion zones extends the service life of the tool considerably. BiTorsion holders by Wera can, however, also be used with conventional bits. The Rapidaptor technology allows bits to be attached without any need to actuate the sleeve. The removal of the bit is simple, just by pushing the sleeve forward. This enables rapid bit change with just one hand. 1/4" hexagonal, suitable for power screwdrivers with take-up as per DIN ISO 1173-F 6.3.

### Weblink

[http://products.wera.de/en/bits\\_holders\\_adaptors\\_holders\\_adaptors\\_connectors\\_rapidaptor\\_bit\\_holders\\_897\\_4\\_r\\_sb\\_sis.html](http://products.wera.de/en/bits_holders_adaptors_holders_adaptors_connectors_rapidaptor_bit_holders_897_4_r_sb_sis.html)

Wera - 897/4 R SB  
05073420001 - 4013288099464

Wera Werkzeuge GmbH  
Korzerter Straße 21-25  
D-42349 Wuppertal  
Tel: +49 (0)2 02 / 40 45-0  
E-Mail: [info@wera.de](mailto:info@wera.de)

Rapidaptor Bit Holders

Content:



**897/4 R**  
05053923001 1 x 1/4"x75

**BiTorsion holder**



Designed with special BiTorsion zone. The energy from peak loads is diverted into the BiTorsion zone. Considerable reduction of the risk of breakage, much longer service life.

**BiTorsion Rapidaptor**



BiTorsion holders from Wera have a torsion spring design that absorbs smaller peak loads during screwdriving. The combined use with BiTorsion bits with their torsion zone distinctly extends the service life of the tool. Conveniently, BiTorsion holders from Wera can also be used with conventional bits.

**Chuck-all**



The Rapidaptor quick-release chucks hold 1/4" DIN ISO 1173-C 6,3 and E 6,3 as well as Wera series 1 and 4 bits.

**Single-hand function**




Every function of the Rapidaptor quick-release chuck, such as inserting or releasing bits, can be carried out with one hand. This is faster, more economical and more ergonomic. There are no unnecessary manoeuvres.

**Rapid-in and self-lock**




The bit can be pushed into the adaptor without moving the sleeve. The lock is activated automatically as soon as the bit is applied to the screw. Bits are held securely and wobble-free.

**Rapid-out**



Simply push the sleeve forward to change the bit. The spring mechanism lifts the bit off the magnet and unlocks the tool. The bit can be easily removed. The rapid-out function makes it easy to remove even the smallest bits without extra tools.

**Rapid-spin**



The free-turning sleeve allows screw steadying at the start of the screwdriving process. This makes it easier to apply the tool to the screw and prevents slipping. It can also be used as a short extension for 1/4" applications e.g. in combination with the Wera Zyklus Ratchets.

**Weblink**

[http://products.wera.de/en/bits\\_holders\\_adaptors\\_holders\\_adaptors\\_connectors\\_rapidaptor\\_bit\\_holders\\_897\\_4\\_r\\_sb\\_sis.html](http://products.wera.de/en/bits_holders_adaptors_holders_adaptors_connectors_rapidaptor_bit_holders_897_4_r_sb_sis.html)

Wera - 897/4 R SB  
05073420001 - 4013288099464

Wera Werkzeuge GmbH  
Korzter Straße 21-25  
D-42349 Wuppertal  
Tel: +49 (0)2 02 / 40 45-0  
E-Mail: info@wera.de