



EAN/GTIN: 4013288115843
Part no.: 05072411001
Article no.: 867/1 Z TX 30 DIY

Dimension: 85x50x17 mm
Weight: 67 g
Country of origin: CZ
Customs tariff number: 82079030

Weblink

http://products.wera.de/en/bits_holders_adaptors_the_range_of_wera_bits_bits_for_torx_screws_867_1_diy_sis.html

Wera - 867/1 Z TX 30 DIY
05072411001 - 4013288115843

Wera Werkzeuge GmbH
Korzter Straße 21-25
D-42349 Wuppertal
Tel: +49 (0)2 02 / 40 45-0
E-Mail: info@wera.de

Bits for TORX® Screws

- For TORX PLUS® screws
- Ductile and tough for hard materials
- 1/4" hexagon drive
- Suitable for Bosch, Fein, Holz-Her, Lecloux, Metabo
- Prevents premature breakage of the drive tip

High quality bits for recessed TORX PLUS® screws. Tough viscous for universal use. 1/4" hexagon, suitable for holders as per DIN ISO 1173-D 6.3.

Weblink

http://products.wera.de/en/bits_holders_adaptors_the_range_of_wera_bits_bits_for_torx_screws_867_1_diy_sis.html

Wera - 867/1 Z TX 30 DIY
05072411001 - 4013288115843

Wera Werkzeuge GmbH
Korzter Straße 21-25
D-42349 Wuppertal
Tel: +49 (0)2 02 / 40 45-0
E-Mail: info@wera.de

Bits for TORX® Screws

Content:



867/1 TORX®
05066490001 10 x TX 30x25

Bits



The right bit for every screw and for every power tool connection. The right quality for every user. Thanks to the high-precision profile design and the outstanding concentricity properties, Wera bits provide for dependable working and offer great durability. Wera bits are designed for professional applications in industry as well as in the trade. They enable higher torque transfer and typically have a long service life. Material and manufacturing expertise, established over decades, combined with sophisticated hardening technologies form the foundation upon which our premium quality is based.

Weblink

http://products.wera.de/en/bits_holders_adaptors_the_range_of_wera_bits_bits_for_torx_screws_867_1_diy_sis.html

Wera - 867/1 Z TX 30 DIY
05072411001 - 4013288115843

Wera Werkzeuge GmbH
Korzter Straße 21-25
D-42349 Wuppertal
Tel: +49 (0)2 02 / 40 45-0
E-Mail: info@wera.de