Bits for TORX® Screws









Article no.: 3867/1 TS SB TX 27 Country of origin: CZ

Customs tariff 82079030

number:

- Solution to the extraneous rust problem: fasten stainless screws with stainless tools
- For recessed TORX® screws
- Torsion design against premature wear
- 1/4" hexagon drive
- "Take it easy" Tool Finder: colour coding according to profile and size

#### Weblink

 $http://products.wera.de/en/bits\_holders\_adaptors\_the\_range\_of\_wera\_bits\_bits\_for\_torx\_screws\_3867\_1\_ts\_sb\_sis.html$ 

Wera - 3867/1 TS SB TX 27 05073624001 - 4013288117717





## 3867/1 TS SB TORX® bits, stainless, TX 27 x 25 mm

Bits for TORX® Screws



High quality bits out of stainless steel for recessed TORX® screws. Wera stainless are made out of stainless steel which prevents the formation of unsightly extraneous rust. Come with Torsion zone: Torsion bits take-up torque peaks and absorb them in the Torsion zone. This prevents premature wear and extends the service life of the bit. ¼" hexagon, suitable for holders as per DIN ISO 1173-D 6.3.

#### Bits for TORX® Screws



#### Content:



#### 3867/1 TS TORX®

05071036001 1 x TX 27x25

#### **Stainless Steel Bits**



Wera stainless steel bits are manufactured out of stainless steel so unsightly rust can be avoided. The stainless steel bits from Wera are vacuum ice-hardened and have the hardness and strength needed for screw connections. There are no limitations to the industrial applications they are suitable for.

# Screw stainless steel together with stainless steel!



Solution to the rust problem: screw stainless steel together with stainless steel! Wera stainless steel tools are manufactured out of stainless steel so unsightly rust can be avoided.

# Vacuum ice-hardened



The stainless steel tools from Wera are vacuum ice-hardened and have the hardness and strength needed for screw connections. There are no limitations to the industrial applications they are suitable for.

### "Take it easy" tool finder



"Take it easy" tool finder with colour coding according to profiles and size stamp – for simple and rapid accessing of the required tool.