Bit-Checks / Bit-Safes Universal













EAN/GTIN: 4013288155245 Dimension: 175x95x15 mm

89 g Weight: Part no.: 05073638001 Article no.:

Mini-Check Phillips Pozidriv Country of origin: CZ

TORX, 50 mm SB

**Customs tariff** 82079030

number:

# Weblink

 $http://products.wera.de/en/bits\_holders\_adaptors\_bit\_sets\_bit-checks\_bit-safes\_universal\_bit-check\_6\_universal\_2\_sb.html$ 

# Bit-Check 6 Universal 2 SB, 6 pieces

### Bit-Checks / Bit-Safes Universal



- Upright positionable, multi-component Bit-Check
- Tough viscous bits for universal use
- Tough viscous bits for universal use
- · Bit-Check plastic material ensures robustness and durability
- Prevents premature wear

6 Wera bits in a length of 50 mm tidily arranged in a minimum of space in a practical Bit-Check. The tough viscous bits are suitable for universal use. Torsion bits (TZ) additionally take-up torque peaks and absorb them in the Torsion zone. This prevents premature wear and extends the service life of the bit.

### Bit-Check 6 Universal 2 SB, 6 pieces

#### Bit-Checks / Bit-Safes Universal



### Content:



851/4 TZ PH

05059810001 1 x PH 2x50



855/4 TZ PZ

05060005001 1 x PZ 1x50 05060010001 1 x PZ 2x50



867/4 Z TORX®

05060133001 1 x TX 15x50 05060134001 1 x TX 20x50 05060135001 1 x TX 25x50

# Bit Ranges



We have had bit ranges in our programme for many years now. In 2016, we put a question mark against everything and came up with a game changer. We wanted bit ranges with bits whose profiles and sizes could be more easily recognised. We wanted bit ranges that were as compact as possible and which were Wera-like at a first glance. We wanted bit ranges with bits that could be removed and reinserted more easily. We wanted bit ranges with as little weight as possible. The new multicomponent Bit-Checks satisfy these requirements; the soft material in the lower section of the Bit-Checks ensures that the bits are firmly held yet easy to remove.

#### Torsion bits



Torsion bits absorb the damaging peak torque loads in the torsion zone. This prevents premature wear and enhances the service life of the bits.

## At the workplace



The Bit-Checks can be positioned upright at the workplace so the tool is always quickly to hand.