Bit-Check 6 Universal 1 SB, 6 pieces

Bit-Checks / Bit-Safes Universal





EAN/GTIN: Part no.: Article no.: 4013288155276 05073635001 Mini-Check, 50 mm, SB Dimension: Weight: Country of origin: Customs tariff number:

175x95x15 mm 93 g CZ 82079030

Weblink http://products.wera.de/en/bits_holders_adaptors_bit_sets_bit-checks__bit-safes_universal_bit-check_6_universal_1_sb.html

Wera - Mini-Check, 50 mm, SB 05073635001 - 4013288155276







Bit-Check 6 Universal 1 SB, 6 pieces

Bit-Checks / Bit-Safes Universal



- Upright positionable Bit-Checks convince due to their functionality in a minimum of space
- Torsion design against premature wear
- Tough viscous bits for universal use

6 Wera bits in a length of 50 mm tidily arranged in a minimum of space in a practical Bit-Check. The tough viscous bits are suitable for universal use. Torsion bits (TZ) additionally take-up torque peaks and absorb them in the Torsion zone. This prevents premature wear and extends the service life of the bit.

Bit-Check 6 Universal 1 SB, 6 pieces


Bit-Checks / Bit-Safes Universal

Content:



1 x PZ 1x50

1 x PZ 2x50



At the workplace

TZ-Bits

Bit Ranges



The Bit-Checks can be positioned upright at the workplace so the tool is always quickly to hand.



TZ-Bits are tough bits with a torsion zone. Torsion bits absorb the damaging peak torque loads in the torsion zone. This prevents premature wear and enhances the service life of the bits.



855/4 TZ PZ

05060005001

05060010001

We have had bit ranges in our programme for many years now. In 2016, we put a question mark against everything and came up with a game changer. We wanted bit ranges with bits whose profiles and sizes could be more easily recognised. We wanted bit ranges that were as compact as possible and which were Wera-like at a first glance. We wanted bit ranges with bits that could be removed and reinserted more easily. We wanted bit ranges with as little weight as The possible. new multicomponent Bit-Checks satisfy these requirements; the soft material in the lower section of the Bit-Checks ensures that the bits are firmly held yet easy to remove.