



**EAN/GTIN:** 4013288039187  
**Part no.:** 05030122001  
**Article no.:** 1567 TORX® Micro

**Dimension:** 137x13x13 mm  
**Weight:** 13 g  
**Country of origin:** CZ  
**Customs tariff number:** 82054000



- Kraftform Micro screwdriver for recessed TORX® screws
- ESD-safe tool thanks to surface resistance of  $< 10^9 \Omega$
- Multi-component Kraftform Micro handle for fast and ergonomic screwdriving
- Anti-roll feature and swivel cap for rapid twisting
- The Wera Black Point tip offers an exact fit and optimum corrosion protection

ESD-safe Micro screwdriver. Dependable protection against electrostatic energy and associated damage. Rapid twisting results from fixing the hand on the head and using the fast-turning zone just below. This makes time-consuming grip adjustments unnecessary. Power zones with integrated soft sections ensure the transfer of high loosening and tightening torque; a precision zone for the right rotation angle during fine adjustment work. The Black Point tip offers optimised corrosion protection and an exact fit.

**Weblink**

[http://products.wera.de/en/tools\\_for\\_the\\_aerospace\\_segment\\_screwdrivers\\_esd\\_series\\_1567\\_torx\\_micro.html](http://products.wera.de/en/tools_for_the_aerospace_segment_screwdrivers_esd_series_1567_torx_micro.html)

Wera - 1567 TORX® Micro  
05030122001 - 4013288039187

Wera Werkzeuge GmbH  
Korzerter Straße 21-25  
D-42349 Wuppertal  
Tel: +49 (0)2 02 / 40 45-0  
E-Mail: [info@wera.de](mailto:info@wera.de)

#### Wera ESD Tools



When doing screwdriving jobs on electronic components (like e.g. smartphones and tablet PCs), there should be no electrostatic discharge as this could cause malfunctions and a complete failure. Therefore, tools that are secure against electrostatic discharge are indispensable.



The requirements for ESD-safe screwdrivers are specified in the European standard DIN EN 61340-5-1. This standard also includes a handle that has to be out of a defined conductive material. The Wera products in the ESD series satisfy these standards and the even more stringent requirements demanded by some technology companies.

#### High protection



The electric surface resistance of the Wera ESD material is  $\leq 10^9$  ohm. This securely protects components against electrostatic energy and associated damage.

#### Kraftform Micro Handle




Multi-component screwdriver handle for ergonomic working.

#### The precision zone




The precision zone directly above the blade gives the user a better feel for the right rotation angle during fine adjustment work.

#### The power zone




The power zone has integrated soft zones near the blade tip to ensure high torque transfer for loosening or tightening screws without losing contact with the screw.

#### The fast-turning zone



The fast-turning zone just below the rotating cap allows rapid twisting.

#### Rotating cap and fast-turning zone



The fast-turning zone just below the rotating cap allows rapid twisting. This makes time-consuming grip adjustments as with other conventional precision screwdrivers unnecessary.






#### Weblink

[http://products.wera.de/en/tools\\_for\\_the\\_aerospace\\_segment\\_screwdrivers\\_esd\\_series\\_1567\\_torx\\_micro.html](http://products.wera.de/en/tools_for_the_aerospace_segment_screwdrivers_esd_series_1567_torx_micro.html)

Wera - 1567 TORX® Micro  
05030122001 - 4013288039187

Wera Werkzeuge GmbH  
Korzerter Straße 21-25  
D-42349 Wuppertal  
Tel: +49 (0)2 02 / 40 45-0  
E-Mail: [info@wera.de](mailto:info@wera.de)

More variants of this product family:

					
		mm	mm	mm	inch
05030120001	TX 4	40	97	2.5	1 9/16
05030121001	TX 5	40	97	3.0	1 9/16
<b>05030122001</b>	<b>TX 6</b>	<b>40</b>	<b>97</b>	<b>3.0</b>	<b>1 9/16</b>

**Weblink**

[http://products.wera.de/en/tools\\_for\\_the\\_aerospace\\_segment\\_screwdrivers\\_esd\\_series\\_1567\\_torx\\_micro.html](http://products.wera.de/en/tools_for_the_aerospace_segment_screwdrivers_esd_series_1567_torx_micro.html)

Wera - 1567 TORX® Micro  
05030122001 - 4013288039187

Wera Werkzeuge GmbH  
Korzerter Straße 21-25  
D-42349 Wuppertal  
Tel: +49 (0)2 02 / 40 45-0  
E-Mail: [info@wera.de](mailto:info@wera.de)