

L-Keys for Hexagon Socket Screws



<b>EAN/GTIN:</b>	4013288104816	<b>Dimension:</b>	229x83x25 mm
<b>Part no.:</b>	05022087001	<b>Weight:</b>	414 g
<b>Article no.:</b>	950/9 Hex-Plus 1	<b>Country of origin:</b>	CZ
		<b>Customs tariff number:</b>	82054000

- L-keys for hexagonal socket screws
- Hex-Plus allows socket head screws to live longer
- High corrosion protection thanks to chrome-plating
- L-keys are quickly to hand thanks to their size markings
- Wear-resistant clip material for enhanced durability

High quality L-key set for hexagonal socket screws in a practical clip fastener out of wear-resistant material, enabling secure storage of the L-keys as well as simple removal. L-keys with Hex-Plus profile: offers a larger contact surface within the screw head. This reduces the notching effects to a minimum and almost completely eliminates the risk of destroying the screw recess. The ball-end on the long arm allows for reliable working even in difficult installation situations. The precise chrome-plated design ensures high corrosion protection. The tools are quickly to hand thanks to the laser-engraved and thereby wear-resistant size markings on the L-keys.

**Weblink**

[http://products.wera.de/en/l-keys\\_l-keys\\_for\\_hexagon\\_socket\\_screws\\_950\\_9\\_hex-plus\\_1.html](http://products.wera.de/en/l-keys_l-keys_for_hexagon_socket_screws_950_9_hex-plus_1.html)

Wera - 950/9 Hex-Plus 1  
05022087001 - 4013288104816

Wera Werkzeuge GmbH  
Korzter Straße 21-25  
D-42349 Wuppertal  
Tel: +49 (0)2 02 / 40 45-0  
E-Mail: [info@wera.de](mailto:info@wera.de)

L-Keys for Hexagon Socket Screws

Content:



950 PKL	
05022050001 <sup>1)</sup>	1 x 1.5x90
05022052001	1 x 2.0x100
05022054001	1 x 2.5x112
05022056001	1 x 3.0x126
05022058001	1 x 4.0x140
05022060001	1 x 5.0x160
05022062001	1 x 6.0x180
05022064001	1 x 8.0x200
05022066001	1 x 10.0x219

1) Regular hexagon

L-Keys



We questioned the classic L-key design, since all too often the screw head recess is rounded out, meaning screws can no longer be tightened or loosened – and so the user finds the L-key slipping out of the recess. Wera Hex-Plus tools have a larger contact surface in the screw head. The notching effects are reduced and thereby the deformation of the screws. At the same time, as much as 20 % more torque can be applied.

Hex-Plus



Hexagon screws can endure a problem because the contact surfaces delivering the power from the conventional tool, is transferred to the screw via very small surface areas. The consequence: the screw can become damaged (rounding out). Hex-Plus tools have a greater contact surface that prevents this from happening! At the same time, as much as 20 % more torque can be applied. Good to know: Hex-Plus tools fit into every standard hexagon socket screw!

Ball tip



The spherical drive profile means that it is possible to swivel the axis of the tool to that of the screw, and therefore enable angled, “around-the-corner” screwdriving jobs.

Surface protection



Chrome-plated hexagon L-keys for outstanding surface protection and long service life. High corrosion protection.

Weblink

[http://products.wera.de/en/l-keys\\_l-keys\\_for\\_hexagon\\_socket\\_screws\\_950\\_9\\_hex-plus\\_1.html](http://products.wera.de/en/l-keys_l-keys_for_hexagon_socket_screws_950_9_hex-plus_1.html)

Wera - 950/9 Hex-Plus 1  
05022087001 - 4013288104816

Wera Werkzeuge GmbH  
Korzter Straße 21-25  
D-42349 Wuppertal  
Tel: +49 (0)2 02 / 40 45-0  
E-Mail: [info@wera.de](mailto:info@wera.de)

L-Keys for Hexagon Socket Screws

Size identification

Secure hold and easy removal



The size of each L-keys has been engraved by a laser. In addition SPKL L-keys have a colour coding according to sizes – for simple and rapid accessing of the required tool. Making it easy to find the right tool.



The wear-resistant clip material ensures that the L-keys are securely held yet are easy to remove.

**Weblink**

[http://products.wera.de/en/l-keys\\_l-keys\\_for\\_hexagon\\_socket\\_screws\\_950\\_9\\_hex-plus\\_1.html](http://products.wera.de/en/l-keys_l-keys_for_hexagon_socket_screws_950_9_hex-plus_1.html)

Wera - 950/9 Hex-Plus 1  
05022087001 - 4013288104816

Wera Werkzeuge GmbH  
Korzter Straße 21-25  
D-42349 Wuppertal  
Tel: +49 (0)2 02 / 40 45-0  
E-Mail: [info@wera.de](mailto:info@wera.de)