**Bit Sets for Special Applications** 









- Rapidaptor holder for rapid bit change
- 1/4" drive suitable for power screwdrivers
- Rapidaptor universal holder, wood twist drill bits and bits with 1/4" drive
- In practical and robust belt pouch

18-piece wood twist drill bit and bit set. High quality, metal twist drill bits for precise, splinter-free drilling in soft wood, hard wood and laminated panel material. Made out of high speed steel (HSS). A finely-tuned material elasticity provides for great durability. Very good concentricity. The hexagonal shaft ensures very good power transfer. The Rapidaptor universal holder ensures rapid bit change without any extra tools. Drive: 1/4" hexagon, suitable for holders with take-up as per DIN ISO 1173-D 6.3.


**Bit Sets for Special Applications** 

Content:



889/4/1 K 05052502001 1 x 1/4"x50





**TH-Bits** 

	849 HSS 05104600001 05104601001 05104602001 05104603001 05104604001	1 x 3.0x70.0 1 x 4.0x74.0 1 x 5.0x85.0 1 x 6.0x95.0 1 x 8.0x110.0
₩wera	867/1 TORX® 05066485001 05066486001 05066487001 05066488001 05066490001 05066491001	1 x TX 10x25 1 x TX 15x25 1 x TX 20x25 1 x TX 25x25 1 x TX 30x25 1 x TX 30x25 1 x TX 40x25

**Rapidaptor holder** 

## applications

Twist drill bits for wood




Twist drill bits - for wood applications • 1/4" drive suitable for holders as per DIN 3126-D 6.3 (ISO 1173) • Hexagon shaft for very high torque transfer  $\bullet$  HSS = high speed steel • Finely adjusted material elasticity for long service life • Excellent concentricity • Tough-absorbing tempered bits for particularly long service life



TH-Bits are hard bits with a torsion zone. Torsion bits absorb the damaging peak torque loads in the torsion zone. This prevents premature wear and enhances the service life of the bits.



Rapid bit change without needing any additional tools. One-hand operation with a freely spinning sleeve for simplified guidance of the tool. Also available in a BiTorsion design.





The bit can be pushed into the adaptor without moving the sleeve. The lock is activated automatically as soon as the bit is applied to the screw. Bits are held securely and wobble-free.

**Bit Sets for Special Applications** 



Rapid-out

Chuck-all



Simply push the sleeve forward to change the bit. The spring mechanism lifts the bit off the magnet and unlocks the tool. The bit can be easily removed. The rapid-out function makes it easy to remove even the smallest bits without extra tools.



The Rapidaptor quick-release chucks hold 1/4" DIN ISO 1173-C 6,3 and E 6,3 as well as Wera series 1 and 4 bits.

Single-hand function

Rapid-spin



Every function of the Rapidator quick-release chuck, such as inserting or releasing bits, can be carried out with one hand. This is faster, more economical and more ergonomic. There are no unnecessary manoeuvres.

The free-turning sleeve allows screw steadying at the start of the screwdriving process. This makes it easier to apply the tool to the screw and prevents slipping. It can also be used as a short extension for 1/4" applications e.g. in combination with the Wera Zyklop Ratchets.