

Bit-Check 6 Impaktor 1, 6 pieces

Bit-Checks Impaktor



EAN/GTIN:	4013288157751	Dimension:	72x65x12 mm
Part no.:	05057695001	Weight:	68 g
Article no.:	Bit-Check 6 Impaktor 1	Country of origin:	CZ
		Customs tariff number:	82079030

- Upright positionable, multi-component Bit-Check
- Impaktor technology for above-average service life
- Particularly suitable for use with customary impact drivers
- Diamond coating for a secure fit in the screw, literally bites into the screwhead to prevent cam-out
- "Take it easy" Tool Finder: colour coding according to profile and size

6 Wera Impaktor bits tidily arranged in a minimum of space in a practical Bit-Check. The Impaktor technology offers an above-average service life even under extreme circumstances thanks to the best possible utilisation of the material properties and the optimised geometry. The bit tip is coated with tiny diamond particles; this reduces the risk of any slipping out of the screw head thanks to the enhanced frictional resistance.

Weblink

http://products.wera.de/en/bits_holders_adaptors_bit_sets_bit-checks_impaktor_bit-check_6_impaktor_1.html

Wera - Bit-Check 6 Impaktor 1
05057695001 - 4013288157751

Wera Werkzeuge GmbH
Korzter Straße 21-25
D-42349 Wuppertal
Tel: +49 (0)2 02 / 40 45-0
E-Mail: info@wera.de

Bit-Check 6 Impaktor 1, 6 pieces



Bit-Checks Impaktor

Content:



851/4 IMP DC
05057656001 1 x PH 2x50
05057657001 1 x PH 3x50



855/4 IMP DC
05057661001 1 x PZ 2x50
05057662001 1 x PZ 3x50



867/4 IMP DC
05057665001 1 x TX 25x50
05057666001 1 x TX 30x50

At the workplace



The Bit-Checks can be positioned upright at the workplace so the tool is always quickly to hand.

Improved productivity



For use with impact screwdrivers. Improve productivity when screwdriving with power tools.

Above-average service life



Maximum utilisation of the material properties, a very special geometry – designed particularly to meet the extreme demands – as well a specific manufacturing process mean that Wera Impaktor tools have an above-average service life.

Torsion zone



Torsion zone specially designed to absorb such forces and thereby protect the bit tip.

Weblink

http://products.wera.de/en/bits_holders_adaptors_bit_sets_bit-checks_impaktor_bit-check_6_impaktor_1.html

Wera - Bit-Check 6 Impaktor 1
05057695001 - 4013288157751

Wera Werkzeuge GmbH
Korzter Straße 21-25
D-42349 Wuppertal
Tel: +49 (0)2 02 / 40 45-0
E-Mail: info@wera.de

Bit-Checks Impaktor

Impaktor-Bits




For an above-average service life. Maximum utilisation of the material properties, a very special geometry – designed particularly to meet the extreme demands – as well as a specific manufacturing process mean that Wera Impaktor tools have an above-average service life. Another product advantage is the coating of the Impaktor bits with minute diamond particles. These diamond particles reduce the cam-out effects – particularly high in power tool applications – which can lead to a slipping out of the screw head. The diamond particles literally bite themselves into the screw recess. This means that less contact pressure is required, something that greatly delays fatigue setting-in in power tool screwdriving jobs.

TriTorsion system




The combination of the double torsion zones in the Impaktor holder and the torsion zone in the Impaktor bit result in the so-called TriTorsion system.

Impaktor system



Wera's Impaktor system consisting of Impaktor bits and Impaktor holders is today's necessary addition to the BiTorsion system with the creation of the TriTorsion system.

Take it easy tool finder system



The "Take it easy" Bit-Checks have bits with a sleeve which – from its colour (e.g. red = Phillips) and size designation – make it simple to access the right bit quickly.

Weblink

http://products.wera.de/en/bits_holders_adaptors_bit_sets_bit-checks_impaktor_bit-check_6_impaktor_1.html

Wera - Bit-Check 6 Impaktor 1
05057695001 - 4013288157751

Wera Werkzeuge GmbH
Korzter Straße 21-25
D-42349 Wuppertal
Tel: +49 (0)2 02 / 40 45-0
E-Mail: info@wera.de