Series Soft-Faced Hammers





EAN/GTIN: 4013288001160 **Dimension:** 290x105x35 mm

Part no.: 05000020001 Weight: 485 g Article no.: 100 Country of origin: CZ

Customs tariff 82052000

number:

- Powerful hammering with surface protection
- Soft-face hammers with hammer head out of cellidor
- For demanding repair and maintenance jobs
- Inseparable and secure connection between the hammer handle and head
- High-quality ashwood handle

Wera soft-face hammers. Double-sided conical design for a secure, inseparable connection between the hammer handle and head. The hammer head is made out of cellidor; the handle out of high quality ash wood. For heavy-duty applications with diverse uses thanks to interchangeable soft-face hammer heads. Suitable for very demanding jobs.

Weblink

http://products.wera.de/en/series_soft-faced_hammers_100.html

Series Soft-Faced Hammers



Soft-faced hammers



Wide range of applications





Powerful hammering with surface protection.



They come in soft, medium and hard designs for a wide range of applications from universal use to splinter-free applications on sharpedged work pieces.



High quality ash wood

Powerful work is ensured with handles out of high quality ash wood.

Colour guidance system




Colour guidance system • Yellow = Repair/maintenance work with high demands • Red = Suitable for hammering sharp-edged work pieces; bodyshops, automotive, engineering • White = Suitable for metal processing and removal of dents; tent, large building and exhibition stand construction

Secure



The double-sided conical design creates an unbreakable and secure link between the handle and head of the hammer.

Versatile



Versatile use thanks to the soft faced heads that can retrospectively fitted.

05000020001 - 4013288001160

Series Soft-Faced Hammers



More variants of this product family:







mm

r	n	n	n	

05000005001	1	22	75	250.0
05000010001	2	27	90	265.0
05000015001	3	32	95	280.0
05000020001	4	35	105	290.0
05000025001	5	40	110	320.0
05000030001	6	50	115	340.0
05000035001	7	60	135	380.0