#### **Series Soft-Faced Hammers**





**EAN/GTIN:** 4013288001504 **Dimension:** 265x90x27 mm

 Part no.:
 05000510001
 Weight:
 280 g

 Article no.:
 102
 Country of origin:
 CZ

Customs tariff 82052000

number:

- Powerful hammering with surface protection
- Soft-face hammers with hammer head out of urethane; semi-hard
- For hammering sharp-edged workpieces; car body, engineering and automotive applications.
- Inseparable and secure connection between the hammer handle and head
- High-quality ashwood handle

Wera soft-face hammers. Double-sided conical design for a secure, inseparable connection between the hammer handle and head. The hammer head is made out of semi-hard urethane; the handle out of high quality ash wood. Diverse applications thanks to the interchangeable soft-face hammer heads. Suitable for car body, engineering and automotive applications.

#### **Series Soft-Faced Hammers**



#### Soft-faced hammers



# Wide range of applications







Powerful hammering with surface protection.



They come in soft, medium and hard designs for a wide range of applications from universal use to splinter-free applications on sharpedged work pieces.



High quality ash wood

Powerful work is ensured with handles out of high quality ash wood.

## Colour guidance system



Colour guidance system • Yellow = Repair/maintenance work with high demands • Red = Suitable for hammering sharp-edged work pieces; bodyshops, automotive, engineering • White = Suitable for metal processing and removal of dents; tent, large building and exhibition stand construction

## Secure



The double-sided conical design creates an unbreakable and secure link between the handle and head of the hammer.

#### Versatile



Versatile use thanks to the soft faced heads that can retrospectively fitted.

# 102 Soft-faced hammer with urethane head sections, # 2 x 27 mm

### **Series Soft-Faced Hammers**



More variants of this product family:







mm

r	٦	r	Υ	٦	
	•	۰		٠	

05000505001	1	22	75	250.0
05000510001	2	27	90	265.0
05000515001	3	32	95	280.0
05000520001	4	35	105	290.0
05000525001	5	40	110	320.0
05000530001	6	50	115	340.0
05000535001	7	60	135	380.0