

Revision: 03.09.2020

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

Product name: TIM Clean
Product code: AK-TC
Article number: SDS-TC

· Applicable products: AK-TCW-01, AK-TCW-02, AK-TCW-03 (pre-moistened with AK-TC)

- · 1.2 Relevant identified uses of the substance or mixture and uses advised against
- · Sector of Use

SU3 Industrial uses: Uses of substances as such or in preparations at industrial sites
SU22 Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

- · Product category PC35 Washing and cleaning products (including solvent based products)
- · Process category PROC7 Industrial spraying
- · Environmental release category ERC4 Use of non-reactive processing aid at industrial site (no inclusion into or onto article)
- · Application of the substance / the mixture Cleaner solvent
- · 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

AKASA Europe Ltd Unit 31, Metropolitan Centre Taunton Road, Greenford, UB6 8UQ

United Kingdom

Phone: +44 20 8578 0055 Fax: +44 20 8578 1122 e-mail: sales@akasa.co.uk web: www.akasa.co.uk

· Further information obtainable from:

Customer Service Tel: +44 20 8578 0055 Fax: +44 20 8578 1122

· 1.4 Emergency telephone number:

Customer Service Tel: +44 20 8578 0055 Fax: +44 20 8578 1122

### SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008

Skin Irrit. 2 H315 Causes skin irritation.

Skin Sens. 1 H317 May cause an allergic skin reaction.

Asp. Tox. 1 H304 May be fatal if swallowed and enters airways. Aquatic Chronic 2 H411 Toxic to aquatic life with long lasting effects.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation.

  (Contd. on page 2)



Revision: 03.09.2020

Trade name: TIM Clean

· Hazard pictograms

(Contd. of page 1)







#### · Signal word Danger

### · Hazard-determining components of labelling:

Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, <2% aromatics d-limonene

#### · Hazard statements

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H304 May be fatal if swallowed and enters airways.

H411 Toxic to aquatic life with long lasting effects.

### Precautionary statements

Avoid breathing mist/vapours/spray. P261

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

IF ON SKIN: Wash with plenty of water. P302+P352

Dispose of contents/container in accordance with local/regional/national/international regulations. P501

- 2.3 Other hazards The product does not contain any organic halogen compounds (AOX), nitrates, heavy metal compounds.
- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.

### · vPvB: Not applicable.

### SECTION 3: Composition/information on ingredients

- · Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous components:		
EC number: 926-141-6	Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, <2% aromatics	75-100%
Reg.nr.: 01-2119456620-43	♦ Asp. Tox. 1, H304	]
CAS: 5989-27-5	d-limonene	10-25%
EINECS: 227-813-5	♦ Flam. Liq. 3, H226	1
Reg.nr.: 01-2119529223-47-xxxx	<b>♠</b> Asp. Tox. 1, H304	
	\Delta Aquatic Acute 1, H400; Aquatic Chronic 1, H410	
	Aquatic Acute 1, H400; Aquatic Chronic 1, H410 Skin Irrit. 2, H315; Skin Sens. 1, H317	

### Ingredients according to Detergents Regulation 648/2004/EC

For the wording of the listed hazard phrases refer to section 16.

Aliphatic hydrocarbons ≥30%

## **SECTION 4: First aid measures**

- · 4.1 Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

### · After skin contact:

If skin irritation continues, consult a doctor.

Immediately wash with water and soap and rinse thoroughly.

Immediately rinse with water.

- · After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing: Do not induce vomiting; call for medical help immediately.
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- · 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.



Revision: 03.09.2020

Trade name: TIM Clean

(Contd. of page 2)

### **SECTION 5: Firefighting measures**

- 5.1 Extinguishing media
- Suitable extinguishing agents: CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- · 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

### SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

· 6.2 Environmental precautions:

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to enter sewers/ surface or ground water.

· 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, universal binders).

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

### SECTION 7: Handling and storage

7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

Use only in well ventilated areas.

- · Information about fire and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: Provide solvent resistant, sealed floor.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: None.
- · 7.3 Specific end use(s) No further relevant information available.

## SECTION 8: Exposure controls/personal protection

- · Additional information about design of technical facilities: No further data; see item 7.
- · 8.1 Control parameters
- Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

#### · DNELs

#### 5989-27-5 d-limonene

Oral	DNEL acute-systemic	4.76 mg/kg human/day (consumer)
Inhalative	DNEL Acute-systemic mg/m3	33.3 mg/m3 (worker)

- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the skin.

Avoid contact with the eyes and skin.

Respiratory protection: Filter A

(Contd. on page 4)



Revision: 03.09.2020

Trade name: TIM Clean

· Protection of hands:

(Contd. of page 3)



Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

#### · Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

### · Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed. The determined penetration times according to EN 16523-1:2015 are not performed under practical conditions. Therefore a maximum wearing time, which corresponds to 50% of the penetration time, is recommended.

For the permanent contact gloves made of the following materials are suitable:

Nitrile rubber, NBR

PVA gloves

- · Not suitable are gloves made of the following materials: Strong material gloves
- · Eye protection: Goggles recommended during refilling
- Body protection: Solvent resistant protective clothing

9.1 Information on basic physical and c	hemical properties	
General Information		
Appearance:	7	
Form:	Liquid	
Colour: Odour:	Colourless Characteristic	
Oaour: Odour threshold:	Not determined.	
	Tot well-minew.	
Change in condition  Melting point/freezing point:	Undetermined.	
Initial boiling point and boiling range		
Flash point:	67 °C	
Flammability (solid, gas):	Not applicable.	
Ignition temperature:	230 °C	
Decomposition temperature:	Not determined.	
Auto-ignition temperature:	Product is not selfigniting.	
Explosive properties:	Product does not present an explosion hazard. Not determined.	
Explosion limits:		
Lower:	0.6 Vol %	
Upper:	6 Vol %	
Vapour pressure at 20 °C:	2.3 hPa	
Density at 20 °C:	$0.8 \text{ g/cm}^3$	
Relative density	Not determined.	
Vapour density	Not determined.	
Evaporation rate	Not determined.	
Solubility in / Miscibility with		
water:	Insoluble.	
Partition coefficient: n-octanol/water:	Not determined.	
Viscosity:		
Dynamic at 20 °C:	2 mPas	
Kinematic:	Not determined.	
Solvent content:		_
Organic solvents:	100.0 %	

on page 3



Revision: 03.09.2020

Trade name: TIM Clean

		(Contd. of page 4)
Swiss VOC:	12.41 %	
Solids content: 9.2 Other information	0.0% No further relevant information available.	

### SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- · 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known.

### SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- · Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50	· LD/LC50 values relevant for classification:		
Hydrocarb	Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, <2% aromatics		
Oral	LD50	>5,000 mg/kg (Rat) (OECD 401)	
Dermal	LD50	>5,000 mg/kg (Rabbit) (OECD 402 (24 h))	
Inhalative	LC50/8 h	>5,000 mg/m3 (Rat) (OECD 403)	
5989-27-5	5989-27-5 d-limonene		
Oral	LD50	4,400 mg/kg (Rat)	
Dermal	LD50	>5,000 mg/kg (Rat)	
		>2,000 mg/kg (Rabbit)	
	EC50	34.1 mg/ltr (Daphnia magna (water flea))	

- Primary irritant effect:
- Skin corrosion/irritation

Causes skin irritation.

- · Serious eye damage/irritation Based on available data, the classification criteria are not met.
- · Respiratory or skin sensitisation

May cause an allergic skin reaction.

- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure Based on available data, the classification criteria are not met.
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- Aspiration hazard

May be fatal if swallowed and enters airways.

## SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity:

### Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, <2% aromatics

EL50 (48 h) >1,000 mg/l (Daphnia magna (water flea)) (OECD 202)

OECD test 301 F 69 % (biodegradation in % after 28 days)

5989-27-5 d-limonene

OECD test 301 D >92 (biodegradation in % after 28 days)

- 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- Ecotoxical effects:
- Remark: Toxic for fish

(Contd. on page 6)



Revision: 03.09.2020

Trade name: TIM Clean

(Contd. of page 5)

- · Additional ecological information:
- · General notes:

Do not allow product to reach ground water, water course or sewage system, even in small quantities.

Danger to drinking water if even extremely small quantities leak into the ground.

Also poisonous for fish and plankton in water bodies.

Toxic for aquatic organisms

- · 12.5 Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.
- · 12.6 Other adverse effects No further relevant information available.

## SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system. Disposal must be made according to official regulations

- · Uncleaned packaging:
- · Recommendation: Disposal in accordance with administrative provisions

14.1 UN-Number	
14.1 UN-Number ADR, IMDG, IATA	UN3082
14.2 UN proper shipping name	
ADR	3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE,
	LIQUID, N.O.S. (d-limonene)
IMDG	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID
	N.O.S. (d-limonene), MARINE POLLUTANT
IATA	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID
	N.O.S. (d-limonene)
14.3 Transport hazard class(es)	
ADR	
Class	9 (M6) Miscellaneous dangerous substances and articles.
Label	9
IMDG, IATA	
Class Label	9 Miscellaneous dangerous substances and articles. 9
14.4 Packing group	
ADR, IMDG, IATA	III
14.5 Environmental hazards:	Product contains environmentally hazardous substances: d- limonene
Marine pollutant:	umonene Yes
munic ponumi.	Symbol (fish and tree)
Special marking (ADR):	Symbol (fish and tree)
Special marking (IATA):	Symbol (fish and tree)
14.6 Special precautions for user	Warning: Miscellaneous dangerous substances and articles.
Danger code (Kemler):	90
	F- $A$ , $S$ - $F$



Revision: 03.09.2020

Trade name: TIM Clean

	(Contd. of pag
Stowage Category	A
14.7 Transport in bulk according to Annex II of the IBC Code	f <b>Marpol and</b> Not applicable.
Transport/Additional information:	
ADR	
Limited quantities (LQ)	5L
Excepted quantities (EQ)	Code: E1
• • •	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 1000 ml
Transport category	3
Remarks:	Packaging containing 5Lt/Kg or less of product do NOT requir
	labelling as hazardous for transport.
IMDG	
Limited quantities (LQ)	5L
Excepted quantities (EQ)	Code: E1
• • •	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 1000 ml
UN "Model Regulation":	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE,
5	LIQUID, N.O.S. (D-LIMONENE), 9, III

### **SECTION 15: Regulatory information**

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Reg. (EC) n. 1272/2008 - CLP;

Reg. (EC) n. 1907/2006 - Reach;

Reg. (EC) n. 2015/830 annex II of REACH;

Reg. (EC) n. 648/04 (Detergents);

Reg. (EC) n. 528/12 (Biocides BPR);

Reg. (EC) n. 1223/2009 (Cosmetics);

*Dir.* 06/08 *ADR* – *RID* - *IMDG* - *IATA*;

Dir. 47/08 (Aerosols); Dir. 12/18 (Seveso III);

Dir. 2008/98/CE and Reg. (EC) n.1357/2014 (Waste management)

- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · Seveso category E2 Hazardous to the Aquatic Environment
- Qualifying quantity (tonnes) for the application of lower-tier requirements 200 t
- Qualifying quantity (tonnes) for the application of upper-tier requirements 500 t
- · REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3
- · National regulations:
- · Technical instructions (air):

Class	Share in %
NK	75-100

- · Waterhazard class: Water danger class 3 (Self-assessment): extremely hazardous for water.
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has been carried out.

## SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

### · Relevant phrases

H226 Flammable liquid and vapour.

H304 May be fatal if swallowed and enters airways.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

(Contd. on page 8)



Revision: 03.09.2020

Trade name: TIM Clean

(Contd. of page 7)

#### · Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)
DNEL: Derived No-Effect Level (REACH)
LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative Flam. Liq. 3: Flammable liquids – Category 3 Skin Irrit. 2: Skin corrosion/irritation – Category 2 Skin Sens. 1: Skin sensitisation – Category 1

Asp. Tox. 1: Aspiration hazard - Category 1

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard - Category 1

Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard — Category 1 Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard — Category 2 \* Data compared to the previous version altered.

(Contd. on page 9)



Revision: 03.09.2020

Trade name: TIM Clean

(Contd. of page 8)

### Annex: Exposure scenario

Short title of the exposure scenario

For the finished product.

Akasa TIM Clean

Coopervision Degreaser DSI 1000

Ambersolv SB1

Solent Just Orange Solvent Degreaser

Electrical & Cable Cleaner

High Performance Degreaser

Sector of Use

SU3 Industrial uses: Uses of substances as such or in preparations at industrial sites

SU22 Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

- · Product category PC35 Washing and cleaning products (including solvent based products)
- · Process category PROC7 Industrial spraying
- Environmental release category ERC4 Use of non-reactive processing aid at industrial site (no inclusion into or onto article)
- Description of the activities / processes covered in the Exposure Scenario See section 1 of the annex to the Safety Data Sheet.
- · Conditions of use
- · Duration and frequency 5 workdays/week.
- · Physical parameters
- · Physical state Fluid
- · Concentration of the substance in the mixture The substance is main component.
- · Used amount per time or activity According to directions for use.
- · Other operational conditions
- · Other operational conditions affecting environmental exposure Use only on hard ground.
- Other operational conditions affecting worker exposure

Avoid contact with the skin.

Avoid long-term or repeated skin contact.

- · Other operational conditions affecting consumer exposure No special measures required.
- · Other operational conditions affecting consumer exposure during the use of the product Not applicable.
- · Risk management measures
- · Worker protection
- · Organisational protective measures No special measures required.
- · Technical protective measures

Use product only in enclosed systems.

Ensure that suitable extractors are available on processing machines

· Personal protective measures

Do not inhale gases / fumes / aerosols.

Avoid contact with the skin.

Protective gloves

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

- · Measures for consumer protection Ensure adequate labelling.
- · Environmental protection measures
- · Water Do not allow to reach sewage system.
- · Soil Prevent contamination of soil.
- · Disposal measures Ensure that waste is collected and contained.
- · Disposal procedures Must not be disposed together with household garbage. Do not allow product to reach sewage system.
- · Waste type Partially emptied and uncleaned packaging
- · Exposure estimation
- · Consumer Not relevant for this Exposure Scenario.
- · Guidance for downstream users No further relevant information available.

GB