



# Blu Stick

## A WATER-BORNE ADHESIVE IN A SOLID STICK

Date: 13 November 2015

Fact Sheet No.: TDS00207

### YOUR SMART ADVANTAGES

- Quick sticking
- Non-toxic
- Odourless

### USES

Bostik Blu Stick is a blue, water-borne adhesive, supplied in the form of a solid stick for quick, easy and clean application. On application it is blue, and becomes clear on drying. Bostik Blu Stick carries a CE Mark - and has been designed to meet and exceed the stringent EC child safety legislation.

Bostik Blu Stick is suitable for bonding most paper materials, including card, crepe and tissue paper, foil, cellophane and photographs. Useful for a variety of applications around the home, school and office.

### PRODUCT CHARACTERISTICS

|                  |   |
|------------------|---|
| Colour           | Dark blue   |
| Form             | Soft, solid stick   |
| Specific Gravity | 1.1 ± 0.2   |
| Composition      | Polyvinyl pyrrolidone   |
| Product Code     | 30813359 8g blister card x 6<br>30813360 15g blister card x 6<br>30813361 36g blister card x 6<br>30813313 8g display 1 x 30<br>30813314 15g display 1 x 20 |

|          |                       |
|----------|-----------------------|
| 30813315 | 36g display 1 x 12    |
| 30814914 | 36g trays 1 x 64      |
| 30814652 | 36g class pack 1 x 50 |

### Storage/Shelf Life

Store for up to 36 months from date of manufacture when stored in original, unopened packaging under dry conditions within the temperature range of +5°C to +25°C.

### DIRECTIONS FOR USE

IMPORTANT: Before using Bostik Blu Stick refer to the relevant Health & Safety Data Sheet, available at [www.bostik.co.uk](http://www.bostik.co.uk).

### PREPARATION

1. The surfaces to which the adhesive is to be applied must be clean and dry.
2. Always open and use adhesives over protected work surfaces.
3. Remove the cap and turn the tube base to slightly extend the glue stick.

### APPLICATION

4. Apply the glue with firm even strokes.
5. Wind Bostik Blu Stick back into dispenser.
6. Remove excess glue from body of stick with a clean tissue.
7. Replace the cap after use.

### CLEANING

8. Excess adhesive may be removed with a damp cloth
9. Adhesive on clothing may be removed with water before the adhesive dries.



FM 01696  
BS EN ISO 9001:2008

Bostik Limited, Common Road, Stafford, ST16 3EH, UK. Tel: +44 (0) 1785 272625 [www.bostik.co.uk](http://www.bostik.co.uk)

Bostik, Evo-Stik & Sealocrete are registered trademarks of Bostik Ltd.

## PRECAUTIONS IN USE

For any application not covered please contact Technical Services on +44 (0)1785 272625 or visit [www.bostik.co.uk](http://www.bostik.co.uk) for advice.

Recommendations and suggestions are for guidance only, since conditions of use are completely beyond our control.

For health and safety instruction, first aid measures and spillage and disposal instructions, see separate Health and Safety Data sheet for Bostik Blu Stick, available at [www.bostik.co.uk](http://www.bostik.co.uk).

BOSTIK HOTLINE

Smart help +44 (0) 1785 272625



FM 01696  
BS EN ISO 9001:2008

Bostik Limited, Common Road, Stafford, ST16 3EH, UK. Tel: +44 (0) 1785 272625 [www.bostik.co.uk](http://www.bostik.co.uk)  
Bostik, Evo-Stik & Sealocrete are registered trademarks of Bostik Ltd.

This disclaimer is issued by Bostik Limited ("the Company") and applies to the use of any products supplied by the Company ("the Products") displayed on this Technical Data Sheet ("TDS"). Please read this disclaimer carefully before using any of the Products. Using this TDS and/or the Product constitutes your acceptance of this disclaimer. Its contents shall prevail over any directions of use and any disclaimer and/or exclusion or limitation of liability of the Company which may appear on the packaging of the Products.

This disclaimer sets out the entire financial liability of the Company (including any liability for the acts or omissions of its employees, agents and sub-contractors) to any user of the Products ("Product User") in respect of any use made or resale by the Product User, of any of the Products in this TDS.

This disclaimer does not affect the Company's liability for death or personal injury arising from the Company's negligence in respect of the Products, nor its liability for fraud, or fraudulent misrepresentation, nor any other liability which cannot be excluded or limited under applicable law.

The Company's total liability however arising and whether caused by tort (including negligence and breach of statutory duty), breach of contract or otherwise, arising in connection with the use made or resale by the Product User of any of the Products in this TDS shall be limited to the price paid for the Product by the Product User.

The Company shall not be liable to the Product User for any pure economic loss, loss of profit, loss of business, depletion of goodwill or otherwise, in each case whether direct, indirect or consequential, or any claims (including in respect of personal injury insofar as not caused by the Company's negligence) for consequential compensation whatsoever (howsoever caused) which arise out of or in connection with the use made or resale by the Product User of any of the Products in this TDS.

The Company shall not be liable to the Product User in relation to any loss for any use which is inappropriate or use which is otherwise than in accordance with the relevant instructions for use of the Products in this TDS or on the Product. Product Users are advised to confirm the suitability of the Products by their own tests.

This TDS covers just one of a large range of products supplied by the Company.

Full information on these products and advice on application is freely available from our fully trained staff throughout the country. In addition, specialist technical advice is available from our Technical Services Department. This TDS supersedes all previous TDSs relating to the Products, and users of it must ensure that it is the current issue. Destroy all previous TDS, and if in any doubt, contact the Company, quoting the code number in the top right hand corner on the front of this document.

|   |                    |                   |  |
|---|--------------------|-------------------|--|
| Sales                                     | Tel: 0844 371 1192 | Fax: 01785 241818 | <a href="mailto:customer.service@bostik.com">customer.service@bostik.com</a>     |
| Technical Advice                          | Tel: 0844 371 1197 | Fax: 01785 272867 | <a href="mailto:technical.service@bostik.com">technical.service@bostik.com</a>   |
| Technical Data & COSHH (MSDS) Data Sheets | Tel: 01785 272625  | Fax: 01785 212962 | <a href="mailto:stafford.gatehouse@bostik.com">stafford.gatehouse@bostik.com</a> |



FM 01696  
BS EN ISO 9001:2008

Bostik Limited, Common Road, Stafford, ST16 3EH, UK. Tel: +44 (0) 1785 272625 [www.bostik.co.uk](http://www.bostik.co.uk)  
Bostik, Evo-Stik & Sealocrete are registered trademarks of Bostik Ltd.