

# 7441 VDE Kraffform adjustable torque handle, 9 mm Hex, 1.2 - 3.0 Nm

## Kraffform Kompakt VDE



**EAN/GTIN:** 4013288168535  
**Part no.:** 05074750001  
**Article no.:** 7400 VDE

**Dimension:** 200x70x40 mm  
**Weight:** 220 g  
**Country of origin:** CZ  
**Customs tariff number:** 82054000



- Adjustable Kraffform VDE torque holder
- Adjustable torque from 1.2-3.0
- Distinct audible and perceivable excess load signal when the pre-set torque value is reached
- Suitable for Kraffform Kompakt VDE blades
- Rapid exchange of the interchangeable blades

Torque VDE holder for safe work up to 1,000 volts. Adjustable torque value from 1.2-3.0 Nm. Distinct audible and perceivable excess load signal when the pre-set torque value is reached. Unlimited manual loosening torque. For Kraffform Kompakt VDE blades: the handle/interchangeable blade system allows a rapid exchange of the blade and thereby diverse applications.

### Weblink

[http://products.wera.de/en/vde\\_tools\\_kraffform\\_kompakt\\_vde\\_7400\\_vde.html](http://products.wera.de/en/vde_tools_kraffform_kompakt_vde_7400_vde.html)

Wera - 7400 VDE  
05074750001 - 4013288168535

Wera Werkzeuge GmbH  
Korzter Straße 21-25  
D-42349 Wuppertal  
Tel: +49 (0)2 02 / 40 45-0  
E-Mail: [info@wera.de](mailto:info@wera.de)

Kraffform Kompakt VDE

Individually tested



Kraffform Kompakt VDE sets come with an insulated handle and insulated inter-changeable blades, that can be exchanged without any special tools.



The individual testing at 10,000 volts, in accordance with IEC 60900, ensures safe working with loads up to 1,000 volts.

Kraffform VDE adjustable torque handle




Simple setting of the required torque by hand.

Kraffform VDE adjustable torque handle




Easy-to-read scale value. Measurement accuracy is  $\pm 6\%$  in accordance with the standard EN ISO 6789.

Excess-load signal




Distinctly audible and noticeable excess-load signal when the preset torque is reached.

Unlimited loosening torque




Unlimited torque for loosening seized screws.

Inserting the blade








According to the job, the insulated inter-changeable blade with the required tipstyle, or a switch cabinet key is inserted into the clamping mechanism.

Taking out the blade



By pulling and holding down the clamping sleeve the interchangeable screwdriver blade, or the switch cabinet key, is unlocked and can easily be taken out of the handle.

More variants of this product family:

	art. no.	 mm	 nm	 nm	 mm	 inch	
	05074752001	7440 VDE	9 mm	0.3-1.2	0.05	192	7 9/16
	<b>05074750001</b>	<b>7441 VDE</b>	<b>9 mm</b>	<b>1.2-3.0</b>	<b>0.10</b>	<b>192</b>	<b>7 9/16</b>
	05074757001	7444 VDE	9 mm	1.7-3.5	0.10	192	7 9/16

Weblink

[http://products.wera.de/en/vde\\_tools\\_kraffform\\_kompakt\\_vde\\_7400\\_vde.html](http://products.wera.de/en/vde_tools_kraffform_kompakt_vde_7400_vde.html)

Wera - 7400 VDE

05074750001 - 4013288168535

Wera Werkzeuge GmbH

Korzter Straße 21-25

D-42349 Wuppertal

Tel: +49 (0)2 02 / 40 45-0

E-Mail: [info@wera.de](mailto:info@wera.de)