

Safety Data Sheet

Copyright, 2025, 3M Company All rights reserved. Copying and/or downloading of this information for the purpose of properly utilizing 3M products is allowed provided that: (1) the information is copied in full with no changes unless prior written agreement is obtained from 3M, and (2) neither the copy nor the original is resold or otherwise distributed with the intention of earning a profit thereon.

 Document group:
 26-0472-6
 Version number:
 9.00

 Revision date:
 17/04/2025
 Supersedes date:
 16/04/2025

Transportation version number:

This Safety Data Sheet has been prepared in accordance with the REACH Regulation (1907/2006), as amended for GB.

IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

3MTM ScotchcastTM Reenterable Electrical Insulating Resin 2123 Kit (A & B)

Product Identification Numbers

80-0002-1521-2 80-6112-6441-9 80-6112-6442-7 UU-0109-0262-3 UU-0109-0329-0

UU-0109-0330-8 UU-0109-1471-9

7000031696 7000006197 7100179833 7100220930 7100220970

7100220994 7100220923

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses

Electrical

1.3. Details of the supplier of the safety data sheet

Address: 3M United Kingdom PLC, 3M Centre, Cain Road, Bracknell, Berkshire, RG12 8HT.

Telephone: +44 (0)1344 858 000

E Mail: ner-productstewardship@mmm.com

Website: www.3M.com/uk

1.4. Emergency telephone number

+44 (0)1344 858 000

This product is a kit or a multipart product which consists of multiple, independently packaged components. A Safety Data Sheet for each of these components is included. Please do not separate the component Safety Data Sheets from this cover page. The document numbers of the MSDSs for components of this product are:

25-0707-7, 25-0695-4

TRANSPORTATION INFORMATION

Refer to section 14 of the kit components for transport information.

KIT LABEL

2.1. Classification of the substance or mixture

The retained CLP Regulation (EU) No 1272/2008 as amended for Great Britain

CLASSIFICATION:

Skin Sensitization, Category 1 - Skin Sens. 1; H317 Reproductive Toxicity, Category 2 - Repr. 2; H361d Hazardous to the Aquatic Environment (Acute), Category 1 - Aquatic Acute 1; H400 Hazardous to the Aquatic Environment (Chronic), Category 1 - Aquatic Chronic 1; H410

For full text of H phrases, see Section 16.

2.2. Label elements

The retained CLP Regulation (EU) No 1272/2008 as amended for Great Britain

SIGNAL WORD

WARNING.

Symbols

GHS07 (Exclamation mark) |GHS08 (Health Hazard) |GHS09 (Environment) |

Pictograms







Contains:

Distillates (petroleum), hydrotreated heavy naphthenic; 1,3-Butadiene, homopolymer, hydroxy-terminated; N-Methyldidecylamine

HAZARD STATEMENTS:

H317 May cause an allergic skin reaction.
H361d Suspected of damaging the unborn child.

H410 Very toxic to aquatic life with long lasting effects.

PRECAUTIONARY STATEMENTS

Prevention:

P273 Avoid release to the environment.

P280K Wear protective gloves and respiratory protection.

Response:

P333 + P313 If skin irritation or rash occurs: Get medical advice/attention.

P391 Collect spillage.

Refer to Safety Data Sheet for component % unknown values (www.3M.com/msds).

Nota L applied.

Revision information:

GB Label: CLP Ingredients - kit components information was added. Kit: Component document group number(s) information was modified.

Label: CLP Classification information was modified.

Label: CLP Precautionary - Prevention information was modified.

Label: Graphic information was modified.

Section 02: CLP Physical and Health Hazard Statements information was modified.

Section 1: E-mail address information was modified.



Safety Data Sheet

Copyright, 2025, 3M Company All rights reserved. Copying and/or downloading of this information for the purpose of properly utilizing 3M products is allowed provided that: (1) the information is copied in full with no changes unless prior written agreement is obtained from 3M, and (2) neither the copy nor the original is resold or otherwise distributed with the intention of earning a profit thereon.

Document group: 25-0695-4 **Version number:** 8.02

Revision date: 13/06/2025 **Supersedes date:** 17/04/2025

This Safety Data Sheet has been prepared in accordance with the REACH Regulation (1907/2006), as amended for GB.

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

3M[™] Scotchcast[™] Reenterable Electrical Insulating Resin 2123, Part A

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses

Electrical

1.3. Details of the supplier of the safety data sheet

Address: 3M United Kingdom PLC, 3M Centre, Cain Road, Bracknell, Berkshire, RG12 8HT.

Telephone: +44 (0)1344 858 000

E Mail: ner-productstewardship@mmm.com

Website: www.3M.com/uk

1.4. Emergency telephone number

+44 (0)1344 858 000

SECTION 2: Hazard identification

2.1. Classification of the substance or mixture

The retained CLP Regulation (EU) No 1272/2008 as amended for Great Britain

The health and environmental classifications of this material have been derived using the calculation method, except in cases where test data are available or the physical form impacts classification. Classification(s) based on test data or physical form are noted below, if applicable.

CLASSIFICATION:

Skin Sensitization, Category 1 - Skin Sens. 1; H317

Hazardous to the Aquatic Environment (Chronic), Category 3 - Aquatic Chronic 3; H412

For full text of H phrases, see Section 16.

2.2. Label elements

The retained CLP Regulation (EU) No 1272/2008 as amended for Great Britain

SIGNAL WORD

WARNING.

Symbols

GHS07 (Exclamation mark) |

Pictograms



HAZARD STATEMENTS:

H317 May cause an allergic skin reaction.

H412 Harmful to aquatic life with long lasting effects.

PRECAUTIONARY STATEMENTS

Prevention:

P280E Wear protective gloves.

Response:

P333 + P313 If skin irritation or rash occurs: Get medical advice/attention.

28% of the mixture consists of components of unknown acute oral toxicity.

2.3. Other hazards

None known.

This material does not contain any substances that are assessed to be a PBT or vPvB

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

| Ingredient | Identifier(s) | % | Classification according to Regulation (EC) No. 1272/2008 [CLP], as amended for GB |
|--------------------------------------|---|---------|--|
| Soybean oil | (CAS-No.) 8001-22-7 (EC-No.) 232-274-4 | 60 - 75 | Substance with a national occupational exposure limit |
| Butadiene-maleic anhydride copolymer | (CAS-No.) 25655-35-0 | 15 - 30 | Substance not classified as hazardous |
| Soybean oil, epoxidised | (CAS-No.) 8013-07-8 (EC-No.) 232-391-0 | 1 - 10 | Substance not classified as hazardous |
| 2,6-Di-tert-butyl-p-cresol | (CAS-No.) 128-37-0 | < 1 | Aquatic Chronic 1, H410,M=1 |

| | (EC-No.) 204-881-4 | | Aquatic Acute 1, H400,M=1 |
|------------------|--|-------|---|
| toluene | (CAS-No.) 108-88-3 (EC-No.) 203-625-9 | < 0.3 | Flam. Liq. 2, H225 Asp. Tox. 1, H304 Skin Irrit. 2, H315 Repr. 2, H361d STOT SE 3, H336 STOT RE 2, H373 Aquatic Chronic 3, H412 |
| maleic anhydride | (CAS-No.) 108-31-6 (EC-No.) 203-571-6 | < 0.3 | EUH071 Acute Tox. 4, H302 Skin Corr. 1B, H314 Eye Dam. 1, H318 Resp. Sens. 1, H334 Skin Sens. 1A, H317 STOT RE 1, H372 |

Please see section 16 for the full text of any H statements referred to in this section

Specific Concentration Limits

| Ingredient | Identifier(s) | Specific Concentration Limits |
|------------|--|-----------------------------------|
| | (CAS-No.) 108-31-6 (EC-No.) 203-571-6 | (C >= 0.001%) Skin Sens. 1A, H317 |

For information on ingredient occupational exposure limits or PBT or vPvB status, see sections 8 and 12 of this SDS

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation

Remove person to fresh air. If you feel unwell, get medical attention.

Skin contact

Immediately wash with soap and water. Remove contaminated clothing and wash before reuse. If signs/symptoms develop, get medical attention.

Eve contact

Flush with large amounts of water. Remove contact lenses if easy to do. Continue rinsing. If signs/symptoms persist, get medical attention.

If swallowed

Rinse mouth. If you feel unwell, get medical attention.

4.2. Most important symptoms and effects, both acute and delayed

The most important symptoms and effects based on the GB CLP classification include: Allergic skin reaction (redness, swelling, blistering, and itching).

4.3. Indication of any immediate medical attention and special treatment required

Not applicable.

SECTION 5: Fire-fighting measures

5.1. Extinguishing media

In case of fire: Use a carbon dioxide or dry chemical extinguisher to extinguish.

5.2. Special hazards arising from the substance or mixture

None inherent in this product.

Hazardous Decomposition or By-Products

SubstanceConditionHydrocarbons.During combustion.Carbon monoxideDuring combustion.Carbon dioxide.During combustion.

5.3. Advice for fire-fighters

Wear full protective clothing, including helmet, self-contained, positive pressure or pressure demand breathing apparatus, bunker coat and pants, bands around arms, waist and legs, face mask, and protective covering for exposed areas of the head.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective equipment based on the results of an exposure assessment. Refer to Section 8 for PPE recommendations. If anticipated exposure resulting from an accidental release exceeds the protective capabilities of the PPE listed in Section 8, or are unknown, select PPE that offers an appropriate level of protection. Consider the physical and chemical hazards of the material when doing so. Examples of PPE ensembles for emergency response could include wearing bunker gear for a release of flammable material; wearing chemical protective clothing if the spilled material is a corrosive, a sensitizer, a significant dermal irritant, or can be absorbed through the skin; or donning a positive pressure supplied-air respirator for chemicals with inhalation hazards. For information regarding physical and health hazards, refer to sections 2 and 11 of the SDS. Evacuate area. Ventilate the area with fresh air. For large spill, or spills in confined spaces, provide mechanical ventilation to disperse or exhaust vapours, in accordance with good industrial hygiene practice.

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

Contain spill. Working from around the edges of the spill inward, cover with bentonite, vermiculite, or commercially available inorganic absorbent material. Mix in sufficient absorbent until it appears dry. Remember, adding an absorbent material does not remove a physical, health, or environmental hazard. Collect as much of the spilled material as possible. Place in a closed container approved for transportation by appropriate authorities. Clean up residue with an appropriate solvent selected by a qualified and authorised person. Ventilate the area with fresh air. Read and follow safety precautions on the solvent label and Safety Data Sheet. Seal the container. Dispose of collected material as soon as possible.

6.4. Reference to other sections

Refer to Section 8 and Section 13 for more information

SECTION 7: Handling and storage

7.1. Precautions for safe handling

For industrial/occupational use only. Not for consumer sale or use. Do not handle until all safety precautions have been read and understood. Do not breathe dust/fume/gas/mist/vapours/spray. Do not get in eyes, on skin, or on clothing. Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Contaminated work clothing should not be allowed out of the workplace. Avoid release to the environment. Wash contaminated clothing before reuse. Avoid contact with oxidising agents (eg. chlorine, chromic acid etc.) Use personal protective equipment (eg. gloves, respirators...) as required.

7.2. Conditions for safe storage including any incompatibilities

Store away from acids. Store away from strong bases. Store away from oxidising agents.

7.3. Specific end use(s)

See information in Section 7.1 and 7.2 for handling and storage recommendations. See Section 8 for exposure controls and personal protection recommendations.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limits

If a component is disclosed in section 3 but does not appear in the table below, an occupational exposure limit is not available for the component.

| Ingredient | CAS Nbr | Agency | Limit type | Additional comments |
|----------------------------|-----------|--------|---|------------------------|
| maleic anhydride | 108-31-6 | UK HSE | TWA: 1 mg/m³; STEL: 3 mg/m³ | Respiratory Sensitizer |
| toluene | 108-88-3 | UK HSE | TWA: 191 mg/m³ (50 ppm); STEL: 384 mg/m³ (100 ppm) | SKIN |
| 2,6-Di-tert-butyl-p-cresol | 128-37-0 | UK HSE | TWA:10 mg/m ³ | |
| DUST, INERT OR NUISANCE | 8001-22-7 | UK HSE | TWA(as respirable dust):4 mg/m3;TWA(as inhalable dust):10 mg/m3 | |

UK HSE: UK Health and Safety Commission

TWA: Time-Weighted-Average STEL: Short Term Exposure Limit

CEIL: Ceiling

Biological limit values

No biological limit values exist for any of the components listed in Section 3 of this safety data sheet.

8.2. Exposure controls

8.2.1. Engineering controls

Use general dilution ventilation and/or local exhaust ventilation to control airborne exposures to below relevant Exposure Limits and/or control dust/fume/gas/mist/vapours/spray. If ventilation is not adequate, use respiratory protection equipment.

8.2.2. Personal protective equipment (PPE)

Eye/face protection

None required.

Skin/hand protection

Select and use gloves and/or protective clothing approved to relevant local standards to prevent skin contact based on the results of an exposure assessment. Selection should be based on use factors such as exposure levels, concentration of the substance or mixture, frequency and duration, physical challenges such as temperature extremes, and other use conditions. Consult with your glove and/or protective clothing manufacturer for selection of appropriate compatible gloves/protective clothing.

Gloves made from the following material(s) are recommended:

| Material | Thickness (mm) | Breakthrough Time |
|-----------------|----------------|-------------------|
| Butyl rubber. | >.3 | =>8 hours |
| Neoprene. | >.3 | =>8 hours |
| Nitrile rubber. | >.3 | =>8 hours |

The glove data presented are based on the substance driving dermal toxicity and the conditions present at the time of testing.

Breakthrough time may be altered when the glove is subjected to use conditions that place additional stress on the glove.

Applicable Norms/Standards Use gloves tested to EN 374

If this product is used in a manner that presents a higher potential for exposure (eg. spraying, high splash potential etc.), then use of protective coveralls may be necessary. Select and use body protection to prevent contact based on the results of an exposure assessment. The following protective clothing material(s) are recommended: Apron – Butyl rubber Neoprene apron.

Apron – Nitrile

Respiratory protection

An exposure assessment may be needed to decide if a respirator is required. If a respirator is needed, use respirators as part of a full respiratory protection program. Based on the results of the exposure assessment, select from the following respirator type(s) to reduce inhalation exposure:

Half facepiece or full facepiece air-purifying respirator suitable for organic vapours and particulates

For questions about suitability for a specific application, consult with your respirator manufacturer.

Applicable Norms/Standards

Use a respirator conforming to EN 140 or EN 136: filter types A & P

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

| Physical state | Liquid. | |
|--|---|--|
| Specific Physical Form: | Resin | |
| Colour | Brown, Transparent Yellow | |
| Odor | Mild Hydrocarbon | |
| Odour threshold | No data available. | |
| Melting point/freezing point | No data available. | |
| Boiling point/boiling range | 246.1 °C | |
| Flammability | Not applicable. | |
| | | |
| Flammable Limits(LEL) | No data available. | |
| Flammable Limits(UEL) | No data available. | |
| Flash point | >= 148.9 °C [Test Method:Closed Cup] | |
| Autoignition temperature | No data available. | |
| Decomposition temperature | No data available. | |
| рН | substance/mixture is non-soluble (in water) | |
| Kinematic Viscosity | No data available. | |
| Water solubility | Negligible | |
| Solubility- non-water | No data available. | |
| Partition coefficient: n-octanol/water | No data available. | |
| Vapour pressure | <= 186,158.4 Pa [@ 55 °C] | |
| Density | 0.89 g/ml | |
| Relative density | 0.89 [<i>Ref Std</i> :WATER=1] | |
| Relative Vapour Density | No data available. | |
| Particle Characteristics | Not applicable. | |
| | | |

9.2. Other information

9.2.2 Other safety characteristics

Average particle size

Bulk density

No data available.

EU Volatile Organic Compounds

Evaporation rate

Molecular weight

Percent volatile

Softening point

No data available.

SECTION 10: Stability and reactivity

10.1 Reactivity

This material may be reactive with certain agents under certain conditions - see the remaining headings in this section

10.2 Chemical stability

Stable.

10.3 Possibility of hazardous reactions

Hazardous polymerisation will not occur.

10.4 Conditions to avoid

None known.

10.5 Incompatible materials

Strong acids.

Strong bases.

Reducing agents.

Strong oxidising agents.

No data available.

10.6 Hazardous decomposition products

Substance

None known.

Refer to section 5.2 for hazardous decomposition products during combustion.

SECTION 11: Toxicological information

The information below may not agree with the material classification in Section 2 and/or the ingredient classifications in Section 3 if specific ingredient classifications are mandated by a competent authority. In addition, statements and data presented in Section 11 are based on UN GHS calculation rules and classifications derived from 3M assessments.

Condition

11.1. Information on hazard classes as defined in the retained CLP Regulation (EU) No 1272/2008, as amended for Great Britain.

Signs and Symptoms of Exposure

Based on test data and/or information on the components, this material may produce the following health effects:

Inhalation

Allergic respiratory reaction: Signs/symptoms may include difficulty breathing, wheezing, cough, and tightness of chest. May cause additional health effects (see below).

Skin contact

Contact with the skin during product use is not expected to result in significant irritation. Allergic skin reaction (non-photo induced): Signs/symptoms may include redness, swelling, blistering, and itching.

Eye contact

Contact with the eyes during product use is not expected to result in significant irritation.

Ingestion

Gastrointestinal irritation: Signs/symptoms may include abdominal pain, stomach upset, nausea, vomiting and diarrhoea. May cause additional health effects (see below).

Additional Health Effects:

Reproductive/Developmental Toxicity:

Contains a chemical or chemicals which can cause birth defects or other reproductive harm.

Toxicological Data

If a component is disclosed in section 3 but does not appear in a table below, either no data are available for that endpoint or the data are not sufficient for classification.

Acute Toxicity

| Name | Route | Species | Value |
|----------------------------|-------------|---------|--|
| Overall product | Ingestion | | No data available; calculated ATE >5,000 mg/kg |
| Soybean oil | Dermal | | LD50 estimated to be > 5,000 mg/kg |
| Soybean oil | Ingestion | | LD50 estimated to be > 5,000 mg/kg |
| Soybean oil, epoxidised | Dermal | Rabbit | LD50 > 20,000 mg/kg |
| Soybean oil, epoxidised | Ingestion | Rat | LD50 > 5,000 mg/kg |
| 2,6-Di-tert-butyl-p-cresol | Dermal | Rat | LD50 > 2,000 mg/kg |
| 2,6-Di-tert-butyl-p-cresol | Ingestion | Rat | LD50 > 2,930 mg/kg |
| toluene | Dermal | Rat | LD50 12,000 mg/kg |
| toluene | Inhalation- | Rat | LC50 30 mg/l |
| | Vapour (4 | | |
| | hours) | | |
| toluene | Ingestion | Rat | LD50 5,550 mg/kg |
| maleic anhydride | Dermal | Rabbit | LD50 2,620 mg/kg |
| maleic anhydride | Ingestion | Rat | LD50 1,030 mg/kg |

ATE = acute toxicity estimate

Skin Corrosion/Irritation

| Name | Species | Value |
|----------------------------|-----------------------------------|---------------------------|
| Soybean oil | Professio nal judgemen t | Minimal irritation |
| Soybean oil, epoxidised | Rabbit | No significant irritation |
| 2,6-Di-tert-butyl-p-cresol | Human and | Minimal irritation |
| | animal | |
| toluene | Rabbit | Irritant |
| maleic anhydride | Human | Corrosive |
| | and | |
| | animal | |

Serious Eye Damage/Irritation

| Serious Lye Dumage/Himation | | |
|-----------------------------|-----------|---------------|
| Name | Species | Value |
| Soybean oil | Professio | Mild irritant |
| Soyocan on | nal | Wild irritant |

3M™ Scotchcast™ Reenterable Electrical Insulating Resin 2123, Part A

| | judgemen | |
|----------------------------|----------|---------------------------|
| | ι | |
| Soybean oil, epoxidised | Rabbit | No significant irritation |
| 2,6-Di-tert-butyl-p-cresol | Rabbit | Mild irritant |
| toluene | Rabbit | Moderate irritant |
| maleic anhydride | Rabbit | Corrosive |

Skin Sensitisation

| Name | Species | Value |
|----------------------------|----------|----------------|
| | | |
| Soybean oil, epoxidised | Guinea | Not classified |
| | pig | |
| 2,6-Di-tert-butyl-p-cresol | Human | Not classified |
| toluene | Guinea | Not classified |
| | pig | |
| maleic anhydride | Multiple | Sensitising |
| | animal | |
| | species | |

Respiratory Sensitisation

| Name | Species | Value |
|------------------|---------|-------------|
| maleic anhydride | Human | Sensitising |

Germ Cell Mutagenicity

| Name | Route | Value |
|----------------------------|----------|--|
| | | |
| Soybean oil, epoxidised | In Vitro | Not mutagenic |
| 2,6-Di-tert-butyl-p-cresol | In Vitro | Not mutagenic |
| 2,6-Di-tert-butyl-p-cresol | In vivo | Not mutagenic |
| toluene | In Vitro | Not mutagenic |
| toluene | In vivo | Not mutagenic |
| maleic anhydride | In vivo | Not mutagenic |
| maleic anhydride | In Vitro | Some positive data exist, but the data are not |
| | | sufficient for classification |

Carcinogenicity

| Name | Route | Species | Value |
|----------------------------|------------|-------------------------------|--|
| Soybean oil, epoxidised | Ingestion | Rat | Not carcinogenic |
| 2,6-Di-tert-butyl-p-cresol | Ingestion | Multiple animal species | Some positive data exist, but the data are not sufficient for classification |
| toluene | Dermal | Mouse | Some positive data exist, but the data are not sufficient for classification |
| toluene | Ingestion | Rat | Some positive data exist, but the data are not sufficient for classification |
| toluene | Inhalation | Mouse | Some positive data exist, but the data are not sufficient for classification |

Reproductive Toxicity

Reproductive and/or Developmental Effects

| Name | Route | Value | Species | Test result | Exposure Duration |
|-------------------------|-----------|--|---------|-----------------------------|----------------------|
| Soybean oil, epoxidised | Ingestion | Not classified for female reproduction | Rat | NOAEL 1,000 mg/kg/day | 1 generation |
| Soybean oil, epoxidised | Ingestion | Not classified for male reproduction | Rat | NOAEL 1,000 mg/kg/day | 1 generation |
| Soybean oil, epoxidised | Ingestion | Not classified for development | Rat | NOAEL 1,000 | 1 generation |

| | | | | mg/kg/day | |
|----------------------------|------------|--|-------|-----------|---------------|
| 2,6-Di-tert-butyl-p-cresol | Ingestion | Not classified for female reproduction | Rat | NOAEL 500 | 2 generation |
| | | | | mg/kg/day | |
| 2,6-Di-tert-butyl-p-cresol | Ingestion | Not classified for male reproduction | Rat | NOAEL 500 | 2 generation |
| | | | | mg/kg/day | |
| 2,6-Di-tert-butyl-p-cresol | Ingestion | Not classified for development | Rat | NOAEL 100 | 2 generation |
| | | | | mg/kg/day | |
| toluene | Inhalation | Not classified for female reproduction | Human | NOAEL Not | occupational |
| | | _ | | available | exposure |
| toluene | Inhalation | Not classified for male reproduction | Rat | NOAEL 2.3 | 1 generation |
| | | • | | mg/l | |
| toluene | Ingestion | Toxic to development | Rat | LOAEL 520 | during |
| | | • | | mg/kg/day | gestation |
| toluene | Inhalation | Toxic to development | Human | NOAEL Not | poisoning |
| | | * | | available | and/or abuse |
| maleic anhydride | Ingestion | Not classified for female reproduction | Rat | NOAEL 55 | 2 generation |
| | | 1 | | mg/kg/day | |
| maleic anhydride | Ingestion | Not classified for male reproduction | Rat | NOAEL 55 | 2 generation |
| | | 1 | | mg/kg/day | |
| maleic anhydride | Ingestion | Not classified for development | Rat | NOAEL 140 | during |
| | | 1 | | mg/kg/day | organogenesis |

Target Organ(s)

Specific Target Organ Toxicity - single exposure

| Name | Route | Target Organ(s) | Value | Species | Test result | Exposure Duration |
|------------------|------------|--------------------------------------|--|---------|------------------------|---------------------------|
| toluene | Inhalation | central nervous system depression | May cause drowsiness or dizziness | Human | NOAEL Not available | |
| toluene | Inhalation | respiratory irritation | Some positive data exist, but the data are not sufficient for classification | Human | NOAEL Not available | |
| toluene | Inhalation | immune system | Not classified | Mouse | NOAEL 0.004 mg/l | 3 hours |
| toluene | Ingestion | central nervous system depression | May cause drowsiness or dizziness | Human | NOAEL Not available | poisoning and/or abuse |
| maleic anhydride | Inhalation | respiratory irritation | May cause respiratory irritation | Human | NOAEL Not available | |

Specific Target Organ Toxicity - repeated exposure

| Name | Route | Target Organ(s) | Value | Species | Test result | Exposure Duration |
|----------------------------|------------|---|--|---------|-----------------------------|---------------------------|
| Soybean oil, epoxidised | Ingestion | liver kidney and/or bladder | Not classified | Rat | NOAEL 1,250 mg/kg/day | 2 years |
| 2,6-Di-tert-butyl-p-cresol | Ingestion | liver | Some positive data exist, but the data are not sufficient for classification | Rat | NOAEL 250 mg/kg/day | 28 days |
| 2,6-Di-tert-butyl-p-cresol | Ingestion | kidney and/or bladder | Not classified | Rat | NOAEL 500 mg/kg/day | 2 generation |
| 2,6-Di-tert-butyl-p-cresol | Ingestion | blood | Not classified | Rat | LOAEL 420 mg/kg/day | 40 days |
| 2,6-Di-tert-butyl-p-cresol | Ingestion | endocrine system | Not classified | Rat | NOAEL 25 mg/kg/day | 2 generation |
| 2,6-Di-tert-butyl-p-cresol | Ingestion | heart | Not classified | Mouse | NOAEL 3,480 mg/kg/day | 10 weeks |
| toluene | Inhalation | auditory system nervous system eyes olfactory system | Causes damage to organs through prolonged or repeated exposure | Human | NOAEL Not available | poisoning and/or abuse |
| toluene | Inhalation | respiratory system | Some positive data exist, but the data are not sufficient for classification | Rat | LOAEL 2.3 mg/l | 15 months |
| toluene | Inhalation | heart liver kidney and/or bladder | Not classified | Rat | NOAEL 11.3 mg/l | 15 weeks |

| toluene | Inhalation | endocrine system | Not classified | Rat | NOAEL 1.1 mg/l | 4 weeks |
|------------------|------------|--|--|-------------------------------|-----------------------------|-----------------------|
| toluene | Inhalation | immune system | Not classified | Mouse | NOAEL Not available | 20 days |
| toluene | Inhalation | bone, teeth, nails, and/or hair | Not classified | Mouse | NOAEL 1.1 mg/l | 8 weeks |
| toluene | Inhalation | hematopoietic system vascular system | Not classified | Human | NOAEL Not available | occupational exposure |
| toluene | Inhalation | gastrointestinal tract | Not classified | Multiple animal species | NOAEL 11.3 mg/l | 15 weeks |
| toluene | Ingestion | nervous system | Some positive data exist, but the data are not sufficient for classification | Rat | NOAEL 625 mg/kg/day | 13 weeks |
| toluene | Ingestion | heart | Not classified | Rat | NOAEL 2,500 mg/kg/day | 13 weeks |
| toluene | Ingestion | liver kidney and/or bladder | Not classified | Multiple animal species | NOAEL 2,500 mg/kg/day | 13 weeks |
| toluene | Ingestion | hematopoietic system | Not classified | Mouse | NOAEL 600 mg/kg/day | 14 days |
| toluene | Ingestion | endocrine system | Not classified | Mouse | NOAEL 105 mg/kg/day | 28 days |
| toluene | Ingestion | immune system | Not classified | Mouse | NOAEL 105 mg/kg/day | 4 weeks |
| maleic anhydride | Inhalation | respiratory system | Causes damage to organs through prolonged or repeated exposure | Rat | LOAEL 0.0011 mg/l | 6 months |
| maleic anhydride | Inhalation | endocrine system hematopoietic system nervous system kidney and/or bladder heart liver eyes | Not classified | Rat | NOAEL 0.0098 mg/l | 6 months |
| maleic anhydride | Ingestion | kidney and/or bladder | Some positive data exist, but the data are not sufficient for classification | Rat | NOAEL 55 mg/kg/day | 80 days |
| maleic anhydride | Ingestion | liver | Some positive data exist, but the data are not sufficient for classification | Rat | LOAEL 250 mg/kg/day | 183 days |
| maleic anhydride | Ingestion | heart nervous system | Not classified | Rat | NOAEL 600 mg/kg/day | 183 days |
| maleic anhydride | Ingestion | gastrointestinal tract | Not classified | Rat | NOAEL 150 mg/kg/day | 80 days |
| maleic anhydride | Ingestion | hematopoietic system | Not classified | Dog | NOAEL 60 mg/kg/day | 90 days |
| maleic anhydride | Ingestion | skin endocrine system immune system eyes respiratory system | Not classified | Rat | NOAEL 150 mg/kg/day | 80 days |

Aspiration Hazard

| Name | Value | | |
|---------|-------------------|--|--|
| toluene | Aspiration hazard | | |

Please contact the address or phone number listed on the first page of the SDS for additional toxicological information on this material and/or its components.

11.2. Information on other hazards

This material does not contain any substances that are assessed to be an endocrine disruptor for human health.

SECTION 12: Ecological information

The information below may not agree with the material classification in Section 2 and/or the ingredient classifications in Section 3 if specific ingredient classifications are mandated by a competent authority. In addition, statements and data presented in Section 12 are based on UN GHS calculation rules and classifications derived from 3M assessments.

12.1. Toxicity

No product test data available.

| Material | CAS# | Organism | Type | Exposure | Test endpoint | Test result |
|--|------------|------------------|---|----------|--------------------------------|--------------------------|
| Soybean oil | 8001-22-7 | N/A | Data not available or insufficient for classification | N/A | N/A | N/A |
| Butadiene-maleic anhydride copolymer | 25655-35-0 | N/A | Data not available or insufficient for classification | N/A | N/A | N/A |
| Soybean oil, epoxidised | 8013-07-8 | Green algae | Endpoint not reached | 72 hours | EbC50 | >100 mg/l |
| Soybean oil, epoxidised | 8013-07-8 | Water flea | Experimental | 24 hours | No tox obs at lmt of water sol | >100 mg/l |
| Soybean oil, epoxidised | 8013-07-8 | Green algae | Endpoint not reached | 72 hours | NOEC | >100 mg/l |
| Soybean oil, epoxidised | 8013-07-8 | Activated sludge | Experimental | 3 hours | EC50 | >100 mg/l |
| Soybean oil, epoxidised | 8013-07-8 | Rape | Experimental | 21 days | EC50 | 909 mg/kg (Dry Weight) |
| Soybean oil, epoxidised | 8013-07-8 | Redworm | Experimental | 56 days | NOEC | 1,000 mg/kg (Dry Weight) |
| Soybean oil, epoxidised | 8013-07-8 | Soil microbes | Experimental | 28 days | EC50 | 402 mg/kg (Dry Weight) |
| 2,6-Di-tert-butyl-p-cresol | 128-37-0 | Activated sludge | Experimental | 3 hours | EC50 | >10,000 mg/l |
| 2,6-Di-tert-butyl-p-cresol | 128-37-0 | Green algae | Experimental | 72 hours | EC50 | >0.4 mg/l |
| 2,6-Di-tert-butyl-p-cresol | 128-37-0 | Water flea | Experimental | 48 hours | EC50 | 0.48 mg/l |
| 2,6-Di-tert-butyl-p-cresol | 128-37-0 | Zebra Fish | Experimental | 96 hours | No tox obs at lmt of water sol | >100 mg/l |
| 2,6-Di-tert-butyl-p-cresol | 128-37-0 | Green algae | Experimental | 72 hours | EC10 | 0.4 mg/l |
| 2,6-Di-tert-butyl-p-cresol | 128-37-0 | Medaka | Experimental | 42 days | NOEC | 0.053 mg/l |
| 2,6-Di-tert-butyl-p-cresol | 128-37-0 | Water flea | Experimental | 21 days | NOEC | 0.023 mg/l |
| maleic anhydride | 108-31-6 | Bacteria | Experimental | 18 hours | EC10 | 44.6 mg/l |
| maleic anhydride | 108-31-6 | Rainbow trout | Experimental | 96 hours | LC50 | 75 mg/l |
| maleic anhydride | 108-31-6 | Green algae | Hydrolysis Product | 72 hours | ErC50 | 74.4 mg/l |
| maleic anhydride | 108-31-6 | Water flea | Hydrolysis Product | 48 hours | EC50 | 93.8 mg/l |
| maleic anhydride | 108-31-6 | Water flea | Experimental | 21 days | NOEC | 10 mg/l |
| maleic anhydride | 108-31-6 | Green algae | Hydrolysis Product | 72 hours | ErC10 | 11.8 mg/l |
| toluene | 108-88-3 | Coho Salmon | Experimental | 96 hours | LC50 | 5.5 mg/l |
| toluene | 108-88-3 | Grass Shrimp | Experimental | 96 hours | LC50 | 9.5 mg/l |
| toluene | 108-88-3 | Green algae | Experimental | 72 hours | EC50 | 12.5 mg/l |
| toluene | 108-88-3 | Leopard frog | Experimental | 9 days | LC50 | 0.39 mg/l |
| toluene | 108-88-3 | Pink Salmon | Experimental | 96 hours | LC50 | 6.41 mg/l |

| toluene | 108-88-3 | Water flea | Experimental | 48 hours | EC50 | 3.78 mg/l |
|---------|----------|------------------|--------------|----------|------|---------------------------------|
| toluene | 108-88-3 | Coho Salmon | Experimental | 40 days | NOEC | 1.39 mg/l |
| toluene | 108-88-3 | Diatom | Experimental | 72 hours | NOEC | 10 mg/l |
| toluene | 108-88-3 | Water flea | Experimental | 7 days | NOEC | 0.74 mg/l |
| toluene | 108-88-3 | Activated sludge | Experimental | 12 hours | IC50 | 292 mg/l |
| toluene | 108-88-3 | Bacteria | Experimental | 16 hours | NOEC | 29 mg/l |
| toluene | 108-88-3 | Bacteria | Experimental | 24 hours | EC50 | 84 mg/l |
| toluene | 108-88-3 | Redworm | Experimental | 28 days | LC50 | >150 mg per kg of bodyweight |
| toluene | 108-88-3 | Soil microbes | Experimental | 28 days | NOEC | <26 mg/kg (Dry Weight) |

12.2. Persistence and degradability

| Material | CAS Nbr | Test type | Duration | Study Type | Test result | Protocol |
|--|------------|--------------------------------------|----------|-------------------------------|--|-----------------------------------|
| Soybean oil | 8001-22-7 | Experimental Biodegradation | 28 days | CO2 evolution | 76 %CO2 evolution/THCO2 evolution | |
| Butadiene-maleic anhydride copolymer | 25655-35-0 | Data not availbl- insufficient | N/A | N/A | N/A | N/A |
| Soybean oil, epoxidised | 8013-07-8 | Experimental Biodegradation | 28 days | CO2 evolution | 92 %CO2 evolution/THCO2 evolution | OECD 301B - Modified sturm or CO2 |
| Soybean oil, epoxidised | 8013-07-8 | Analogous Compound Hydrolysis | | Hydrolytic half-life (pH 7) | >1 years (t 1/2) | OECD 111 Hydrolysis func of pH |
| 2,6-Di-tert-butyl-p- cresol | 128-37-0 | Data not availbl- insufficient | N/A | N/A | N/A | N/A |
| maleic anhydride | 108-31-6 | Hydrolysis product Biodegradation | 25 days | CO2 evolution | >90 %CO2 evolution/THCO2 evolution | OECD 301B - Modified sturm or CO2 |
| maleic anhydride | 108-31-6 | Experimental Hydrolysis | | Hydrolytic half-life | 0.37 minutes (t 1/2) | |
| toluene | 108-88-3 | Experimental Biodegradation | 20 days | BOD | 80 %BOD/ThOD | APHA Std Meth Water/Wastewater |
| toluene | 108-88-3 | Experimental Photolysis | | Photolytic half-life (in air) | 5.2 days (t 1/2) | |

12.3 : Bioaccumulative potential

| Material | Cas No. | Test type | Duration | Study Type | Test result | Protocol |
|--|------------|---|----------|------------------------|-------------|--------------------------------|
| Soybean oil | 8001-22-7 | Data not available or insufficient for classification | N/A | N/A | N/A | N/A |
| Butadiene-maleic anhydride copolymer | 25655-35-0 | Data not available or insufficient for classification | N/A | N/A | N/A | N/A |
| Soybean oil, epoxidised | 8013-07-8 | Experimental Bioconcentration | | Log Kow | >6.2 | OECD 117 log Kow HPLC method |
| 2,6-Di-tert-butyl-p- cresol | 128-37-0 | Experimental BCF - Fish | 56 days | Bioaccumulation factor | 1277 | OECD305-Bioconcentration |
| maleic anhydride | 108-31-6 | Experimental Bioconcentration | | Log Kow | -2.61 | OECD 107 log Kow shke flsk mtd |
| toluene | 108-88-3 | Experimental BCF - Other | 72 hours | Bioaccumulation factor | 90 | |
| toluene | 108-88-3 | Experimental Bioconcentration | | Log Kow | 2.73 | |

12.4. Mobility in soil

| Material | Cas No. | Test type | Study Type | Test result | Protocol |
|-------------------------|-----------|----------------------------------|------------|---------------------|------------------------|
| Soybean oil, epoxidised | 8013-07-8 | Modeled Mobility in Soil | Koc | 10,000,000,000 l/kg | Episuite TM |
| toluene | | Experimental Mobility in Soil | Koc | 37-160 l/kg | |

12.5. Results of the PBT and vPvB assessment

This material does not contain any substances that are assessed to be a PBT or vPvB

12.6. Other adverse effects

This material does not contain any substances that are assessed to be an endocrine disruptor for environmental effects

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Dispose of contents/ container in accordance with the local/regional/national/international regulations.

Dispose of completely cured (or polymerized) material in a permitted industrial waste facility. As a disposal alternative, incinerate uncured product in a permitted waste incineration facility. Proper destruction may require the use of additional fuel during incineration processes. Empty drums/barrels/containers used for transporting and handling hazardous chemicals (chemical substances/mixtures/preparations classified as Hazardous as per applicable regulations) shall be considered, stored, treated & disposed of as hazardous wastes unless otherwise defined by applicable waste regulations. Consult with the respective regulating authorities to determine the available treatment and disposal facilities.

The coding of a waste stream is based on the application of the product by the consumer. Since this is out of the control of 3M, no waste code(s) for products after use will be provided. Please refer to the European Waste Code (EWC - 2000/532/EC and amendments) to assign the correct waste code to your waste stream. Ensure national and/or regional regulations are complied with and always use a licensed waste contractor.

EU waste code (product as sold)

08 04 09* Waste adhesives and sealants containing organic solvents or other dangerous substances

SECTION 14: Transportation information

Not hazardous for transportation.

| | Ground Transport (ADR) | Air Transport (IATA) | Marine Transport (IMDG) |
|---------------------------------|------------------------|----------------------|-------------------------|
| 14.1 UN number | No data available. | No data available. | No data available. |
| 14.2 UN proper shipping name | No data available. | No data available. | No data available. |
| 14.3 Transport hazard class(es) | No data available. | No data available. | No data available. |
| 14.4 Packing group | No data available. | No data available. | No data available. |
| 14.5 Environmental hazards | No data available. | No data available. | No data available. |

| 14.6 Special precautions for user | Please refer to the other sections of the SDS for further information. | Please refer to the other sections of the SDS for further information. | Please refer to the other sections of the SDS for further information. |
|--|--|--|--|
| 14.7 Transport in bulk according to Annex II of Marpol 73/78 and IBC Code | No data available. | No data available. | No data available. |
| Control Temperature | No data available. | No data available. | No data available. |
| Emergency Temperature | No data available. | No data available. | No data available. |
| ADR Classification Code | No data available. | No data available. | No data available. |
| IMDG Segregation Code | No data available. | No data available. | No data available. |

Please contact the address or phone number listed on the first page of the SDS for additional information on the transport/shipment of the material by rail (RID) or inland waterways (ADN).

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Carcinogenicity

| Ingredient | CAS Nbr | Classification | Regulation |
|----------------------------|----------|-------------------------|--|
| 2,6-Di-tert-butyl-p-cresol | 128-37-0 | Gr. 3: Not classifiable | International Agency for Research on Cancer |
| toluene | 108-88-3 | Gr. 3: Not classifiable | International Agency for Research on Cancer |

Restrictions on the manufacture, placing on the market and use:

The following substance(s) contained in this product is/are subject to Annex XVII of regulation (EC) 1907/2006, as amended for GB, with regard to restrictions on the manufacture, placing on the market and use when present in certain dangerous conditions. Users of this product are required to comply with the restrictions placed upon it by the aforementioned provision.

| <u>Ingredient</u> | <u>CAS Nbr</u> |
|-------------------|----------------|
| toluene | 108-88-3 |

Restriction status: listed in UK REACH Annex XVII

Restricted uses: See Annex XVII to Regulation (EC) No 1907/2006 as amended for Great Britain for Conditions of

Restriction

Global inventory status

Contact 3M for more information. The components of this material are in compliance with the provisions of the Korea

Chemical Control Act. Certain restrictions may apply. Contact the selling division for additional information. The components of this material are in compliance with the provisions of Australia National Industrial Chemical Notification and Assessment Scheme (NICNAS). Certain restrictions may apply. Contact the selling division for additional information. The components of this material are in compliance with the provisions of Philippines RA 6969 requirements. Certain restrictions may apply. Contact the selling division for additional information. The components of this product are in compliance with the new substance notification requirements of CEPA. This product complies with Measures on Environmental Management of New Chemical Substances. All ingredients are listed on or exempt from on China IECSC inventory. The components of this product are in compliance with the chemical notification requirements of TSCA. All required components of this product are listed on the active portion of the TSCA Inventory.

COMAH Regulation, SI 2015/483

Seveso hazard categories, Annex 1, Part 1 None

Seveso named dangerous substances, Annex 1, Part 2

| Dangerous Substances | Identifier(s) | Qualifying quantity (tonn | es) for the application of |
|----------------------|---------------|---------------------------|----------------------------|
| | | Lower-tier requirements | Upper-tier requirements |
| toluene | 108-88-3 | 10 | 50 |

Regulation (EU) No 649/2012, as amended for GB

No chemicals listed

15.2. Chemical Safety Assessment

A chemical safety assessment has not been carried out for this substance/mixture in accordance with Regulation (EC) No 1907/2006, as amended for GB.

SECTION 16: Other information

List of relevant H statements

| EUH071 | Corrosive to the respiratory tract. |
|--------|--|
| H225 | Highly flammable liquid and vapour. |
| H302 | Harmful if swallowed. |
| H304 | May be fatal if swallowed and enters airways. |
| H314 | Causes severe skin burns and eye damage. |
| H315 | Causes skin irritation. |
| H317 | May cause an allergic skin reaction. |
| H318 | Causes serious eye damage. |
| H334 | May cause allergy or asthma symptoms or breathing difficulties if inhaled. |
| H336 | May cause drowsiness or dizziness. |
| H361d | Suspected of damaging the unborn child. |
| H372 | Causes damage to organs through prolonged or repeated exposure. |
| H373 | May cause damage to organs through prolonged or repeated exposure. |
| H400 | Very toxic to aquatic life. |
| H410 | Very toxic to aquatic life with long lasting effects. |
| H412 | Harmful to aquatic life with long lasting effects. |

Revision information:

Section 3: Composition/ Information of ingredients table information was modified.

Section 12: Component ecotoxicity information information was modified.

Section 12: Persistence and Degradability information information was modified.

Section 12:Bioccumulative potential information information was modified.

3M™ Scotchcast™ Reenterable Electrical Insulating Resin 2123, Part A

DISCLAIMER: The information on this Safety Data Sheet is based on our experience and is correct to the best of our knowledge at the date of publication, but we do not accept any liability for any loss, damage or injury resulting from its use (except as required by law). The information may not be valid for any use not referred to in this Data Sheet or use of the product in combination with other materials. For these reasons, it is important that customers carry out their own test to satisfy themselves as to the suitability of the product for their own intended applications. In addition, this SDS is being provided to convey health and safety information. If you are the importer of record of this product into the European Union, you are responsible for all regulatory requirements, including, but not limited to, product registrations/notifications, substance volume tracking, and potential substance registration.

3M SDSs for Great Britain are available at www.3M.com/uk

For Northern Ireland documents, please contact your 3M representative to obtain a copy.



Safety Data Sheet

Copyright, 2025, 3M Company All rights reserved. Copying and/or downloading of this information for the purpose of properly utilizing 3M products is allowed provided that: (1) the information is copied in full with no changes unless prior written agreement is obtained from 3M, and (2) neither the copy nor the original is resold or otherwise distributed with the intention of earning a profit thereon.

 Document group:
 25-0707-7
 Version number:
 12.00

 Revision date:
 16/04/2025
 Supersedes date:
 16/04/2025

This Safety Data Sheet has been prepared in accordance with the REACH Regulation (1907/2006), as amended for GB.

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

3M[™] Scotchcast[™] Reenterable Electrical Insulating Resin 2123, Part B

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses

Electrical

1.3. Details of the supplier of the safety data sheet

Address: 3M United Kingdom PLC, 3M Centre, Cain Road, Bracknell, Berkshire, RG12 8HT.

Telephone: +44 (0)1344 858 000

E Mail: ner-productstewardship@mmm.com

Website: www.3M.com/uk

1.4. Emergency telephone number

+44 (0)1344 858 000

SECTION 2: Hazard identification

2.1. Classification of the substance or mixture

The retained CLP Regulation (EU) No 1272/2008 as amended for Great Britain

The health and environmental classifications of this material have been derived using the calculation method, except in cases where test data are available or the physical form impacts classification. Classification(s) based on test data or physical form are noted below, if applicable.

A similar mixture has been tested for eye damage/irritation and the test results do not meet the criteria for classification. A similar mixture has been tested for skin corrosion/irritation and the test results do not meet the criteria for classification.

CLASSIFICATION:

Reproductive Toxicity, Category 2 - Repr. 2; H361d

Hazardous to the Aquatic Environment (Acute), Category 1 - Aquatic Acute 1; H400 Hazardous to the Aquatic Environment (Chronic), Category 1 - Aquatic Chronic 1; H410

For full text of H phrases, see Section 16.

2.2. Label elements

The retained CLP Regulation (EU) No 1272/2008 as amended for Great Britain

SIGNAL WORD

WARNING.

Symbols

GHS08 (Health Hazard) |GHS09 (Environment) |

Pictograms





| Ingredient | CAS Nbr | EC No. | % by Wt |
|--|------------|-----------|---------|
| Distillates (petroleum), hydrotreated heavy naphthenic | 64742-52-5 | 265-155-0 | 65 - 80 |
| 1,3-Butadiene, homopolymer, hydroxy-terminated | 69102-90-5 | | 15 - 30 |
| N-Methyldidecylamine | 7396-58-9 | 230-990-1 | 3 - 7 |

HAZARD STATEMENTS:

H361d Suspected of damaging the unborn child.

H410 Very toxic to aquatic life with long lasting effects.

PRECAUTIONARY STATEMENTS

Prevention:

P273 Avoid release to the environment.

P280E Wear protective gloves.

Response:

P391 Collect spillage.

Nota L applied.

2.3. Other hazards

None known.

This material does not contain any substances that are assessed to be a PBT or vPvB

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

| Ingredient | Identifier(s) | % | Classification according to Regulation |
|------------|---------------|---|--|
| | , , | | (EC) No. 1272/2008 [CLP], as |
| | | | amended for GB |

| Distillates (petroleum), hydrotreated heavy naphthenic | (CAS-No.) 64742-52-5 (EC-No.) 265-155-0 | 65 - 80 | Nota L |
|--|--|---------|--|
| 1,3-Butadiene, homopolymer, hydroxy- terminated | (CAS-No.) 69102-90-5 | 15 - 30 | Substance not classified as hazardous |
| N-Methyldidecylamine | (CAS-No.) 7396-58-9 (EC-No.) 230-990-1 | | Aquatic Acute 1, H400,M=100 Aquatic Chronic 1, H410,M=10 Acute Tox. 4, H302 Skin Irrit. 2, H315 Repr. 2, H361d |

Please see section 16 for the full text of any H statements referred to in this section

For information on ingredient occupational exposure limits or PBT or vPvB status, see sections 8 and 12 of this SDS

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation

Remove person to fresh air. If you feel unwell, get medical attention.

Skin contact

Wash with soap and water. If signs/symptoms develop, get medical attention.

Eve contact

Flush with large amounts of water. Remove contact lenses if easy to do. Continue rinsing. If signs/symptoms persist, get medical attention.

If swallowed

Rinse mouth. If you feel unwell, get medical attention.

4.2. Most important symptoms and effects, both acute and delayed

No critical symptoms or effects. See Section 11.1, information on toxicological effects.

4.3. Indication of any immediate medical attention and special treatment required

Not applicable

SECTION 5: Fire-fighting measures

5.1. Extinguishing media

In case of fire: Use a carbon dioxide or dry chemical extinguisher to extinguish.

5.2. Special hazards arising from the substance or mixture

None inherent in this product.

Hazardous Decomposition or By-Products

SubstanceConditionHydrocarbons.During combustion.Carbon monoxideDuring combustion.Carbon dioxide.During combustion.

5.3. Advice for fire-fighters

Wear full protective clothing, including helmet, self-contained, positive pressure or pressure demand breathing apparatus,

bunker coat and pants, bands around arms, waist and legs, face mask, and protective covering for exposed areas of the head.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Evacuate area. Ventilate the area with fresh air. For large spill, or spills in confined spaces, provide mechanical ventilation to disperse or exhaust vapours, in accordance with good industrial hygiene practice. Use personal protective equipment based on the results of an exposure assessment. Refer to Section 8 for PPE recommendations. If anticipated exposure resulting from an accidental release exceeds the protective capabilities of the PPE listed in Section 8, or are unknown, select PPE that offers an appropriate level of protection. Consider the physical and chemical hazards of the material when doing so. Examples of PPE ensembles for emergency response could include wearing bunker gear for a release of flammable material; wearing chemical protective clothing if the spilled material is a corrosive, a sensitizer, a significant dermal irritant, or can be absorbed through the skin; or donning a positive pressure supplied-air respirator for chemicals with inhalation hazards. For information regarding physical and health hazards, refer to sections 2 and 11 of the SDS.

6.2. Environmental precautions

Avoid release to the environment. For larger spills, cover drains and build dykes to prevent entry into sewer systems or bodies of water.

6.3. Methods and material for containment and cleaning up

Contain spill. Working from around the edges of the spill inward, cover with bentonite, vermiculite, or commercially available inorganic absorbent material. Mix in sufficient absorbent until it appears dry. Remember, adding an absorbent material does not remove a physical, health, or environmental hazard. Collect as much of the spilled material as possible. Place in a closed container approved for transportation by appropriate authorities. Clean up residue with an appropriate solvent selected by a qualified and authorised person. Ventilate the area with fresh air. Read and follow safety precautions on the solvent label and Safety Data Sheet. Seal the container. Dispose of collected material as soon as possible.

6.4. Reference to other sections

Refer to Section 8 and Section 13 for more information

SECTION 7: Handling and storage

7.1. Precautions for safe handling

For industrial/occupational use only. Not for consumer sale or use. Do not handle until all safety precautions have been read and understood. Avoid breathing dust/fume/gas/mist/vapours/spray. Do not get in eyes, on skin, or on clothing. Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Avoid release to the environment. Avoid contact with oxidising agents (eg. chlorine, chromic acid etc.) Use personal protective equipment (eg. gloves, respirators...) as required.

7.2. Conditions for safe storage including any incompatibilities

Store away from acids. Store away from strong bases. Store away from oxidising agents.

7.3. Specific end use(s)

See information in Section 7.1 and 7.2 for handling and storage recommendations. See Section 8 for exposure controls and personal protection recommendations.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limits

No occupational exposure limit values exist for any of the components listed in Section 3 of this Safety Data Sheet.

Biological limit values

No biological limit values exist for any of the components listed in Section 3 of this safety data sheet.

8.2. Exposure controls

8.2.1. Engineering controls

Curing enclosures must be exhausted to outdoors or to a suitable emission control device. Use general dilution ventilation and/or local exhaust ventilation to control airborne exposures to below relevant Exposure Limits and/or control dust/fume/gas/mist/vapours/spray. If ventilation is not adequate, use respiratory protection equipment.

8.2.2. Personal protective equipment (PPE)

Eye/face protection

None required.

Skin/hand protection

Select and use gloves and/or protective clothing approved to relevant local standards to prevent skin contact based on the results of an exposure assessment. Selection should be based on use factors such as exposure levels, concentration of the substance or mixture, frequency and duration, physical challenges such as temperature extremes, and other use conditions. Consult with your glove and/or protective clothing manufacturer for selection of appropriate compatible gloves/protective clothing. Note: Nitrile gloves may be worn over polymer laminate gloves to improve dexterity. Gloves made from the following material(s) are recommended:

MaterialThickness (mm)Breakthrough TimePolymer laminateNo data availableNo data available

Applicable Norms/Standards Use gloves tested to EN 374

Respiratory protection

An exposure assessment may be needed to decide if a respirator is required. If a respirator is needed, use respirators as part of a full respiratory protection program. Based on the results of the exposure assessment, select from the following respirator type(s) to reduce inhalation exposure:

Half facepiece or full facepiece air-purifying respirator suitable for organic vapours and particulates

For questions about suitability for a specific application, consult with your respirator manufacturer.

Applicable Norms/Standards

Use a respirator conforming to EN 140 or EN 136: filter types A & P

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

| Physical state | Liquid. | |
|---|--------------------------------------|--|
| Specific Physical Form: | Resin | |
| Colour | Amber | |
| Odor | Mild Epoxy | |
| Odour threshold | No data available. | |
| Melting point/freezing point | No data available. | |
| Boiling point/boiling range | >= 260 °C | |
| Flammability Not applicable. | | |
| | | |
| Flammable Limits(LEL) | No data available. | |
| Flammable Limits(UEL) No data available. | | |
| Flash point | >= 232.2 °C [Test Method:Closed Cup] | |

| Autoignition temperature | >= 260 °C |
|--|--------------------------|
| Decomposition temperature | No data available. |
| pH | |
| Kinematic Viscosity | 665 mm ² /sec |
| Water solubility | <= 1 % [@ 77 °F] |
| Solubility- non-water | No data available. |
| Partition coefficient: n-octanol/water | No data available. |
| Vapour pressure | <= 133.3 Pa [@ 55 °C] |
| Density | 0.94 g/ml |
| Relative density | 0.94 [Ref Std:WATER=1] |
| Relative Vapour Density | No data available. |
| Particle Characteristics | Not applicable. |
| | |

9.2. Other information

9.2.2 Other safety characteristics

Average particle size

Bulk density

No data available.
EU Volatile Organic Compounds

Evaporation rate

Molecular weight

Percent volatile

Softening point

No data available.

SECTION 10: Stability and reactivity

10.1 Reactivity

This material may be reactive with certain agents under certain conditions - see the remaining headings in this section

10.2 Chemical stability

Stable.

10.3 Possibility of hazardous reactions

Hazardous polymerisation will not occur.

10.4 Conditions to avoid

None known.

10.5 Incompatible materials

Strong acids.

Strong bases.

Strong oxidising agents.

Reducing agents.

No data available.

10.6 Hazardous decomposition products

Substance Condition

None known.

Refer to section 5.2 for hazardous decomposition products during combustion.

SECTION 11: Toxicological information

The information below may not agree with the material classification in Section 2 and/or the ingredient classifications in Section 3 if specific ingredient classifications are mandated by a competent authority. In addition, statements and data presented in Section 11 are based on UN GHS calculation rules and classifications derived from 3M assessments.

11.1. Information on hazard classes as defined in the retained CLP Regulation (EU) No 1272/2008, as amended for Great Britain.

Signs and Symptoms of Exposure

Based on test data and/or information on the components, this material may produce the following health effects:

Inhalation

Respiratory tract irritation: Signs/symptoms may include cough, sneezing, nasal discharge, headache, hoarseness, and nose and throat pain.

Skin contact

Mild Skin Irritation: Signs/symptoms may include localised redness, swelling, itching, and dryness.

Eve contact

Contact with the eyes during product use is not expected to result in significant irritation.

Gastrointestinal irritation: Signs/symptoms may include abdominal pain, stomach upset, nausea, vomiting and diarrhoea. May cause additional health effects (see below).

Additional Health Effects:

Reproductive/Developmental Toxicity:

Contains a chemical or chemicals which can cause birth defects or other reproductive harm.

Toxicological Data

If a component is disclosed in section 3 but does not appear in a table below, either no data are available for that endpoint or the data are not sufficient for classification.

Acute Toxicity

| Acute Toxicity | | | |
|--|-----------|---------|--|
| Name | Route | Species | Value |
| Overall product | Ingestion | | No data available; calculated ATE >5,000 mg/kg |
| Distillates (petroleum), hydrotreated heavy naphthenic | Dermal | Rabbit | LD50 > 2,000 mg/kg |
| Distillates (petroleum), hydrotreated heavy naphthenic | Ingestion | Rat | LD50 > 5,000 mg/kg |
| 1,3-Butadiene, homopolymer, hydroxy-terminated | Dermal | | LD50 estimated to be > 5,000 mg/kg |
| 1,3-Butadiene, homopolymer, hydroxy-terminated | Ingestion | | LD50 estimated to be 2,000 - 5,000 mg/kg |
| N-Methyldidecylamine | Dermal | Rabbit | LD50 > 5,000 mg/kg |
| N-Methyldidecylamine | Ingestion | Rat | LD50 990 mg/kg |

ATE = acute toxicity estimate

Skin Corrosion/Irritation

| Name | Species | Value | | |
|--|---------|--------------------|--|--|
| Distillates (petroleum), hydrotreated heavy naphthenic | Rabbit | Minimal irritation | | |
| N-Methyldidecylamine | Rabbit | Irritant | | |

Serious Eye Damage/Irritation

| Na | ame | Species | Value |
|----|-----|---------|-------|
| | | | |

3M™ Scotchcast™ Reenterable Electrical Insulating Resin 2123, Part B

| Distillates (petroleum), hydrotreated heavy naphthenic | Rabbit | Mild irritant |
|--|--------|---------------|
| N-Methyldidecylamine | Rabbit | Mild irritant |

Skin Sensitisation

| Name | Species | Value |
|--|---------|----------------|
| | | |
| Distillates (petroleum), hydrotreated heavy naphthenic | Guinea | Not classified |
| | pig | |
| N-Methyldidecylamine | Guinea | Not classified |
| | pig | |

Respiratory Sensitisation

For the component/components, either no data is currently available or the data is not sufficient for classification.

Germ Cell Mutagenicity

| Name | Route | Value |
|----------------------|----------|---------------|
| N-Methyldidecylamine | In Vitro | Not mutagenic |

Carcinogenicity

| Name | Route | Species | Value |
|--|-----------|---------|--|
| Distillates (petroleum), hydrotreated heavy naphthenic | Ingestion | Rat | Not carcinogenic |
| Distillates (petroleum), hydrotreated heavy naphthenic | Dermal | Mouse | Some positive data exist, but the data are not sufficient for classification |

Reproductive Toxicity

Reproductive and/or Developmental Effects

| Name | Route | Value | Species | Test result | Exposure Duration |
|----------------------|-----------|--|---------|-----------------------|--------------------------|
| N-Methyldidecylamine | Ingestion | Not classified for male reproduction | Rat | NOAEL 50 mg/kg/day | 29 days |
| N-Methyldidecylamine | Ingestion | Not classified for female reproduction | Rat | NOAEL 30 mg/kg/day | premating into lactation |
| N-Methyldidecylamine | Ingestion | Toxic to development | Rat | NOAEL 30 mg/kg/day | premating into lactation |

Target Organ(s)

Specific Target Organ Toxicity - single exposure

| Name | Route | Target Organ(s) | Value | Species | Test result | Exposure Duration |
|--|------------|------------------------|--|------------------------------|---------------------|----------------------|
| Distillates (petroleum), hydrotreated heavy naphthenic | Inhalation | respiratory irritation | Some positive data exist, but the data are not sufficient for classification | | NOAEL Not available | |
| N-Methyldidecylamine | Inhalation | respiratory irritation | Some positive data exist, but the data are not sufficient for classification | similar health hazards | NOAEL Not available | |

Specific Target Organ Toxicity - repeated exposure

| Name | Route | Target Organ(s) | Value | Species | Test result | Exposure Duration |
|----------------------|-----------|---|----------------|---------|-----------------------|----------------------|
| N-Methyldidecylamine | Ingestion | gastrointestinal tract respiratory system | Not classified | Rat | NOAEL 30 mg/kg/day | 29 days |
| N-Methyldidecylamine | Ingestion | heart endocrine system hematopoietic system liver immune system nervous system | Not classified | Rat | NOAEL 50 mg/kg/day | 29 days |

| 3MTM Sco | otchcast TM | Reenterable | Electrical | Insulating | Resin | 2123. | Part B |
|----------|------------------------|-------------|------------|------------|-------|-------|--------|
| | | | | | | | |

| | kidney and/or bladder | | | | |
|--|--------------------------|--|--|--|--|
|--|--------------------------|--|--|--|--|

Aspiration Hazard

For the component/components, either no data is currently available or the data is not sufficient for classification.

Please contact the address or phone number listed on the first page of the SDS for additional toxicological information on this material and/or its components.

11.2. Information on other hazards

This material does not contain any substances that are assessed to be an endocrine disruptor for human health.

SECTION 12: Ecological information

The information below may not agree with the material classification in Section 2 and/or the ingredient classifications in Section 3 if specific ingredient classifications are mandated by a competent authority. In addition, statements and data presented in Section 12 are based on UN GHS calculation rules and classifications derived from 3M assessments.

12.1. Toxicity

No product test data available.

| Material | CAS# | Organism | Type | Exposure | Test endpoint | Test result |
|---|------------|------------------|---|----------|---------------|-------------|
| Distillates (petroleum), hydrotreated heavy naphthenic | 64742-52-5 | Green algae | Estimated | 96 hours | EC50 | >100 mg/l |
| Distillates (petroleum), hydrotreated heavy naphthenic | 64742-52-5 | Water flea | Estimated | 48 hours | EC50 | >100 mg/l |
| 1,3-Butadiene, homopolymer, hydroxy-terminated | 69102-90-5 | N/A | Data not available or insufficient for classification | N/A | N/A | N/A |
| N- Methyldidecylamin e | 7396-58-9 | Activated sludge | Experimental | 3 hours | EC50 | 948 mg/l |
| N- Methyldidecylamin e | 7396-58-9 | Green algae | Experimental | 72 hours | ErC50 | 0.004 mg/l |
| N- Methyldidecylamin e | 7396-58-9 | Rainbow trout | Experimental | 96 hours | LC50 | 0.41 mg/l |
| N- Methyldidecylamin e | 7396-58-9 | Water flea | Experimental | 48 hours | EC50 | 0.024 mg/l |
| N- Methyldidecylamin e | 7396-58-9 | Green algae | Experimental | 72 hours | NOEC | 0.002 mg/l |

12.2. Persistence and degradability

| Material | CAS Nbr | Test type | Duration | Study Type | Test result | Protocol |
|---|------------|-----------------------------------|----------|------------|-------------|----------|
| Distillates (petroleum), hydrotreated heavy naphthenic | 64742-52-5 | Data not availbl- insufficient | N/A | N/A | N/A | N/A |
| 1,3-Butadiene, homopolymer, hydroxy-terminated | 69102-90-5 | Data not availbl- insufficient | N/A | N/A | N/A | N/A |

3M™ Scotchcast™ Reenterable Electrical Insulating Resin 2123, Part B

| ľ | N- | 7396-58-9 | Experimental | 28 days | CO2 evolution | 74 %CO2 | OECD 301B - Modified | ı |
|---|-------------------|-----------|----------------|---------|---------------|---------------------|----------------------|---|
| ı | Methyldidecylamin | | Biodegradation | - | | evolution/THCO2 | sturm or CO2 | ı |
| ı | e | | | | | evolution (does not | | ĺ |
| ı | | | | | | pass 10-day | | ı |
| l | | | | | | window) | | ĺ |

12.3 : Bioaccumulative potential

| Material | Cas No. | Test type | Duration | Study Type | Test result | Protocol |
|----------------------------------|------------|---|----------|------------------------|-------------|------------------------|
| Distillates (petroleum), | 64742-52-5 | Data not available or insufficient for | N/A | N/A | N/A | N/A |
| hydrotreated heavy naphthenic | | classification | | | | |
| | 69102-90-5 | Data not available or insufficient for classification | N/A | N/A | N/A | N/A |
| N- Methyldidecylamin e | 7396-58-9 | Modeled Bioconcentration | | Bioaccumulation factor | 405 | Episuite TM |
| N- Methyldidecylamin e | 7396-58-9 | Modeled Bioconcentration | | Log Kow | 8.8 | Episuite [™] |

12.4. Mobility in soil

No test data available.

12.5. Results of the PBT and vPvB assessment

This material does not contain any substances that are assessed to be a PBT or vPvB

12.6. Other adverse effects

This material does not contain any substances that are assessed to be an endocrine disruptor for environmental effects

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Dispose of contents/ container in accordance with the local/regional/national/international regulations.

Dispose of completely cured (or polymerized) material in a permitted industrial waste facility. As a disposal alternative, incinerate uncured product in a permitted waste incineration facility. Proper destruction may require the use of additional fuel during incineration processes. Empty drums/barrels/containers used for transporting and handling hazardous chemicals (chemical substances/mixtures/preparations classified as Hazardous as per applicable regulations) shall be considered, stored, treated & disposed of as hazardous wastes unless otherwise defined by applicable waste regulations. Consult with the respective regulating authorities to determine the available treatment and disposal facilities.

The coding of a waste stream is based on the application of the product by the consumer. Since this is out of the control of 3M, no waste code(s) for products after use will be provided. Please refer to the European Waste Code (EWC - 2000/532/EC and amendments) to assign the correct waste code to your waste stream. Ensure national and/or regional regulations are complied with and always use a licensed waste contractor.

EU waste code (product as sold)

08 04 09* Waste adhesives and sealants containing organic solvents or other dangerous substances

| SECTION 14: Transportation information |
|---|
|---|

| Ground Transport (ADR) Air Transport (IATA) | Marine Transport (IMDG) |
|---|-------------------------|
|---|-------------------------|

| 14.1 UN number | UN3082 | UN3082 | UN3082 |
|--|--|--|---|
| 14.2 UN proper shipping name | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.(METHYLDIDECYL AMINE) | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.(METHYLDIDECYL AMINE) | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.(METHYLDIDECYLAMINE) |
| 14.3 Transport hazard class(es) | 9 | 9 | 9 |
| 14.4 Packing group | III | III | III |
| 14.5 Environmental hazards | Environmentally Hazardous | Not applicable | Marine Pollutant |
| 14.6 Special precautions for user | Please refer to the other sections of the SDS for further information. | Please refer to the other sections of the SDS for further information. | Please refer to the other sections of the SDS for further information. |
| 14.7 Transport in bulk according to Annex II of Marpol 73/78 and IBC Code | No data available. | No data available. | No data available. |
| Control Temperature | No data available. | No data available. | No data available. |
| Emergency Temperature | No data available. | No data available. | No data available. |
| ADR Classification Code | M6 | Not applicable. | Not applicable. |
| IMDG Segregation Code | Not applicable. | Not applicable. | NONE |

Please contact the address or phone number listed on the first page of the SDS for additional information on the transport/shipment of the material by rail (RID) or inland waterways (ADN).

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Global inventory status

Contact 3M for more information. The components of this material are in compliance with the provisions of the Korea Chemical Control Act. Certain restrictions may apply. Contact the selling division for additional information. The components of this material are in compliance with the provisions of Australia National Industrial Chemical Notification and Assessment Scheme (NICNAS). Certain restrictions may apply. Contact the selling division for additional information. The components of this product are in compliance with the new substance notification requirements of CEPA. This product complies with Measures on Environmental Management of New Chemical Substances. All ingredients are listed on or exempt from on China IECSC inventory. The components of this product are in compliance with the chemical notification requirements of TSCA. All required components of this product are listed on the active portion of the TSCA Inventory.

COMAH Regulation, SI 2015/483

Seveso hazard categories, Annex 1, Part 1

| Hazard Categories | Qualifying quantity (tonnes) for the application | cation of |
|-----------------------------|--|-------------------------|
| | Lower-tier requirements | Upper-tier requirements |
| E1 Hazardous to the Aquatic | 100 | 200 |
| environment | | |

Seveso named dangerous substances, Annex 1, Part 2 None

Regulation (EU) No 649/2012, as amended for GB

No chemicals listed

15.2. Chemical Safety Assessment

A chemical safety assessment has not been carried out for this substance/mixture in accordance with Regulation (EC) No 1907/2006, as amended for GB.

SECTION 16: Other information

List of relevant H statements

| H302 | Harmful if swallowed. |
|-------|---|
| H315 | Causes skin irritation. |
| H361d | Suspected of damaging the unborn child. |
| H400 | Very toxic to aquatic life. |
| H410 | Very toxic to aquatic life with long lasting effects. |

Revision information:

GB Section 02: CLP Ingredient table information was added.

Label: CLP Classification information was modified.

Label: CLP Precautionary - Prevention information was modified.

Label: Graphic information was modified.

Section 02: CLP Physical and Health Hazard Statements information was added.

Section 09: Flammability information information was added.

Section 09: Odor information was modified.

Section 09: Particle Characteristics N/A information was added.

Section 1: E-mail address information was modified.

Section 11: Health Effects - Ingestion information information was modified.

Section 11: Health Effects - Skin information information was modified.

Section 11: Reproductive Toxicity Table information was added.

Section 11: Reproductive/developmental effects information information was added.

Section 11: Serious Eye Damage/Irritation Table information was modified.

Section 11: Skin Corrosion/Irritation Table information was modified.

Section 11: Skin Sensitization Table information was modified.

Section 11: Specific Target Organ Toxicity - repeated exposure text information was deleted.

Section 11: Specific Target Organ Toxicity - single exposure text information was deleted.

Section 11: Target Organs - Repeated Table information was added.

Section 11: Target Organs - Single Table information was modified.

Section 3: Composition/Information of ingredients table information was modified.

Section 4: First Aid - notes to physician (REACH/GHS) information was modified.

Section 6: Accidental release personal information information was modified.

Section 7: Conditions safe storage information was modified.

Section 7: Precautions safe handling information information was modified.

Section 9: Flammability (solid, gas) information information was deleted.

Two-column table displaying the unique list of H Codes and statements (std phrases) for all components of the given material. information was modified.

DISCLAIMER: The information on this Safety Data Sheet is based on our experience and is correct to the best of our knowledge at the date of publication, but we do not accept any liability for any loss, damage or injury resulting from its use (except as required by law). The information may not be valid for any use not referred to in this Data Sheet or use of the product in combination with other materials. For these reasons, it is important that customers carry out their own test to satisfy themselves as to the suitability of the product for their own intended applications. In addition, this SDS is being provided to convey health and safety information. If you are the importer of record of this product into the European Union, you are responsible for all regulatory requirements, including, but not limited to, product registrations/notifications, substance volume tracking, and potential substance registration.

3M SDSs for Great Britain are available at www.3M.com/uk

For Northern Ireland documents, please contact your 3M representative to obtain a copy.