



APC Symmetra PX 32kW Scalable to 96kW 400V with Modular Power Distribution

Brand : APC

Product code: SY32K96H-PD

Product name : Symmetra PX 32kW Scalable to 96kW 400V with Modular Power Distribution

Symmetra PX 32kW Scalable to 96kW 400V with Modular Power Distribution

APC Symmetra PX 32kW Scalable to 96kW 400V with Modular Power Distribution:

A high-efficiency 3-phase UPS with integrated modular distribution that can be right-sized to your data center power requirements. With scalable power, distribution and run-time, this UPS grows with your data center up to 96 kW/96 kVA. Suitable for small to medium data centers or individual zones of large data centers.

APC Symmetra PX 32kW Scalable to 96kW 400V with Modular Power Distribution. Output power capacity: 96 kVA, Output power: 96000 W, Input operation voltage (min): 340 V. AC outlet types: Hard Wire 5-wire (3P + N + E). Battery recharge time: 3.50 h. Product colour: Black, Display type: LCD. Certification: EN 50091-1,EN/IEC 62040-3,EN/IEC 62040-1-1,FCC Part 15 Class A,VFI-SS-111



Features		Operational conditions	
Output power capacity *	96 kVA	Operating temperature (T-T)	0 - 40 °C
Output power *	96000 W	Storage temperature (T-T)	-15 - 40 °C
Input operation voltage (min) *	340 V	Operating relative humidity (H-H)	0 - 95%
Input operation voltage (max) *	477 V	Storage relative humidity (H-H)	0 - 95%
Input frequency *	50/60 Hz	Operating altitude	0 - 999.9 m
Output operation voltage (min)	380 V	Non-operating altitude	0 - 15000 m
Output operation voltage (max)	415 V	Certificates	
Maximum current	59 A	Certification	EN 50091-1,EN/IEC 62040-3,EN/IEC 62040-1-1,FCC Part 15 Class A,VFI-SS-111
Efficiency	95%	Weight & dimensions	
Emergency Power Off (EPO)	✓	Width	1200 mm
Output voltage Total Harmonic Distortion (THD)	2%	Depth	1070 mm
EMI/RFI noise filtering	✓	Height	1991 mm
Noise level	61 dB	Weight	1814 kg
Power protection features	Over current, Overload	Packaging data	
Audible alarm(s)	✓	Package weight	1963 kg
Ports & interfaces		Logistics data	
AC outlet types	Hard Wire 5-wire (3P + N + E)	Harmonized System (HS) code	85078000
Battery		Other features	
Battery recharge time	3.50 h	Number of phases	3
Hot-swap battery	✓	Battery type	VRLA
Design		Interface	2 x SmartSlot
Product colour *	Black	Nominal output voltage	400 V
Display type	LCD	Output voltage note	380: 400 / 415 V 3 Ph
		Nominal input voltage	400 V
		Overload protection	✓

Other features

Package dimensions (WxDxH)	1696 x 1210 x 2140 mm
----------------------------	-----------------------

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.