

Philips P Line 326P1H/00 computer monitor 80 cm (31.5") 2560 x 1440 pixels Quad HD LED Black

Brand : Philips

Product family: P Line

Product code: 326P1H/00

Product name : 326P1H/00

- P Line
 - 32 (31.5"/80 cm diag.)
 - 2560 x 1440 (QHD)
- Brilliance 326P1H LCD monitor with USB-C docking

Philips P Line 326P1H/00 computer monitor 80 cm (31.5") 2560 x 1440 pixels Quad HD LED Black:

The Philips USB-C docking display for comprehensive solution. View QHD and re-charge a laptop upto 90W, all at the same time with a single USB-C cable. Pop-up webcam with Windows Hello, and daisy-chaining deliver performance and convenience

Philips P Line 326P1H/00. Display diagonal: 80 cm (31.5"), Display resolution: 2560 x 1440 pixels, HD type: Quad HD, Display technology: LED, Response time: 4 ms, Native aspect ratio: 16:9, Viewing angle, horizontal: 178°, Viewing angle, vertical: 178°. Built-in speaker(s). Built-in USB hub, USB hub version: 3.2 Gen 1 (3.1 Gen 1). VESA mounting, Height adjustment. Product colour: Black



Display		Ergonomics	
Display diagonal *	80 cm (31.5")	VESA mounting *	✓
Display resolution *	2560 x 1440 pixels	Panel mounting interface	100 x 100 mm
HD type *	Quad HD	Cable lock slot *	✓
Native aspect ratio *	16:9	Cable lock slot type	Kensington
Display technology *	LED	Height adjustment *	✓
Panel type *	IPS	Adjustable height (max)	18 cm
Backlight type	W-LED	Pivot	✓
Touchscreen *	✗	Pivot angle	-90 - 90°
Display brightness (typical)	350 cd/m²	Swivelling	✓
Response time *	4 ms	Swivel angle range	-180 - 180°
Anti-glare screen	✓	Tilt adjustment	✓
Screen shape *	Flat	Tilt angle range	-5 - 25°
Supported graphics resolutions	2560 x 1440	On Screen Display (OSD)	✓
Aspect ratio	16:9	On Screen Display (OSD) languages	Simplified Chinese, Traditional Chinese, Czech, German, Dutch, English, Spanish, Finnish, French, Greek, Hungarian, Italian, Japanese, Korean, Polish, Portuguese, Russian, Swedish, Turkish, Ukrainian
Contrast ratio (typical) *	1000:1		
Contrast ratio (dynamic)	50000000:1		
Dynamic contrast ratio marketing name	SmartContrast	Number of OSD languages	21
Maximum refresh rate *	75 Hz	Plug and Play	✓
Viewing angle, horizontal	178°	LED indicators	Operation, Stand-by
Viewing angle, vertical	178°	Power	
Display number of colours *	1.07 billion colours	Energy efficiency class (SDR) *	G
Pixel pitch	0.2727 x 0.2727 mm	Energy consumption (SDR) per 1000 hours *	39 kWh
Pixel density	93 ppi	Power consumption (typical) *	25.3 W
Horizontal scan range	30 - 114 kHz	Power consumption (standby) *	0.3 W
Vertical scan range	48 - 75 Hz	Power consumption (PowerSave)	24 W
Viewable size, horizontal	69.8 cm		
Viewable size, vertical	39.3 cm		
Digital horizontal frequency	30 - 114 kHz		

Display		Power	
Digital vertical frequency	48 - 75 Hz	AC input voltage	100 - 240 V
Display diagonal (metric)	80 cm	AC input frequency	50 - 60 Hz
DDC/CI	✓	Power supply type	Internal
Haze rate	25%	Energy efficiency scale	A to G
Surface hardness	3H	Operational conditions	
Colour gamut standard	sRGB	Operating temperature (T-T)	0 - 40 °C
Colour gamut	89%	Storage temperature (T-T)	-20 - 60 °C
sRGB coverage (typical)	118%	Operating relative humidity (H-H)	20 - 80%
NTSC coverage (typical)	106%	Operating altitude	0 - 3658 m
Adobe RGB coverage	87%	Non-operating altitude	0 - 12192 m
Display sRGB	✓	Weight & dimensions	
Performance		Width (with stand)	714 mm
Component video sync	Separate Sync	Depth (with stand)	280 mm
Flicker-free technology	✓	Height (with stand)	649 mm
Low Blue Light technology	✓	Weight (with stand)	12.2 kg
Multimedia		Width (without stand)	714 mm
Number of speakers	2	Depth (without stand)	62 mm
RMS rated power	10 W	Height (without stand)	422 mm
Built-in speaker(s) *	✓	Weight (without stand)	8.21 kg
Megapixel (approx.)	2 MP	Packaging data	
Built-in microphone	✓	Package width	930 mm
Built-in camera *	✓	Package depth	186 mm
Design		Package height	563 mm
Market positioning *	Home	Package weight	15.5 kg
Product colour *	Black	Package type	Box
Front bezel colour	Black	Packaging content	
Detachable stand	✓	Stand included	✓
Feet colour	Black	Cables included	HDMI, DisplayPort, USB Type-C, AC
Ports & interfaces		Manual	✓
Built-in USB hub *	✓	Bundled software	SmartControl
USB hub version	3.2 Gen 1 (3.1 Gen 1)	Sustainability	
USB upstream port type	USB Type-C	Sustainability certificates	ENERGY STAR, TCO
Number of upstream ports	1	Doesn't contain	Mercury, PVC/BFR
Number of USB Type-C upstream ports quantity	1	Other features	
USB Type-A downstream ports quantity	4	HBR3 support	✓
USB Type-C DisplayPort Alternate Mode	✓	USB Power Delivery revision	3.0
USB Power Delivery (USB PD)	✓	Exterior finish type	Textured
USB Power Delivery up to	90 W	Picture enhancement	SmartImage
DVI port	✗	Regulatory Approvals	CB; TUV/GS; TUV Ergo; SEMKO; CU-EAC; EAEU RoHS; CCC; CEL; CECP; CE Mark; FCC Class B; ICES-003; TUV Eye Comfort certified
HDMI *	✓	Heavy metals free	Hg (mercury), Pb (lead)
HDMI ports quantity	2	Delta E	2
HDMI version	1.4	Light sensor	✓
DisplayPorts quantity	2	EasyRead mode	✓
DisplayPort version	1.4	LowBlue mode	✓
Audio input	✗	Philips SmartUniformity	93 - 105%
Audio output	✓	Compliance certificates	RoHS
Headphone out *	✗	Mean time between failures (MTBF)	70000 h
HDCP	✓	Ethernet LAN data rates	10,100,1000 Mbit/s
HDCP version	2.2	Wake-on-LAN	✓
Charging port type	USB Type-C + USB Type-A	Certification	CB, TUV/GS, TUV Ergo, SEMKO, CU-EAC, EAEU RoHS, CCC, CEL, CECP, CE Mark, FCC Class B, ICES-003, TUV Eye Comfort certified
AC (power) in	✓	Recycling data	
DisplayPort output	✓	Recyclable packaging material	100%

Network		Recycling data	
Ethernet LAN	✓	Post-consumer recycled plastic	85%
		Logistics data	
		Harmonized System (HS) code	85285210



8712581768096

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.