



TP-Link Archer AXE5400 Tri-Band Gigabit Wi-Fi 6E Router

Brand : TP-Link

Product family: Archer

Product code: ARCHER AXE75

Product name : AXE5400 Tri-Band Gigabit Wi-Fi 6E Router

- AXE5400 Tri-Band – AXE5400 Tri-Band Wi-Fi delivers Wi-Fi speeds up to 5400 Mbps
 - Cutting-Edge Processing – Armed with a 1.7 GHz Quad-Core CPU
 - SuperSpeed USB 3.0 – Up to 10× faster transfer speeds than USB 2.0
 - Wi-Fi 6E Unleashed – The brand new 6 GHz band brings more bandwidth, faster speeds, and near-zero latency
 - HomeShield – Customize your home network with enhanced security and control
 - OneMesh™ – Creates a Mesh network by connecting to a TP-Link OneMesh Extender for seamless whole-home coverage
 - Connect More Devices—OFDMA technology increases capacity by 4 times to enable simultaneous transmission to more devices
 - Ultra-Low Latency—Enables more responsive gaming and video chatting
 - Compatible with Alexa—Control your router via voice commands and make your life smarter and easier with Amazon Alexa
- 6/5/2.4 GHz, 2402/2402/574 Mbps, 1.7 GHz Quad-Core CPU, 1× Gigabit WAN, 4× Gigabit LAN, 272.5 x 147.2 x 49.2 mm



WAN connection		Security	
Ethernet WAN *	✓	DoS attack prevention	✓
DSL WAN *	✗	DDoS protection	✓
SIM card slot *	✗	MAC address filtering	✓
3G/4G USB modem compatibility *	✗	IP address filtering	✓
WAN connection type	RJ-45	URL filtering	✓
Wireless LAN features		DMZ support	✓
Wi-Fi band *	Tri-band (2.4 GHz / 5 GHz / 6 GHz)	Network address translation (NAT)	✓
Top Wi-Fi standard *	Wi-Fi 6E (802.11ax)	Protocols	
WLAN data transfer rate (max) *	5400 Mbit/s	DHCP client	✓
Wi-Fi standards	802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac), Wi-Fi 6 (802.11ax)	DHCP server	✓
		Universal Plug and Play (UPnP)	✓
WLAN data transfer rate (first band)	574 Mbit/s	Supported network protocols	IPv4, IPv6
WLAN data transfer rate (second band)	2402 Mbit/s	Design	
WLAN data transfer rate (third band)	2402 Mbit/s	Product colour	Black
Network		Wall mountable	✓
Ethernet LAN *	✓	LED indicators	Power, WAN, WLAN
Ethernet LAN interface type *	Gigabit Ethernet	On/off switch	✓
Ethernet LAN data rates	2500 Mbit/s	Product type *	Tabletop router
Cabling technology	10/100/1000Base-T(X)	Certificates	
Networking standards	IEEE 802.11a, IEEE 802.11ac, IEEE 802.11ax, IEEE 802.11n	Compliance certificates	Federal Communications Commission (FCC), RoHS
Port forwarding	✓	Packaging content	
Port triggering	✓	Cables included	LAN (RJ-45)
Dynamic DNS (DDNS)	✓	AC adapter included	✓
Static route	✗	Quick installation guide	✓


Network		Sustainability	
Number of guest networks (2.4 GHz)	1	Sustainability compliance	✓
Number of guest networks (5 GHz)	1	Antenna	
Support Samba (storage)	✓	Antenna design *	External
Built-in FTP server	✓	Antennas quantity	6
VPN server	OpenVPN Server	Detachable antenna(s)	✓
Media server	✓	Transmit power	FCC: ≤29dBm (2.4 GHz), ≤28dBm (5 GHz), ≤22dBm (6 GHz) CE: ≤17dBm (2.4 GHz), ≤27dBm (5 GHz), ≤20dBm (6 GHz)
VPN Passthrough	✓		
VPN support	OpenVPN Server PPTP VPN Server L2TP VPN Server	Features	
Ports & interfaces		Built-in processor	✓
Ethernet LAN (RJ-45) ports *	5	Processor frequency	1700 MHz
USB port *	✓	Processor cores	4
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity	1	Firmware upgradeable	✓
Management features		Power	
Web-based management	✓	Power source type *	DC
Quality of Service (QoS) support	✓	Output voltage	12 V
Wake-on-LAN ready	✓	Output current	2.5 A
Wireless statistics	✓	Operational conditions	
Reset button	✓	Operating temperature (T-T)	0 - 40 °C
WPS push button	✓	Operating relative humidity (H-H)	10 - 90%
Security		Weight & dimensions	
Security algorithms	WPA, WPA-Enterprise, WPA2, WPA3	Width	272.5 mm
Firewall	✓	Depth	147.2 mm
Firewall security	SPI Firewall	Height	49.2 mm
Guest access	✓	Packaging data	
Access Control List (ACL)	✓	Package width	328 mm
		Package depth	265 mm
		Package height	120 mm
		Package weight	1.53 kg
		Number of products included	1 pc(s)
		Logistics data	
		Harmonized System (HS) code	85176990



4897098687482



4897098687222



0840030707483



840030707483

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.