
KODAK ALKALINE BATTERIES

1. Identification of the substance/preparation and of the company/undertaking

Product names: KODAK ALKALINE BATTERY TYPES;

ULTRA PREMIUM – AAA, AA,

MAX Super Alkaline - AAA, AA, C, D, 9V, 11A, 23A, 27A, N-LR1, 4LR44 & LR44

XTRALIFE - AAA, AA, C, D and 9V

Supplier:

For Hazardous Materials [or Dangerous Goods] Incident
Spill, Leak, Fire, Exposure, or Accident
Call CHEMTREC Day or Night
1-800-424-9300 / +1 703-527-3887 CCN696626

For other information or to request an MSDS, contact;

Kodak Batteries - Technology Department
Tel. +44 (0) 1252 861000
Email: _____

Synonyms: None.

Product Use: Battery, for consumer and industrial use.

KODAK ALKALINE BATTERIES

2. Hazards identification

Classification of the chemical in accordance with paragraph (d) of 29 CFR 1910.1200 :

Components	Hazard Class	Hazard Category	Hazard Statement codes	Route of exposure
Manganese dioxide	Acute Toxicity	Category 4	H302 H332	Harmful if swallowed Harmful if inhaled
Zinc	Hazardous to the aquatic environment, Short term (Acute)	Acute 1 Chronic 1	H400 H410	Very toxic to aquatic life Very toxic to aquatic life with long lasting effects
Potassium hydroxide	Acute Toxicity Skin Irritation	Category 4 Category 1	H302 H314	Harmful if swallowed Causes severe skin burns & eye damage.
Graphite	Flammable solid Serious eye damage/ irritation Specific target organ toxicity-single exposure	Category 2 Category 2/2A Category 3	H228 H319 H335	Flammable solid Causes serious eye irritation May cause respiratory irritation

GHS-Labeling

CONTAINS : Manganese dioxide (1313-13-9), Zinc (7440-66-6), Potassium hydroxide (1310-58-3), Graphite (7782-42-5).

Symbol(s) :



Signal Word : Warning

KODAK ALKALINE BATTERIES

Hazard Statements: Flammable solids. Harmful if swallowed. Harmful if inhaled. Causes severe skin burns & eye damage. Causes serious eye irritation. May cause respiratory irritation. Causes severe skin burns & eye damage. Very toxic to aquatic life and Very toxic to aquatic life with long lasting effects.

Precautionary statements:

Prevention: If battery has been damaged, do not breathe fumes or vapours. Do not get battery contents in eyes, on skin, on clothing. wear impervious gloves.

Response: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/ attention. IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/ physician. IF SWALLOWED: All batteries may be harmful if swallowed. Call a physician/ doctor or POISON CENTER immediately for any actual or suspected ingestion. If swallowed, DO NOT induce vomiting. Batteries may lodge in the throat or digestive tract and fragment. If battery was leaking or was chewed, rinse mouth thoroughly with water. IF ON SKIN: Wash with plenty of soap and water. Call a POISON CENTER or doctor/ physician if you feel unwell. If skin irritation occurs: Get medical advice/ Attention. Remove/ Take off immediately all contaminated clothing and wash it before reuse. IF exposed or concerned. Get medical advice/ Attention.

Storage: Keep in a dry, cool place. Keep away from direct sunlight and sources of heat. Do not freeze. Keep away from water. Do not short circuit.

Disposal: Dispose of batteries in accordance with local/regional/national/International regulation.

HMIS III Hazard Ratings: Health – 3, Flammability- 1, Physical Hazard-2, Personal Protection-OX

NFPA Hazard Ratings: Health – 3, Flammability- 1, Physical Hazard-2, Personal Protection-OX

NOTE: HMIS III and NFPA 704 hazard indexes involve data review and interpretation that may vary among companies. They are intended only for rapid, general identification of the magnitude of the potential hazards. To adequately address safe handling. ALL information in this SDS must be considered.

KODAK ALKALINE BATTERIES

3. Composition/information on ingredients

Weight percent %	Components	CAS-No
20 - 40	Manganese dioxide	1313-13-9
10-20	Zinc	7440-66-6
1 - 10	Potassium hydroxide	1310-58-3
1-5	Graphite	7782-42-5

Weight per cent listed is based on approximate per cent of the average weight of the battery.

The components in this section may only represent a hazard if the integrity of the battery is compromised.

4. First aid measures

The routine handling and use of intact, non-damaged batteries is not expected to result in situations that require first-aid measures. If battery is damaged due to opening, cutting, crushing, overheating, improper installation, exposure to fire or high temperatures, or recharging, battery contents may be released.

Inhalation: If vapours or fumes from vented or leaking battery are irritating to respiratory tract, move to fresh air. Get medical attention if symptoms occur.

Eyes: In case of contact with battery contents (liquid or metal), immediately flush with plenty of water for at least 15 minutes. Get medical attention immediately.

Skin: In case of contact with battery contents (liquid or metal), immediately remove metal fragments and flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes.

Get medical attention immediately. Wash contaminated clothing before re-use. Destroy or thoroughly clean contaminated shoes.

Ingestion: All batteries may be harmful if swallowed. Call a physician or poison control centre immediately for any actual or suspected ingestion. If swallowed, DO NOT induce vomiting. Batteries may lodge in the throat or digestive tract and fragment. If battery was leaking or was chewed, rinse mouth thoroughly with water.

Notes to physician:

Hazards: Battery ingestions should not be managed in the same way as other small metallic object ingestions, e.g., coins. The position and integrity of the battery in the gastrointestinal tract should

KODAK ALKALINE BATTERIES

be assessed and monitored by x-ray. Leaking batteries may cause necrosis and tissue damage. Larger batteries or batteries that lodge in the gastrointestinal tract may have to be removed endoscopically or surgically.

5. Fire-fighting measures

Extinguishing Media: Use appropriate agent for adjacent fire.

Special Fire-Fighting Procedures: Wear self-contained breathing apparatus and protective clothing. Fire or excessive heat may produce hazardous decomposition products.

Hazardous Combustion Products: Carbon oxides, oxides of manganese, oxides of zinc, (see also Hazardous Decomposition Products sections.)

Unusual Fire and Explosion Hazards: Fire or high temperatures may cause battery to flame or leak flammable and hazardous vapours. Damaged or opened batteries can result in rapid heating and the release of flammable and hazardous vapours.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures: Refer to protective measures listed in sections 7 and 8

Methods and materials for containment and cleaning up: Remove all sources of ignition. Absorb. Spill with vermiculite or other inert material, then place in a container for chemical waste and dispose of in accordance with local regulations (see Section 13. Disposal considerations). Clean surface thoroughly to remove contamination. Prevent runoff from entering drains, sewers or streams. Ventilate area.

Environmental Precautions: No information available

For Large Spills: None should be needed.

KODAK ALKALINE BATTERIES

7. Handling and storage

Personal precautions: If battery has been damaged, do not breathe fumes or vapours. Do not get battery contents in eyes, on skin, on clothing. Wash thoroughly after handling.

Prevention of Fire and Explosion: DO NOT DISASSEMBLE. Keep away from heat and flame.
Do not short circuit. Avoid the use of old and new batteries or batteries of varying sizes and types in the same battery assembly. The batteries electrical characteristics and capabilities may vary and damage may result to the batteries or electrical equipment. DO NOT RECHARGE. Charging may result in electrolyte leakage, explosion and/or cause the battery to flame. Avoid reversing polarity within a device or a battery assembly. To do so may cause leakage, explosion, and/or flame.

Storage: Do not store in a manner that allows terminals to short circuit. Keep in a dry, cool place. Keep away from direct sunlight. Storage above 21°C (70°F) may affect product quality. Do not freeze. Keep away from water. Short circuiting may reduce battery service life. Extended short circuiting creates high temperatures in the battery. High temperatures can cause leakage, explosion, and/or flame. Keep away from incompatible substances (see Incompatibility section.)

8. Exposure controls/personal protection

Occupational exposure controls			
Chemical Name	Regulatory List	Value Type	Value
Manganese dioxide	ACGIH	Time weighted average	0.2 mg/m ³ <i>Expressed Mn</i>
	OSHA	Ceiling Limit Value	5 mg/m ³ <i>Expressed Mn</i>
Potassium hydroxide	ACGIH	Ceiling Limit Value	2 mg/m ³
	NIOSH	Ceiling Limit Value	2 mg/m ³
Graphite	ACGIH	Time weighted average	2 mg/m ³ (<i>respirable, natural, all forms except fibers</i>)
	NIOSH	Time weighted average	2.5 mg/m ³ (<i>respirable, natural, all forms except fibers</i>)
	OSHA	Time weighted average	15 mg/m ³ (<i>Dust</i>) 2.5 mg/m ³ (<i>respirable</i>)
	Cal/OSHA	Time weighted average	10 mg/m ³ (<i>Dust</i>) 5 mg/m ³ (<i>respirable</i>)

Ventilation: Supplemental ventilation may be needed in special circumstances to control fumes/vapours to an acceptable level.

Respiratory protection: None should be needed.

Eye protection: When handling a damaged battery, wear safety glasses with side shields (or goggles).

Hand protection: When handling a damaged battery, wear impervious gloves.

KODAK ALKALINE BATTERIES

9. Physical and chemical properties

Physical form: solid

Colour: not applicable

Odour: odourless

Specific gravity: not applicable

Vapour pressure: negligible

Vapour density: not applicable

Volatile fraction by weight: not applicable

Melting point/range: not applicable

Water solubility: insoluble

pH: not applicable

Flash point: not applicable

10. Stability and reactivity

Reactivity: No data available

Chemical stability: Stable under normal conditions.

Incompatibility: no data available.

Hazardous decomposition products: None under normal conditions of use.

Hazardous Polymerization: Hazardous polymerisation does not occur.

11. Toxicological information

Effects of Exposure

General advice: Since the materials in this battery are sealed in the battery case, the potential for exposure to the components of the battery is negligible when the battery is used as directed. However, technical or electrical abuse of the battery may result in the release of battery contents.

Contains: Manganese dioxide. Can cause nervous system damage.

Inhalation: *Intact battery:* Expected to be a low hazard for recommended handling. *Damaged battery:* Harmful if inhaled. May cause irritation to the mucous membranes and upper respiratory tract.

Eyes: *Intact battery:* Expected to be a low hazard for recommended handling. *Damaged battery:* Contact with electrolyte (liquid) causes burns. Airborne dust/mist/vapor irritating. Contact with metal fragments may cause burns or mechanical injury.

KODAK ALKALINE BATTERIES

Skin: *Intact battery:* Expected to be a low hazard for recommended handling. *Damaged battery:* Contact with electrolyte (liquid) causes burns. Contact with metal fragments may cause burns or mechanical injury. Harmful if absorbed through skin. Vapours or fumes may cause irritation.

Ingestion: All batteries may be harmful if swallowed. May cause burns of the gastrointestinal tract if swallowed.

Data for Manganese dioxide (CAS 1313-13-9):

Acute Toxicity Data:

Oral LD50 (rat): > 3,478 mg/kg

Data for Potassium hydroxide (CAS 1310-58-3):

Acute Toxicity Data:

Oral LD50 (rat): 273 mg/kg

- Skin irritation: severe

12. Ecological information

This material is not expected to be harmful to aquatic life.

13. Disposal considerations

DO NOT INCINERATE or expose to fire. Discharge, treatment, or disposal may be subject to national, federal, state, commonwealth, provincial, or local laws.

14. Transport information

These batteries are not regulated by international agencies as hazardous materials or dangerous goods when shipped under IATA Dangerous Goods Regulations, ICAO Technical Instructions, IMDG Code, UN Model Regulations, U.S. Hazardous Materials Regulations (49 CFR), and UNECE ADR

Kodak batteries follow the regulatory concerns on batteries from all agencies for safe packaging which require that batteries be packaged in a manner that prevents short circuits and be contained in "strong outer packaging" that prevents spillage of contents.

UN Identification Number None - Not Required

Air Transport (IATA/ICAO) SP Special Provision A123 (60th Edition - 2019). These batteries are not subjected to DGR Regulations provided they meet packing requirements of IATA/ICAO SP 123 and SP 130 of the DOT. NOTE: The words "NOT RESTRICTED" and "SPECIAL PROVISION A123" must be included on the description in the Air Waybill.

US DOT SP 49 CFR 172.102 Special Provision 130

KODAK ALKALINE BATTERIES

15. Regulatory information

Notification status

Regulatory List	Notification status
TSCA	All listed
DSL	All listed
NDSL	None listed
EINECS	All listed
ELINCS	None listed
NLP	None listed
AICS	All listed
IECS	All listed
ENCS	Not all listed
ECI	All listed
NZIoC	All listed
PICCS	All listed

"Not all listed" indicates one or more component is either not on the public Inventory or is subject to exemption requirements. If additional information is needed contact Strand Europe.

Other regulations

American Conference of Governmental Industrial Hygienists (ACGIH):	No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH
International Agency for Research on Cancer (IARC):	No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
U.S. National Toxicology Program (NTP):	No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
U.S. Occupational Safety and Health Administration (OSHA):	No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.
California Prop. 65	This product does not contain any chemicals known to State of California to cause cancer, birth, or any other reproductive defects.
U.S. - CERCLA/SARA (40 CFR § 302.4 Designation of hazardous substances):	Potassium hydroxide, Zinc

KODAK ALKALINE BATTERIES

U.S. - CERCLA/SARA - Section 302 (40 CFR § 355 Appendices A and B - The List of Extremely Hazardous Substances and Their Threshold Planning Quantities):	No components of this product are subject to the SARA Section 302 (40 CFR 355) reporting requirements.
U.S. - CERCLA/SARA - Section 313 (40 CFR § 372.65 Toxic Chemical Release Reporting):	Manganese dioxide, Zinc
U.S. - California - 8 CCR Section 339 - Director's List of Hazardous Substances:	Potassium hydroxide, Manganese dioxide, Zinc, Graphite
U.S. - California - 8 CCR Section 5200-5220 - Specifically Regulated Carcinogens:	No components found on the California Specifically Regulated Carcinogens List.
U.S. - California - 8 CCR Section 5203 Carcinogens:	No components found on the California Section 5203 Carcinogens List.
U.S. - California - 8 CCR Section 5209 Carcinogens:	No components found on the California Section 5209 Carcinogens List.
U.S. - Massachusetts - General Law Chapter 111F (MGL c 111F) - Hazardous Substances Disclosure by Employers (a.k.a. Right to Know Law):	Potassium hydroxide, Zinc, Graphite
U.S. - Minnesota Employee Right-to-Know (5206.0400, Subpart 5. List of Hazardous Substances):	Potassium hydroxide, Manganese dioxide, Graphite
U.S. - New Jersey - Worker and Community Right to Know Act (N.J.S.A. 34:5A-1):	Potassium hydroxide, Manganese dioxide, Zinc, Graphite
U.S. - Pennsylvania - Part XIII. Worker and Community Right-to-Know Act (Chapter 323 Hazardous Substance List, Appendix A):	Potassium hydroxide, Manganese dioxide, Zinc, Water, Graphite
List, Appendix A):	
U.S. - Rhode Island - Title 28 Labour and Labour Relations (Chapters 28-21 Hazardous Substance Right-to-Know Act):	Potassium hydroxide, Zinc, Graphite

KODAK ALKALINE BATTERIES

16. Other information

The data below reflects current legislative requirements whereas the product in your possession may carry a different version of the label depending on the date of manufacture.

US/Canadian Label Statements:

CONTAINS: Manganese dioxide (1313-13-9), Zinc (7440-66-6), Potassium hydroxide (1310-58-3), Graphite (7782-42-5)

Symbol(s) :



Signal word : Warning

Hazard Statements: Flammable solids. Harmful if swallowed. Harmful if inhaled. Causes severe skin burns & eye damage. Causes serious eye irritation. May cause respiratory irritation. Causes severe skin burns & eye damage. Very toxic to aquatic life and Very toxic to aquatic life with long lasting effects.

Precautionary statements:

Prevention: If battery has been damaged, do not breathe fumes or vapours. Do not get battery contents in eyes, on skin, on clothing. wear impervious gloves.

Response: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/ attention. IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/ physician. IF SWALLOWED: All batteries may be harmful if swallowed. Call a physician/ doctor or POISON CENTER immediately for any actual or suspected ingestion. If swallowed, DO NOT induce vomiting. Batteries may lodge in the throat or digestive tract and fragment. If battery was leaking or was chewed, rinse mouth thoroughly with water. IF ON SKIN: Wash with plenty of soap and water. Call a POISON CENTER or doctor/ physician if you feel unwell. If skin irritation occurs: Get

KODAK ALKALINE BATTERIES

medical advice/ Attention. Remove/ Take off immediately all contaminated clothing and wash it before reuse. IF exposed or concerned. Get medical advice/ Attention.

Storage: Keep in a dry, cool place. Keep away from direct sunlight and sources of heat. Do not freeze. Keep away from water. Do not short circuit.

Disposal : Dispose of batteries in accordance with local/regional/national/International regulation.

FIRST AID: If vapours or fumes from vented or leaking battery are irritating to respiratory tract, move to fresh air. Get medical attention if symptoms occur. In case of contact with battery contents (liquid or metal), immediately flush with plenty of water for at least 15 minutes. Get medical attention immediately. In case of contact with battery contents (liquid or metal), immediately remove metal fragments and flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Get medical attention immediately. Wash contaminated clothing before re-use. Destroy or thoroughly clean contaminated shoes. All batteries may be harmful if swallowed. Call a physician or poison control centre immediately for any actual or suspected ingestion. If swallowed, DO NOT induce vomiting. Batteries may lodge in the throat or digestive tract and fragment. If battery was leaking or was chewed, rinse mouth thoroughly with water.

Keep out of reach of children.

Do not handle or use until safety precautions in Material Safety Data Sheet (MSDS) have been read and understood.

Since emptied containers retain product residue, follow label warnings even after container is emptied.

IN CASE OF FIRE: Use appropriate agent for adjacent fire.

IN CASE OF SPILL: Dispose of in accordance with local regulations (see Section 13. Disposal considerations). For Large Spills: None should be needed.

The information contained herein is furnished without warranty of any kind. Users should consider these data only as a supplement to other information gathered by them and must make independent determinations of suitability and completeness of information from all sources to assure proper use and disposal of these materials and the safety and health of employees and customers and the protection of the environment. The information relating to the working solution is for guidance purposes only and is based on correct mixing and use of the product according to instructions.
