



**SAFETY DATA SHEET**  
QUICK DRY PRIMER & UNDERCOAT

Page: 1

Compilation date: 13/01/2015

Revision date: 14/01/2020

Revision No: 4

**Section 1: Identification of the substance/mixture and of the company/undertaking**

**1.1. Product identifier**

**Product name:** QUICK DRY PRIMER & UNDERCOAT

**1.2. Relevant identified uses of the substance or mixture and uses advised against**

**1.3. Details of the supplier of the safety data sheet**

**Company name:** Rustins Ltd  
Waterloo Road  
Cricklewood  
London  
NW2 7TX  
United Kingdom

**Tel:** +44 (0)208 450 4666

**Fax:** +44 (0)208 452 2008

**Email:** [rustins@rustins.co.uk](mailto:rustins@rustins.co.uk)

**1.4. Emergency telephone number**

**Emergency tel:** .+44(0)2084504666 (Office hours only)

**Section 2: Hazards identification**

**2.1. Classification of the substance or mixture**

**Classification under CLP:** Skin Sens. 1: H317; -: EUH208

**Most important adverse effects:** Contains texanol. May produce an allergic reaction. May cause an allergic skin reaction.

**2.2. Label elements**

**Label elements:**

**Hazard statements:** EUH208: Contains texanol. May produce an allergic reaction.

H317: May cause an allergic skin reaction.

**Hazard pictograms:** GHS07: Exclamation mark



**Signal words:** Warning

**Precautionary statements:** P280: Wear protective gloves.

P302+P352: IF ON SKIN: Wash with plenty of water.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

[cont...]

**SAFETY DATA SHEET**  
QUICK DRY PRIMER & UNDERCOAT

Page: 2

P301+P312: IF SWALLOWED: Call a POISON CENTRE or doctor if you feel unwell.

P302+P350: IF ON SKIN: Gently wash with plenty of soap and water.

P321: Specific treatment (see instructions on this label)

**2.3. Other hazards**

**PBT:** This product is not identified as a PBT/vPvB substance.

**Section 3: Composition/information on ingredients**

**3.2. Mixtures**

**Hazardous ingredients:**

XTAIN A

EINECS	CAS	PBT / WEL	CLP Classification	Percent
-	-	-	-	2.000%

TEXANOL

-	25265-77-4	-	Aquatic Chronic 3: H412; Skin Sens. 1: H317	1.000%
---	------------	---	---	--------

**Section 4: First aid measures**

**4.1. Description of first aid measures**

**Skin contact:** Wash immediately with plenty of soap and water.

**Eye contact:** Bathe the eye with running water for 15 minutes. Transfer to hospital for specialist examination.

**Ingestion:** Do not induce vomiting. Wash out mouth with water. Consult a doctor.

**Inhalation:** Move to fresh air in case of accidental inhalation of vapours.

**4.2. Most important symptoms and effects, both acute and delayed**

**Skin contact:** There may be mild irritation at the site of contact.

**Eye contact:** There may be irritation and redness.

**Ingestion:** There may be soreness and redness of the mouth and throat.

**Inhalation:** There may be irritation of the throat with a feeling of tightness in the chest.

**Delayed / immediate effects:** Immediate effects can be expected after short-term exposure.

**4.3. Indication of any immediate medical attention and special treatment needed**

**Section 5: Fire-fighting measures**

**5.1. Extinguishing media**

**Extinguishing media:** Carbon dioxide. Alcohol resistant foam. Dry chemical powder. Use water spray to cool containers. Suitable extinguishing media for the surrounding fire should be used.

**5.2. Special hazards arising from the substance or mixture**

**Exposure hazards:** In combustion emits toxic fumes of carbon dioxide / carbon monoxide.

[cont...]

**SAFETY DATA SHEET**  
QUICK DRY PRIMER & UNDERCOAT

Page: 3

**5.3. Advice for fire-fighters**

**Advice for fire-fighters:** Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes.

**Section 6: Accidental release measures**

**6.1. Personal precautions, protective equipment and emergency procedures**

**Personal precautions:** Do not attempt to take action without suitable protective clothing - see section 8 of SDS. Eliminate all sources of ignition. Mechanically ventilate the spillage area whilst avoiding the formation of explosive concentrations - see section 9 of SDS.

**6.2. Environmental precautions**

**Environmental precautions:** Do not discharge into drains or rivers.

**6.3. Methods and material for containment and cleaning up**

**Clean-up procedures:** Absorb into dry earth or sand. Transfer to a closable, labelled salvage container for disposal by an appropriate method. Wash the spillage site with large amounts of water.

**6.4. Reference to other sections**

**Section 7: Handling and storage**

**7.1. Precautions for safe handling**

**Handling requirements:** Ensure there is sufficient ventilation of the area. Avoid direct contact with the substance. Smoking is forbidden.

**7.2. Conditions for safe storage, including any incompatibilities**

**Storage conditions:** Keep container tightly closed. Store in a cool, well ventilated area. Keep away from sources of ignition. Ensure a retention tank is installed.

**Suitable packaging:** Ideally, keep in original container. If transfer is necessary use glass or coated steel containers.

**7.3. Specific end use(s)**

**Section 8: Exposure controls/personal protection**

**8.1. Control parameters**

**Workplace exposure limits:** No data available.

**DNEL/PNEC Values**

**DNEL / PNEC** No data available.

**8.2. Exposure controls**

**Engineering measures:** Ensure there is sufficient ventilation of the area. Ensure a retention tank is installed.

**Respiratory protection:** Respiratory protection not required. Self-contained breathing apparatus must be available in case of emergency.

[cont...]

**SAFETY DATA SHEET**  
QUICK DRY PRIMER & UNDERCOAT

Page: 4

**Hand protection:** PVC gloves. Nitrile gloves.  
**Eye protection:** Safety glasses with side-shields.  
**Skin protection:** Protective clothing.

**Section 9: Physical and chemical properties**

**9.1. Information on basic physical and chemical properties**

**State:** Liquid  
**Colour:** White and Grey  
**Odour:** Barely perceptible odour  
**Evaporation rate:** Moderate  
**Oxidising:** Non-oxidising (by EC criteria)  
**Solubility in water:** Miscible  
**Viscosity:** Viscous  
**Boiling point/range°C:** No data available.      **Melting point/range°C:** No data available.  
**Flammability limits %: lower:** No data available.      **upper:** No data available.  
**Flash point°C:** >93      **Part.coeff. n-octanol/water:** No data available.  
**Autoflammability°C:** No data available.      **Vapour pressure:** No data available.  
**Relative density:** No data available.      **pH:** No data available.  
**VOC g/l:** No data available.

**9.2. Other information**

**Other information:** No data available.

**Section 10: Stability and reactivity**

**10.1. Reactivity**

**Reactivity:** Stable under recommended transport or storage conditions.

**10.2. Chemical stability**

**Chemical stability:** Stable under normal conditions.

**10.3. Possibility of hazardous reactions**

**Hazardous reactions:** Hazardous reactions will not occur under normal transport or storage conditions.

**10.4. Conditions to avoid**

**Conditions to avoid:** Heat.

**10.5. Incompatible materials**

**Materials to avoid:** Strong acids. Strong bases. Strong oxidising agents.

**10.6. Hazardous decomposition products**

**Haz. decomp. products:** In combustion emits toxic fumes of carbon dioxide / carbon monoxide.

[cont...]

**SAFETY DATA SHEET**  
QUICK DRY PRIMER & UNDERCOAT

Page: 5

**Section 11: Toxicological information**

**11.1. Information on toxicological effects**

**Relevant hazards for product:**

Hazard	Route	Basis
Respiratory/skin sensitisation	DRM	Hazardous: calculated

**Symptoms / routes of exposure**

**Skin contact:** There may be mild irritation at the site of contact.

**Eye contact:** There may be irritation and redness.

**Ingestion:** There may be soreness and redness of the mouth and throat.

**Inhalation:** There may be irritation of the throat with a feeling of tightness in the chest.

**Delayed / immediate effects:** Immediate effects can be expected after short-term exposure.

**Section 12: Ecological information**

**12.1. Toxicity**

**Ecotoxicity values:** No data available.

**12.2. Persistence and degradability**

**Persistence and degradability:** No data available.

**12.3. Bioaccumulative potential**

**Bioaccumulative potential:** No data available.

**12.4. Mobility in soil**

**Mobility:** Volatile. Soluble in water. Absorbed only slowly into soil.

**12.5. Results of PBT and vPvB assessment**

**PBT identification:** This product is not identified as a PBT/vPvB substance.

**12.6. Other adverse effects**

**Other adverse effects:** No data available.

**Section 13: Disposal considerations**

**13.1. Waste treatment methods**

**Disposal operations:** Transfer to a suitable container and arrange for collection by specialised disposal company.

**NB:** The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

**Section 14: Transport information**

[cont...]

**SAFETY DATA SHEET**  
QUICK DRY PRIMER & UNDERCOAT

Page: 6

**14.1. UN number**

**UN number:** NOT CLASSIFIED

**14.2. UN proper shipping name**

**Shipping name:** NOT CLASSIFIED AS DANGEROUS IN THE MEANING OF TRANSPORT REGULATIONS.

**14.3. Transport hazard class(es)**

**14.4. Packing group**

**14.5. Environmental hazards**

**Environmentally hazardous:** No

**Marine pollutant:** No

**14.6. Special precautions for user**

**Special precautions:** No special precautions.

**Section 15: Regulatory information**

**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

**15.2. Chemical Safety Assessment**

**Section 16: Other information**

**Other information**

**Other information:** This safety data sheet is prepared in accordance with Commission Regulation (EU) No 2015/830.

\* indicates text in the SDS which has changed since the last revision.

**Phrases used in s.2 and s.3:** EUH208: Contains texanol. May produce an allergic reaction.

H317: May cause an allergic skin reaction.

H412: Harmful to aquatic life with long lasting effects.

**Legal disclaimer:** The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.