

Safety Data Sheet according to
Regulation (EC) No. 1907/2006
(REACH)WSW SC LO / WSW SC M1 - Solder
Wire lead free Sn0.7Cu Flux L0/M1
3.5%Print date23.06.2022
23.06.2022Revision date23.06.2022
12.3

SECTION 1: Identification of the substance/mixture and of the company/undertaking remark

*

Art. 31 and 2020/878/EU

1.1 Product identifier

Trade name/designation WSW SC L0 / WSW SC M1 - Solder Wire lead free Sn0.7Cu Flux L0/M1 3.5% **Other means of identification**

SDS-41

1.2 Relevant identified uses of the substance or mixture and uses advised against Relevant identified uses

remark

Solder wire, Lötzinn, étain à souder, estano para soldar, stagno per saldature Sector of uses [SU]

SU16 Manufacture of computer, electronic and optical products, electrical equipment

1.3 Details of the supplier of the safety data sheet

Supplier

Weller Tools GmbH Carl-Benz-Strasse 2 Germany-74354 Besigheim Telephone: +49 7143 580-0 Telefax: +49 7143 580-108 E-mail: info@weller-tools.com Department responsible for information: environmental department Information telephone: +49 7143 580-101 Information telefax: +49 7143 580-108

1.4 Emergency telephone number

GIZ Mainz +49 6131 - 19240 (German, English, French)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 [CLP]

health hazards

Skin Sens. 1

hazard statements for health hazards

H317 May cause an allergic skin reaction.

2.2 Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard components for labelling

Kolophonium / rosin / colophony / colophane / colofonia

Hazard pictograms



GHS07 Signal word Warning

Hazard statements

hazard statements for health hazards

H317 May cause an allergic skin reaction.

Precautionary statements

General:

P101 If medical advice is needed, have product container or label at hand. P102 Keep out of reach of children.

Prevention

P280 Wear protective gloves/protective clothing and eye/face protection.

Disposal:

P501 Dispose of contents/container to an appropriate recycling or disposal facility.



Safety Data Sheet according to Regulation (EC) No. 1907/2006 (RĚACH) WSW SC L0 / WSW SC M1 - Solder Wire lead free Sn0.7Cu Flux L0/M1 3.5% Print date 23.06.2022 Revision date 23.06.2022 12.3 Version

Special rules for supplemental label elements for certain mixtures

EUH208 Contains . May produce an allergic reaction.

Kolophonium / rosin / colophony / colophane / colofonia

Special rules on packaging

The product is classified according to CLP regulation. A label is not required (CLP Att. I, 1.3.4.1). Information acc. 1.3.4.2 in Chapter

Das Produkt ist gemäß CLP-Verordnung eingestuft. Ein Kennzeichnungsetikett ist nicht erforderlich (CLP Anh. I, 1.3.4.1). Information nach 1.3.4.2 in Abschn. 2.2

Le produit est classé conformément au règlement CLP. Une étiquette n'est pas nécessaire (CPL A. I, 1.3.4.1). Information selon 1.3.4.2 dans la section 2.2

El producto está clasificado según el reglamento CLP. No se requiere una etiqueta (CLP Att. I, 1.3.4.1). Información según 1.3.4.2 en el Capítulo 2.2

2.3 Other hazards

Other adverse effects

People who suffer from skin sensitization problems, asthma, allergies, chronic or recurring respiratory illnesses should not be deployed in any process using this mixture. Processing vapours can irritate the respiratory tracts, skin and eyes.

SECTION 3: Composition / information on ingredients

3.1/3.2 Substances/Mixtures

Description

tin-alloy, Zinn-Legierung, étain-alliage, aleación de estano, lega stannico

Hazardous ingredients	
colophony	>=2,3 - <=3,7 %
CAS 8050-09-7	
EC 232-475-7	
INDEX 650-015-00-7	
REACHNo 01-2119480418-31-*	
Skin Sens. 1, H317	
Copper	>=0,4 - <=0,7 %
CAS 7440-50-8	-,
EC 231-159-6	
REACHNo 01-2119480154-42	
Aquatic Chronic 2, H411	
tin	>=96 - <=99 %
CAS 7440-31-5	
EC 231-141-8	
REACHNo 01-2119486474-28	

Additional information

SECTION 4: First aid measures

4.1 Description of first aid measures

General information

In case of allergic symptoms, especially in the breathing area, seek medical advice immediately.

Following inhalation

Provide fresh air. In case of respiratory tract irritation, consult a physician.

Following skin contact

Do not peel solidified product off the skin. After contact with molten product, cool skin area rapidly with cold water. In case of skin irritation, consult a physician.

After eye contact

In case of contact with eyes, rinse immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart. Subsequently consult an ophthalmologist.

Following ingestion

If accidentally swallowed rinse the mouth with plenty of water (only if the person is conscious) and obtain immediate medical attention.

4.2 Most important symptoms and effects, both acute and delayed

No data available

4.3 Indication of any immediate medical attention and special treatment needed No data available



Safety Data Sheet according to
Regulation (EC) No. 1907/2006
(REACH)WSW SC LO / WSW SC M1 - Solder
Wire lead free Sn0.7Cu Flux L0/M1
3.5%Print date23.06.2022
23.06.2022Revision date23.06.2022
23.06.2022Version12.3

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Carbon dioxide (CO2) Extinguishing powder Foam Dry extinguishing powder Sand **Unsuitable extinguishing media** Full water jet **5.2 Special hazards arising from the substance or mixture Hazardous combustion products** Carbon monoxide Carbon dioxide (CO2)

5.3 Advice for firefighters

Special protective equipment for firefighters

In case of fire: Wear self-contained breathing apparatus.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Personal precautions

Use personal protection equipment.

For emergency responders

Personal protection equipment

Wear breathing apparatus if exposed to vapours/dusts/aerosols.

6.2 Environmental precautions

Do not empty into drains or the aquatic environment. Do not allow to enter into soil/subsoil.

6.3 Methods and material for containment and cleaning up No data available

6.4 Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advices on general occupational hygiene

When using do not eat, drink, smoke, sniff. Wash hands and face before breaks and after work and take a shower if necessary. **Protective measures**

Advices on safe handling

Use only in well-ventilated areas. Do not breathe gas/fumes/vapour/spray.

Avoid: Skin contact Eye contact

Measures to prevent aerosol and dust generation

Vapours / aerosols should be extracted by suction directly at point of origin.

7.2 Conditions for safe storage, including any incompatibilities

Hints on joint storage

Materials to avoid

Do not store together with: Food and feedingstuffs

Storage class

13

7.3 Specific end use(s)

No data available



Safety Data Sheet according to
Regulation (EC) No. 1907/2006
(REACH)WSW SC L0 / WSW SC M1 - Solder
Wire lead free Sn0.7Cu Flux L0/M1
3.5%Print date23.06.2022
23.06.2022Print date23.06.2022
23.06.2022Version12.3

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limit values

CAS No.	Substance name	LTV	STV	remark
7440-31-5	Tin compounds, inorganic, except SnH4	2 mg/m ³	4 mg/m ³	
				Great Britain (UK)
7440-50-8	Copper, fume, respirable dust	0,2 mg/m ³		
				Great Britain (UK)
	erm occupational exposure limit value			
STV = short-	term occupational exposure limit value			

source: GESTIS International Limit Values (http://limitvalue.ifa.dguv.de/)

Monitoring and observation processes: GESTIS Analytical Methods (http://amcaw.ifa.dguv.de/)

remark

8.2 Exposure controls

Appropriate engineering controls

Technical measures to prevent exposure

Reduce exposure to fume by keeping operating temperatures as low as possible taking into account occupational exposure limits and safe handling temperatures (see Section 7). Where practicable handle within an enclosed process. Alternatively local exhaust ventilation should be considered.

Personal protection equipment

Eye/face protection

Suitable eye protection:

Eye glasses with side protection

Skin protection

Suitable material:

NBR (Nitrile rubber)

Thickness of the glove material >=0,2 mm

Body protection:

Suitable protective clothing:

Apron

Respiratory protection

Additional measures for respiratory protection

Half-face mask or quarter facepiece: maximum use concentration for substances with exposure limits: P1 filter: up to a max. of 4 times the exposure limit. P2 filter: up to a max. of 10 times the exposure limit. P3 filter: up to a max. of 30 times the expo.

remark

Annearance

If technical exhaust or ventilation measures are not possible or insufficient, respiratory protection must be worn.

SECTION 9: Physical and chemical properties 9.1 Information on basic physical and chemical properties

Appearance	
Physical state	
solid	
Colour	
silver	
Odour	
odourless	

parameter

Method - source - remark

Melting point/freezing point	228 °C	
Boiling point or initial boiling point and boiling range		not determined
flammability		not determined
Upper explosion limit		not determined
lower explosion limit		not determined
Flash point (°C)		not determined



Safety Data Sheet according to
Regulation (EC) No. 1907/2006
(REACH)WSW SC L0 / WSW SC M1 - Solder
Wire lead free Sn0.7Cu Flux L0/M1
3.5%Print date23.06.2022
23.06.2022

Revision date Version 23.06.2022 23.06.2022 12.3

		parameter	Method - source - remark
Auto-ignition temperature			not determined
Decomposition temperature			not determined
рН			not determined
Kinematic viscosity			not determined
Water solubility			insoluble
Soluble (g/L) in			not determined
Fat solubility			not determined
Partition coefficient: n-octanol/water	r		not determined
Vapour pressure	<0,1 mbar	Temperature 20 °C	
Density and/or relative density	7,3 g/cm ³	Temperature 20 °C	
Relative vapour density	6		20 °C
particle characteristics			not determined
9.2 Other information			
Solvent content Value 0 %			
remark VOC (EU) 0,00 % Solid content Value 100 %			
No information available. 10.2 Chemical stability The product is stable under storag 10.3 Possibility of hazardou No hazardous reaction when hand 10.4 Conditions to avoid No information available.	<pre>Is reactions led and stored accord</pre>		
 10.5 Incompatible material No information available. 10.6 Hazardous decomposition Thermal decomposition can lead to 	tion products	iting gases and vapours.	
No information available. 10.6 Hazardous decomposit Thermal decomposition can lead to ECTION 11: Toxicological info	tion products of the escape of irrita prmation		
No information available. 10.6 Hazardous decomposit Thermal decomposition can lead to ECTION 11: Toxicological info 11.1 Information on hazard	tion products of the escape of irrita prmation		1272/2008
No information available. 10.6 Hazardous decomposit Thermal decomposition can lead to ECTION 11: Toxicological info 11.1 Information on hazard Acute toxicity	tion products of the escape of irrita prmation		1272/2008
No information available. 10.6 Hazardous decomposit Thermal decomposition can lead to ECTION 11: Toxicological info 11.1 Information on hazard	tion products the escape of irrita ormation I classes as defin	ned in Regulation (EC) No	1272/2008
No information available. 10.6 Hazardous decomposit Thermal decomposition can lead to ECTION 11: Toxicological info 11.1 Information on hazard Acute toxicity Assessment/classification	tion products the escape of irrita ormation I classes as defin	ned in Regulation (EC) No	1272/2008
No information available. 10.6 Hazardous decomposit Thermal decomposition can lead to ECTION 11: Toxicological info 11.1 Information on hazard Acute toxicity Assessment/classification Based on available data, the classi skin corrosion/irritation ingredient colophony Assessment/classificat Irritant.	tion products o the escape of irrita ormation I classes as defin ification criteria are ion	ned in Regulation (EC) No	1272/2008
No information available. 10.6 Hazardous decomposit Thermal decomposition can lead to ECTION 11: Toxicological info 11.1 Information on hazard Acute toxicity Assessment/classification Based on available data, the classi skin corrosion/irritation ingredient colophony Assessment/classificat Irritant. Respiratory or skin sensitis	tion products o the escape of irrita ormation I classes as defin ification criteria are ion	ned in Regulation (EC) No	1272/2008
No information available. 10.6 Hazardous decomposit Thermal decomposition can lead to CTION 11: Toxicological info 11.1 Information on hazard Acute toxicity Assessment/classification Based on available data, the classi skin corrosion/irritation ingredient colophony Assessment/classificat Irritant. Respiratory or skin sensitis Skin sensitisation	tion products o the escape of irrita ormation I classes as defin ification criteria are ion ation	ned in Regulation (EC) No	1272/2008
No information available. 10.6 Hazardous decomposit Thermal decomposition can lead to ECTION 11: Toxicological info 11.1 Information on hazard Acute toxicity Assessment/classification Based on available data, the classification ingredient colophony Assessment/classification Irritant. Respiratory or skin sensitists Skin sensitisation Assessment/classification Assessment/classification Assessment/classification Assessment/classification Assessment/classification Assessment/classification Assessment/classification Assessment/classification Assessment/classification Assessment/classification Assessment/classification Assessment/classification Assessment/classification Assessment/classification Assessment/classification Assessment/classification Assessment/classification Assessment/classification Assessment/classification Assessment/classification Assessment/classification Assessment/classification Assessment/classification Assessment/classification Assessment/classification Assessment/classification Assessment/classification Assessment/classification Assessment/classification Assessment/classification Assessment/classification Assessment/classification Assessment/classification Assessment/classification Assessment/classification Assessment/classification Assessment/classification Assessment/classification Assessment/classification Assessment/classification Assessment/classification Assessment/classification Assessment/classification Assessment/classification Assessment/classification Assessment/classification Assessment/classification Assessment/classification Assessment/classification Assessment/classification Assessment/classification Assessment/classification Assessment/classification Assessment/classification Assessment/classification Assessment/classification Assessment/classification Assessment/classification	tion products o the escape of irrita ormation I classes as defin ification criteria are ion ation halation and skin co	ned in Regulation (EC) No and not met.	
No information available. 10.6 Hazardous decompositi Thermal decomposition can lead to ECTION 11: Toxicological info 11.1 Information on hazard Acute toxicity Assessment/classification Based on available data, the classi skin corrosion/irritation ingredient colophony Assessment/classificat Irritant. Respiratory or skin sensitis Skin sensitisation Assessment/classificat May cause sensitization by in CMR effects (carcinogenicit	tion products o the escape of irrita ormation I classes as defin ification criteria are ion ation halation and skin co	ned in Regulation (EC) No and not met.	
No information available. 10.6 Hazardous decomposit Thermal decomposition can lead to ECTION 11: Toxicological info 11.1 Information on hazard Acute toxicity Assessment/classification Based on available data, the classification ingredient colophony Assessment/classification Irritant. Respiratory or skin sensitiss Skin sensitisation Assessment/classification May cause sensitization by in	tion products o the escape of irrita ormation I classes as defin ification criteria are ion ation halation and skin co	ned in Regulation (EC) No and not met.	



Safety Data Sheet according to Regulation (EC) No. 1907/2006 (RÉACH) WSW SC L0 / WSW SC M1 - Solder Wire lead free Sn0.7Cu Flux L0/M1 3.5% Print date 23.06.2022 Revision date 23.06.2022 Version 12.3

Reproductive toxicity

Assessment/classification

Based on available data, the classification criteria are not met.

STOT-single exposure

STOT SE 3

Irritation to respiratory tract

Assessment/classification

May cause respiratory irritation

11.2 Information on other hazards

Endocrine disrupting properties

remark

This product does not contain a substance that has endocrine disrupting properties with respect to humans as no components meets the criteria.

SECTION 12: Ecological information

12.1 Toxicity

Assessment/classification

No data available

12.2 Persistence and degradability

Assessment/classification

not readily biodegradable (according to OECD criteria)

12.3 Bioaccumulative potential

No information available.

12.4 Mobility in soil

No information available.

12.5 Results of PBT and vPvB assessment

No information available.

12.6 Endocrine disrupting properties

remark

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7 Other adverse effects

No information available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

remark

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process. Recycle according to official regulations.

Directive 2008/98/EC (Waste Framework Directive)

Before intended use

Waste code product 170407 hazardous waste No Waste name mixed metals

Recovery operations

R4 Recycling/reclamation of metals and metal compounds

After intended use

Waste code packaging 150102 hazardous waste No

Waste name

plastic packaging Waste code packaging 150101 hazardous waste No

Waste name

paper and cardboard packaging

SECTION 14: Transport information

Land transport (ADR/RID)

Sea transport (IMDG)

Air transport (ICAO-TI / IATA-DGR)



Safety Data Sheet according to
Regulation (EC) No. 1907/2006
(REACH)WSW SC L0 / WSW SC M1 - Solder
Wire lead free Sn0.7Cu Flux L0/M1
3.5%Print date23.06.2022
23.06.2022Revision date23.06.2022
12.3

Land transport (ADR/RID) Sea transport (IMDG) Air transport (ICAO-TI / IATA-DGR) 14.1 UN number or ID number not applicable not applicable not applicable 14.2 Proper Shipping Name not applicable not applicable not applicable 14.3 Class(es) not applicable not applicable not applicable 14.4 Packing group not applicable not applicable not applicable 14.5 Environmental hazards not applicable not applicable not applicable 14.6 Special precautions for user not applicable not applicable not applicable 14.7 Maritime transport in bulk according to IMO instruments not applicable not applicable not applicable

Additional information

All transport carriers

No dangerous good in sense of these transport regulations.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture EU legislation

Authorisations and/or restrictions on use

Restrictions of occupation

Observe restrictions to employment for juvenils according to the 'juvenile work protection guideline' (94/33/EC).

Other regulations (EU)

Directive 2012/18/EU on the control of major-accident hazards involving dangerous substances [Seveso-III-Directive]

Named dangerous substances

none

15.2 Chemical Safety Assessment

For this substance a chemical safety assessment has not been carried out.

SECTION 16: Other information

Abbreviations and acronyms

See overview table at www.euphrac.eu

Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]

See SECTION 2.1 (classification).

Indication of changes

* Data changed compared with the previous version

Relevant R-, H- and EUH-phrases (Number and full text)

H317 May cause an allergic skin reaction.

H411 Toxic to aquatic life with long lasting effects.

Key literature references and sources for data

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.