

# Kraftform Kompakt VDE 16 Torque 1,2-3,0 Nm extra slim 1, 16 pieces

## Kraftform Kompakt VDE



<b>EAN/GTIN:</b>	4013288188335	<b>Dimension:</b>	230x120x82 mm
<b>Part no.:</b>	05135906001	<b>Weight:</b>	845 g
<b>Article no.:</b>	KK VDE 16 Torque 1,2-3,0 Nm	<b>Country of origin:</b>	CZ
		<b>Customs tariff number:</b>	82054000

- Kraftform Kompakt VDE torque screwdriver set with adjustable torque
- Adjustable Kraftform VDE torque holder exclusively for Wera VDE interchangeable blades
- VDE interchangeable blades 154 mm long
- In robust pouch
- 16-piece

16-piece torque VDE interchangeable blade set. Includes 14 blades (11 of which with a reduced diameter) with integrated insulation protection. Torque VDE holder with adjustable torque from 1.2-3.0 Nm and VDE holder 817 VDE. Kraftform Plus handle: hard gripping zones for high working speeds whereas soft zones ensure high torque transfer.

### Weblink











[http://products.wera.de/en/vde\\_tools\\_kraftform\\_kompakt\\_vde\\_kk\\_vde\\_16\\_torque\\_1\\_2-3\\_0\\_nm.html](http://products.wera.de/en/vde_tools_kraftform_kompakt_vde_kk_vde_16_torque_1_2-3_0_nm.html)

Wera - KK VDE 16 Torque 1,2-3,0 Nm  
05135906001 - 4013288188335

Wera Werkzeuge GmbH  
Korzter Straße 21-25  
D-42349 Wuppertal  
Tel: +49 (0)2 02 / 40 45-0  
E-Mail: [info@wera.de](mailto:info@wera.de)

Kraftform Kompakt VDE


Content:

	<b>7400 VDE</b> 05074750001 1 x 7441 VDEx1.2-3.0		<b>817 VDE</b> 05003990001 1 x 9x102
	<b>KK 62 iS</b> 05003413001 1 x PH 1x154 05003414001 1 x PH 2x154		<b>KK 65 iS PZ</b> 05003455001 1 x PZ 1x154 05003456001 1 x PZ 2x154
	<b>KK 65 iS PZ/S</b> 05003447001 1 x # 1x154 05003448001 1 x # 2x154		<b>KK 67 i TORX®</b> 05003431001 1 x TX 10x154
	<b>KK 67 iS TORX®</b> 05003437001 1 x TX 15x154 05003438001 1 x TX 20x154 05003439001 1 x TX 25x154		<b>KK 60 i</b> 05003400001 1 x 0.4x2.5x154
	<b>KK 60 iS</b> 05003406001 1 x 0.6x3.5x154 05003407001 1 x 0.8x4.0x154 05003408001 1 x 1.0x5.5x154		

Individually tested




Kraftform Kompakt VDE sets come with an insulated handle and insulated inter-changeable blades, that can be exchanged without any special tools.



Each Kraftform Kompakt VDE set has been tested individually at 10,000 volts, in accordance with IEC 60900. This ten-times-higher testing load guarantees safe working at their maximum permitted load of 1,000 volts.

Handle/interchangeable blade system



The handle/interchangeable blade system allows rapid exchange of the blades required for a wide range of applications.

Kraftform VDE adjustable torque handle



Easy-to-read scale value. Measurement accuracy is  $\pm 6\%$  in accordance with the standard EN ISO 6789.

Weblink

[http://products.wera.de/en/vde\\_tools\\_kraftform\\_kompakt\\_vde\\_kk\\_vde\\_16\\_torque\\_1\\_2-3\\_0\\_nm.html](http://products.wera.de/en/vde_tools_kraftform_kompakt_vde_kk_vde_16_torque_1_2-3_0_nm.html)

Wera - KK VDE 16 Torque 1,2-3,0 Nm  
05135906001 - 4013288188335

Wera Werkzeuge GmbH  
Korzter Straße 21-25  
D-42349 Wuppertal  
Tel: +49 (0)2 02 / 40 45-0  
E-Mail: info@wera.de

Kraftform Kompakt VDE

Kraftform VDE adjustable torque handle




Simple setting of the required torque by hand.

Excess-load signal




Distinctly audible and noticeable excess-load signal when the pre-set torque is reached.

Inserting the blade



According to the job, the insulated inter-changeable blade with the required tipstyle, or a switch cabinet key is inserted into the clamping mechanism.

Taking out the blade



By pulling and holding down the clamping sleeve the interchangeable screwdriver blade, or the switch cabinet key, is unlocked and can easily be taken out of the handle.

Weblink

[http://products.wera.de/en/vde\\_tools\\_kraftform\\_kompakt\\_vde\\_kk\\_vde\\_16\\_torque\\_1\\_2-3\\_0\\_nm.html](http://products.wera.de/en/vde_tools_kraftform_kompakt_vde_kk_vde_16_torque_1_2-3_0_nm.html)

Wera - KK VDE 16 Torque 1,2-3,0 Nm  
05135906001 - 4013288188335

Wera Werkzeuge GmbH  
Korzter Straße 21-25  
D-42349 Wuppertal  
Tel: +49 (0)2 02 / 40 45-0  
E-Mail: info@wera.de