

## Bit-Box 15 Impaktor TX, TX 20 x 25 mm, 15 pieces

Bits for TORX® Screws



<b>EAN:</b>	4013288187871	<b>Size:</b>	75x68x20 mm
<b>Part number:</b>	05057772001	<b>Weight:</b>	82 g
<b>Article number:</b>	Bit-Box 15 Impaktor TX	<b>Country of origin:</b>	CZ
		<b>Customs tariff number:</b>	82079030

- Impaktor technology for above-average service life
- Particularly suitable for use with customary impact drivers
- Diamond coating for a secure fit in the screw, literally bites into the screwhead to prevent cam-out
- 1/4" hexagon drive (Wera connecting series 1)
- Take it easy tool finder: colour coding according to profile and size
- In practical Bit-Box for simple removal

High quality bits for recessed TORX® screws in a practical Bit-Box. The Impaktor technology ensures above-average service life even under very demanding circumstances. The enhanced friction resistance from the rough diamond-particle coating on the tip of the bit prevents any slipping out of the screw head. Particularly suitable for use with customary impact drivers; 1/4" hex, appropriate for holders as per DIN ISO 1173-D 6.3. Come with "Take it easy" Toolfinder: colour coding according to profile and size stamp.

### Web link

[https://products.wera.de/en/bits\\_holders\\_adaptors\\_and\\_sets\\_the\\_range\\_of\\_bits\\_bits\\_for\\_torx\\_screws\\_bit-box\\_15\\_impaktor\\_tx.html](https://products.wera.de/en/bits_holders_adaptors_and_sets_the_range_of_bits_bits_for_torx_screws_bit-box_15_impaktor_tx.html)


Wera - Bit-Box 15 Impaktor TX  
05057772001 - 4013288187871

Wera Werkzeuge GmbH  
Korzerter Straße 21-25  
D-42349 Wuppertal  
Tel: +49 (0)2 02 / 40 45-0  
E-Mail: [info@wera.de](mailto:info@wera.de)

#### Bit-Box



Impaktor technology for an above-average service life even under extreme demands



The slide switch allows a simple and gradual removal and reinsertion of the bits. The transparent reverse side means that it is easy to know how many bits are still in the box.

#### Impaktor-Bits



For an above-average service life. Maximum utilisation of the material properties, a very special geometry - designed particularly to meet the extreme demands - as well as a specific manufacturing process mean that Wera Impaktor tools have an above-average service life. Another product advantage is the coating of the Impaktor bits with minute diamond particles. These diamond particles reduce the cam-out effects - particularly high in power tool applications - which can lead to a slipping out of the screw head. The diamond particles literally bite themselves into the screw recess. This means that less contact pressure is required, something that greatly delays fatigue setting-in in power tool screwdriving jobs.

#### Improved productivity



For use with impact screwdrivers. Improve productivity when screwdriving with power tools.

#### Web link

[https://products.wera.de/en/bits\\_holders\\_adaptors\\_and\\_sets\\_the\\_range\\_of\\_bits\\_bits\\_for\\_torx\\_screws\\_bit-box\\_15\\_impaktor\\_tx.html](https://products.wera.de/en/bits_holders_adaptors_and_sets_the_range_of_bits_bits_for_torx_screws_bit-box_15_impaktor_tx.html)

Wera - Bit-Box 15 Impaktor TX  
05057772001 - 4013288187871


Wera Werkzeuge GmbH  
Korzerter Straße 21-25  
D-42349 Wuppertal  
Tel: +49 (0)2 02 / 40 45-0  
E-Mail: [info@wera.de](mailto:info@wera.de)

**Above-average service life**




Maximum utilisation of the material properties, a very special geometry - designed particularly to meet the extreme demands - as well as a specific manufacturing process mean that Wera Impaktor tools have an above-average service life.

**Reduced danger of bit breakage.**




Particularly high strength. Reduce the danger of premature bit breakage.

**Torsion zone**



Torsion zone specially designed to absorb such forces and thereby protect the bit tip.

**Reduced contact pressure**



These diamond particles reduce the cam-out effects - particularly high in power tool applications - which can lead to a slipping out of the screw head. The diamond particles literally bite themselves into the screw recess. This means that less contact pressure is required, something that greatly delays fatigue setting-in in power tool screwdriving jobs.

**Web link**

[https://products.wera.de/en/bits\\_holders\\_adaptors\\_and\\_sets\\_the\\_range\\_of\\_bits\\_bits\\_for\\_torx\\_screws\\_bit-box\\_15\\_impaktor\\_tx.html](https://products.wera.de/en/bits_holders_adaptors_and_sets_the_range_of_bits_bits_for_torx_screws_bit-box_15_impaktor_tx.html)

Wera - Bit-Box 15 Impaktor TX  
05057772001 - 4013288187871

Wera Werkzeuge GmbH  
Korzerter Straße 21-25  
D-42349 Wuppertal  
Tel: +49 (0)2 02 / 40 45-0  
E-Mail: [info@wera.de](mailto:info@wera.de)

## Bit-Box 15 Impaktor TX, TX 20 x 25 mm, 15 pieces

Bits for TORX® Screws



Set contents:

867/1 IMP DC Impaktor TORX® bits, TX 20 x 25 mm



15x TX 20 x 25 mm



### Web link

[https://products.wera.de/en/bits\\_holders\\_adaptors\\_and\\_sets\\_the\\_range\\_of\\_bits\\_bits\\_for\\_torx\\_screws\\_bit-box\\_15\\_impaktor\\_tx.html](https://products.wera.de/en/bits_holders_adaptors_and_sets_the_range_of_bits_bits_for_torx_screws_bit-box_15_impaktor_tx.html)

Wera - Bit-Box 15 Impaktor TX  
05057772001 - 4013288187871

Wera Werkzeuge GmbH  
Korzerter Straße 21-25  
D-42349 Wuppertal  
Tel: +49 (0)2 02 / 40 45-0  
E-Mail: [info@wera.de](mailto:info@wera.de)